

MEDICAL& HEALTH Product Catalogue



A

0

0

E-Link Supply U.K. Ltd

128 City Road, London, EC1V 2NX U.K.

Office: +44 2039625755 Mobile: +44 7780841518 www.elinksupply.eu alti@elinksupply.eu

COMPANY PROFILE

We ensure safety, reliability, and efficiency to fulfill your critical wholesale needs.



Rigorous Quality Control

We ensure product quality is prioritized by carefully vetting suppliers and conducting rigorous factory audits.

Extensive Product Selection

Our team of experts works with vetted manufacturers offering a wide variety of gloves, face masks, face and eye protection, protective clothing, disinfectants and sanitizers, and more.

🖙 Reliable Supply Chain

We provide end-to-end supply chain visibility and trace the entire production process with efficiency.

Professional Services

Our global logistics experts are here to meet your critical sourcing needs and provide any necessary after-sales support.

${ar P}$ Efficient Sourcing

We have access to demanding supplies in critical periods because of our direct relationship with top medical and healthcare companies.

🗟 Trade Compliance

We assist buyers in lowering their business risks by supporting that their trades are compliant with rules and regulations.













- puncture resistance
- Disposable nitrile gloves-EU
- Disposable nitrile gloves-US



PVC/Nitrile blend gloves







- Competitive non-irritating price
- PVC/Nitrile blend gloves-EU
- PVC/Nitrile blend gloves-US



Vinyl gloves





Vinyl gloves-US





coating Vinyl gloves-EU

protein



Latex gloves



- Latex examination gloves-powdered & powder-free
- Latex sterilized surgical gloves-powdered & powder-free









Surgical mask





protection



Fluid resistance

- Surgical mask level 1
- Surgical mask level 2
- Surgical mask level 3



Respirators





- KN95 particulate respirator
- N95 particulate respirator
- FFP2 particulate respirator



Non-medical mask



protection



breathability





Cute cartoon

- 3 ply non-medical black mask
- Custom Face Mask for Kids
- Special design mask for party

Protective Clothing





Coverall





360 Degree



Reliable Protection in Hazardous Environments

- Coverall no strip pressed
- Coverall blue strip pressed



Isolation gown





Latex free

- Level 1 isolation gown
- Level 2 isolation gown
- Level 3 isolation gown



Surgical gown



Extreme comfort

Superb breathability



Resistance to fluid exposure and blood-borne pathogens

- Level 2 surgical gown
- Level 3 surgical gown
- Level 4 surgical gown



Medical devices



PRODUCT CATALOGUE



Nitrile gloves	11-12
Blend gloves	13-14
Vinyl gloves	15-16
Latex gloves	17-18



B Face masks

Surgical mask	20
Respirators	21
Non-medical masks	22-23



C Protective Clothing

Coverall	25
Isolation gown	26
Surgical gown	27

D Medical devices

Oximeter	29-32
Glucometer	33-34
Thermometer	35-37
Oxygen concentrator	38-40
Baby sound doppler	41



Gloves

a. Nitrile gloves b. Blend gloves c. Vinyl gloves d. Latex gloves

E-Link Supply U.K. Ltd

128 City Road, London, EC1V 2NX, U.K. Office: +44 2039625755 Mobile: +44 7780841518 www.elinksupply.eu alti@elinksupply.eu

🗛 Nitrile gloves 🌈

1. Nitrile gloves-EU standard

Features

- Made with latex-free synthetic rubber and without power, no latex protein to cause allergy.
- Highly stretchable and mighty durable, excellent softness and wearing fitness.
- Versatile protection: well suitable for high cleanness industry like electronic, medical care, tattoo artists, physicians, food vendor etc.
- 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
Disposable nitirle gloves	XS/S/M/L/XL/XXL	EN455 EN374 SGS food	blue, black, purple, orange	100 pcs/box; 10 boxes/carton	230X120X60mm 315(L)X250(W)X243(H)mm	7-14 days	CE	200 million pcs per month

Product display



- Latex free won't trigger allergies
- Reasonable resistance to corrosive chemicals
- Comfortable



100 PC5

- Superior puncture resistance
- Durable

2. Nitrile gloves-US standard

Features

- Made with latex-free synthetic rubber and without power, no latex protein to cause allergy.
- Highly stretchable and mighty durable, excellent softness and wearing fitness.

Versatile protection: well suitable for high cleanness industry like electronic, medical care, tattoo artists, physicians, food vendor etc.

9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
Disposable nitirle gloves	XS/S/M/L/XL/XXL	ASTM D6319 ASTM D6978 SGS Food	blue, black, purple, orange	100 pcs/box; 10 boxes/carton	230X120X60mm 315(L)X250(W)X243(H)mm	7-14 days	FDA, 510k	200 million pcs per month



- Latex free won't trigger allergies
- Reasonable resistance to corrosive chemicals
- Comfortable
- Superior puncture resistance
- Durable

A Blend gloves



1. PVC/Nitrile blend gloves-EU standard

Features

- Latex and powder free: Non-allergenic and non-irritating, the best choice for sensitive hands and food.
- Durable: Coyacool Synthetic Vinyl Gloves fit your hands greatly, just like your own skin, its elastic is far better than normal PVC, and won't rip or tear easily.
- Multifunctional: perfect for everything from food handling and preparation, to janitorial and housekeeping applications.
- Hand Orientation Ambidextrous: Ambidextrous(fits right or left hand), also you can use the gloves on all your touch screen devices.
- Each gloves undergoes strict inspection before leaving the factory.
- Competitive price.
- 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
PVC/Nitrile/Blend gloves	XS/S/M/L/XL/XXL	EN455 EN374 SGS food	blue, black, purple	100 pcs/box; 10 boxes/carton	240X120X70mm 365(L)X250(W)X251(H)mm	7-14 days	CE	200 million pcs per month



- Non-allergic and non-irritating
- Can be used on touch screen devices
- Easy to wear with wet hands



2. PVC/Nitrile/Blend gloves-US standard

.

- Latex and powder free: Non-allergenic and non-irritating, the best choice for sensitive hands and food.
- Durable: Coyacool Synthetic Vinyl Gloves fit your hands greatly, just like your own skin, its elastic is far better than normal PVC, and won't rip or tear easily.
- Multifunctional: perfect for everything from food handling and preparation, to janitorial and housekeeping applications.
- Hand Orientation Ambidextrous: Ambidextrous(fits right or left hand), also you can use the gloves on all your touch screen devices.
- Each gloves undergoes strict inspection before leaving the factory.
- Competitive price.

Features

▶ 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
PVC/Nitrile/Blend gloves	XS/S/M/L/XL/XXL	ASTM D5250 SGS Food	blue, black, purple	100 pcs/box; 10 boxes/carton	240X120X70mm 365(L)X250(W)X251(H)mm	7-14 days	FDA, 510k	200 million pcs per month



- Non-allergic and non-irritating
- Can be used on touch screen devices
- Easy to wear with wet hands





A Vinyl gloves



1. Vinyl gloves-EU standard

Features

- ▶ 100% Brand-new formula to enhance softness and fitness.
- Higher tensile strength and more tactile sensitivity.
- DOP or DEHP free.
- No latex protein to cause allergy.
- Dry and smooth coating to avoid dermatitis.
- A variety of colors available for different people or industries.
- 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
Vinyl glaves	XS/S/M/L/XL/XXL	EN455 EN374 SGS food	clear, blue, green, balck	100 pcs/box; 10 boxes/carton	240X120X70mm 340(L)X250(W)X256(H)mm	7-14 days	CE	200 million pcs per month

Product display

Medical gloves



- Latex free--wont trigger aller gles
- High tensile strength
- Comfortable
- Dry and smooth coating



Industry gloves



- Variety of colors available
- Good chemical protection
- Less expensive than latex or nitrile
- DO Por DEHP free

2. Vinyl gloves-US standard

Features

- ▶ 100% Brand-new formula to enhance softness and fitness.
- ▶ Higher tensile strength and more tactile sensitivity.
- ▶ DOP or DEHP free.
- No latex protein to cause allergy.
- Dry and smooth coating to avoid dermatitis.
- A variety of colors available for diferent people or industries.
- 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
PVC/Nitrile/Blend gloves	XS/S/M/L/XL/XXL	ASTM D5250	clear, blue, green, balck	100 pcs/box; 10 boxes/carton	240X120X70mm 340(L)X250(W)X256(H)mm	7-14 days	FDA, 510k	200 million pcs per month

Product display



- Latex free--wont trigger aller gles
- High tensile strength
- Comfortable
- Dry and smooth coating



Industry gloves

- Variety of colors available
- Good chemical protection
- Less expensive than latex or nitrile
- DO Por DEHP free



E-LINC

Ad Latex gloves

1. Latex examination gloves

Features

- Medical quality,care for your hands.
- High-quality materials,full of flexibility.
- Strong and durable, not easy to puncture.
- Slightly rough fingertips, easy to grasp.
- Isolate bacteria and refuse to leak.
- 9inch & 12inch(length) available, wide array of thickness.

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
Latex Exam gloves	XS/S/M/L/XL/XXL	EN455	white	1 pr/pouch 50 prs/box 10 boxs/ctn	720*280*400mm	7-14 days	CE	5 million pairs per month



- Superior tactile precision
- Highly flexible, easy to wear



- Reasonable durability
- Superior comfort





2. Latex sterilized surgical gloves ELINC

Features

- Gamma ray radiation process that has high penetration and has no residue left over in order to ensure that our sterilized gloves are clean from germs and chemicals
- Coated for easy donning and skin moisturization, second-skin comfort
- Proprietary hand mold with an independent thumb design allows for an anatom ical fit and natural movement in the fingers, thumb and palm
- ▶ Wide array of thickness, 12 inch available

Details

Product name	Size	Safety standard	Color	Packing info	Carton dimension	Lead time	Certificate	Capacity
Latex Exam gloves	5.5/6/6.5/7/7.5	EN455	white	1 pr/pouch 50 prs/box	720*280*400mm	7-14 days	CE	5 million pairs per month



- Superior tactile precision
- Highly flexible, easy to wear



- Reasonable durability
- Superior comfort





Face masks

a. Surgical mask b. Respirators c. Non-medical masks

E-Link Supply U.K. Ltd

128City Road, London, EC1V 2NX, U.K. Office: +44 2039625755 Mobile: +44 7780841518 www.elinksupply.eu alti@elinksupply.eu

Ba Surgical mask



Features

- This product is designed for infection control practices in the health care industry.
- Wearing properly, this surgical mask can protect both patient and healthcare personnel from microorganisms, body fluids and particulate material.
- Face masks are graded based on how well they protect against different elements. Level 1 masks provide low barrier protection and should not be used for aerosols, spray or fluid. Level 2 masks provide moderate barrier protection for low to moderate levels of aerosols, spray and or fluids. Level 3 masks provide maximum barrier protection and are used for high risk offluid, spray or aerosol exposure.

Details

Product name	Safety standard	Material	Certificate	BFE	Packing info	Carton dimension	Carton weight	Lead time
	ASTM level1	Meltblown, Spunbond	FDA, 510K	>= 95%	50/ box, 10boxes/ case	520x210x180mm	2.31kg	10-15 days
Surgical mask (medical mask, 3 ply)	ASTM level2	Meltblown, Spunbond	FDA, 510K	≫95%	50/ box, 10boxes/ case	520x210x180mm	2.31kg	10-15 days
	ASTM level3	Meltblown, Spunbond	FDA, 510K	>=98%	50/ box, 10boxes/ case	520x210x180mm	2.31kg	10-15 days

Product display

ASTM level1

other liquids from penetrating into the mask

Fluid resistance





ASTM level3

Bacteria filtration efficiency The middle layer is made of high-quality meltblown with bacteria filtration efficiency 295%

 Soft and skin-friendly The inner layer is made of high-quality non-woven fabric, which is soft, skin-friendly, non-irritating, and non-allergenic

The outer layer is water repellent non-wovenfabric, which canprevent fluid and

B Respirators



Features

- They stop 95% of particles >0.3 microns in size. They are effective at filtering out at least 95% of particles.
- Good breathability and comfortable wearing experience
- ► Competitive price purchasing in bulk
- Support door-to-door delivery and OEM demands

Details

Product name	Safety standard	Туре	Certificate	Packing info	Carton dimension	Carton weight	Lead time
KN95 particulate respirator	China GB2626-2006	Flat-fold	KN95	50/ box, 16boxes/ case	15×12×18mm	6.61kg	10-15days
N95 particulate respirator	United States NIOSH-42CFR84	Cup-shaped	NOISH approved FDA, 510K	20pcs/ box , 12 boxes/ctn	16.25*11.75*16.5 inch	4.06kg	10-15days
FFP2 particulate respirator	Europe EN 149-2001	Flat-fold	CE	20pcs/box, 30boxes/carton	63*29*39cm	7kg	10-15days



- Flat fold/cup design for protection and increased breathability
- Adjustable nose-strip for comfortable wearing experience.
- Effective facial fit for protecting against airborne pathogens





1. 3 ply non-medical black mask

Features

- We can offer a more competitive market price.
- This black face mask is made of 3 layers of high-guality non-woven fabric. It has a stronger filtering effect.
- It's adjustable nose bridge and elastic soft ear-band provide you a softer and smoother feel for breathable all day long.
- Disposable masks can be widely used in crowded places such as airports, bus terminals, shopping malls, parks, salons and spas, restaurants, warehouses, offices, etc.

Details

Product name	Material	Packing info	Carton dimension	Carton weight	Lead time
3 ply non-medical black mask	Meltblown, Spunbond	50 pc/box 40 boxes/carton (2000pcs/carton)	52 x 38 x30 cm	8kg	10-15 days

Product display



 Adjustable nose bridge and soft ear strap This black disposable facemask with adjustable nose bridge and elastics of tears traps provide you with excellent air tightness and comfortable wearing experience.

Three-tier structure

The blackmask made of 3 layers of high-quality non-woven fabric has a stronger filtering effect, and is more warm and breathable.

Easy to use and carry

2.Pattern design mask

Features

- Pattern design masks are made to color your life, making you stand out of the crowd.
- This mask is made of 3 layers of high-quality non-woven fabric. It has a stronger filtering effect.
- This mask adjustable nose bridge and elastic soft ear-band provide you a softer and smoother feel for breathable all day long.
- Disposable masks can be widely used in crowded places such as parties, airports, bus terminals, shopping malls, parks, salons and spas, restaurants, warehouses, offices, etc.



- Adjustable nose-strip for comfortable wearing experience.
- Special pattern designs to color your life







Protective Clothing

- a. Coverall
- b. Isolation gown
- c. Surgical gown

E-Link Supply U.K. Ltd

128 City Road, London, EC1V 2NX, U.K. Office: +44 2039625755 Mobile: +44 7780841518 www.elinksupply.eu alti@elinksupply.eu



E-LINK

Features

- Diagnosis and treatment of suspected or confirmed infected patients
- Transfer or accompany the diagnosis of patients with suspected or confirmed infections
- Sample collection of suspected or confirmed infection
- Laboratory infection sample detection
- Environment cleaning disinfection
- Corpse disposal
- Fever /respiratory/ emergency/pediatrics clinics

Details

Product name	Safety standard	Material	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Coverall blue strip pressed	EN14126	PP+Breathable Film	CE	1pc/bag, 50pcs/ctn	57*33*30cm	7kg	10days
Coverall no strip pressed	EN14126	PP+Breathable Film	CE	1pc/bag, 50pcs/ctn	57*33*30cm	7kg	10days



- Hooded design
- Cuff design



- Breathable material
- Elastic waist design



G_D Isolation gown



Features

- Scope of composition: This product is used for general isolation of outpatient, ward, laboratory and so on in medical institutions.
- This Disposable isolation gown offers economical, comfortable, and reliable protection. Sewn seams provide superior strength. Elastic cuffs. It is made from non-woven fabrics and latex-free.
- Breathable Design: Protection gown is strong enough for tough duties while still being comfortably breathable and flexible.
- Practical Design: The gown features fully closed, double tie backs, with knitted cuffs easily can be worn with gloves to provide protection.
- Fine Design: The gown is made from lightweight, non-woven materials that ensures fluid resistance.
- Proper Size Design: The gown is designed to fit men and women of all sizes while providing comfort and flexibility.
- Double Tie Design: The gown features the dual ties at the back of the waist and neck which creates a comfortable and secure fit. Splash resistant and non-sterile for maximum protection

Details

Product name	Safety standard	Requirements	Certificate	Packing info	Carton dimension	Carton weight	Lead time
	AAMI PB70 Level 1	Water impact < 4.5 g	ISO13485, FDA, 510K	10pcs/bag 100pcs/ carton	59*39*34cm	10kg	10days
Isolation gown	AAMI PB70 Level 2	Spray impact < 1.0 g Hydrostatic Pressure> 20 cm	ISO13485, EN13795, FDA, 510K	10pcs/bag, 100pcs/ ctn	59*39*34cm	9kg	10days
	AAMI PB70 Level 3	Spray impact < 1.0 g Hydrostatic pressure> 50 cm	ISO13485, EN13795, FDA, 510K	10pcs/bag, 100pcs/ctn	59*40*42cm	12kg	10days

Product display





Level 3 isolation gown



G Surgical gown



Features

- This product protects patients from microorganisms carried by the surgical team or patients themselves.
- This product protects healthcare providers from contact with infectious microorganisms harbored by the patient. Pathogens transmitted through blood, bodily fluids and skin cells can cause dangerous infections.
- It is intended to be worn by operation room personnel during surgical procedures to protect the surgical patient and the operating room personnel from the transfer of microorganisms, body fluid.

Details

Product name	Safety standard	Certificate	Packing info	Carton dimension
Surgical gown	AAMI PB70 Level 2/3/4	CE,EN13795 FDA, 510K	1pc/bag 50 pcs / Carton	59*39*55cm



Medical devices

143

- a. Oximeter
- b. Glucometer
- c. Thermometer

d. Oxygen concentrator

58

6.0

e. Baby sound doppler

E-Link Supply U.K. Ltd

128 City Road, London, EC1V 2NX, U.K. Office: +44 2039625755 Mobile: +44 7780841518 www.elinksupply.eu alti@elinksupply.eu

Da Oximeter



1. Finger Pulse Oximeter -CMS50D

Features

- This Pulse Oximeter adopts Photoelectric Oxyhemoglobin Inspection Technology integrated with Capacity Pulse Scanning & Recording Technology, which can be used to measure human oxygen saturation and pulse rate through finger.
- The device is suitable for use in family, hospital, oxygen bar, community health care and physical care in sports, etc.
- Accurate and reliable. Good quality and wide applicability which has been certified by healthcare professionals.
- ▶ Convinient to carry. With a lanyard for easy carrying, convinient for travel.
- Advanced features. SpO2,Pulse rate ,bar graph and pulse rate waveform, PI, alarm, auto-rotation etc.

Details

Product name	Model	Certificate	Color	Packing info	Carton dimension	Carton weight	Lead time
Finger Pulse Oximeter	CMS50D	CE, FDA	blue, sky blue, white,yellow, black,pink	1pc/box; 200pcs/carton	43.3*42.5*35.3cm	4.5kg	5-15 days





2.Finger Pulse Oximeter - CMS50DL

Features

- This Pulse Oximeter adopts Photoelectric Oxyhemoglobin Inspection Technology integrated with Capacity Pulse Scanning & Recording Technology, which can be used to measure human oxygen saturation and pulse rate through finger.
- The device is suitable for use in family, hospital, oxygen bar, community health care and physical care in sports, etc.
- Accurate and reliable. Good quality and wide applicability which has been certified by healthcare professionals.
- ► Convinient to carry. With a lanyard for easy carrying, convinient for travel.
- Advanced features. SpO2, Pulse rate , bar graph and pulse rate waveform, PI, alarm, auto-rotation etc.

Details

Product name	Model	Certificate	Color	Packing info	Carton dimension	Carton weight	Lead time
Finger Pulse Oximeter	CMS50DL	CE, FDA	blue, sky blue, white,yellow, black,pink	1pc/box; 200pcs/carton	43.3*42.5*35.3cm	4.5kg	5-15 days









3.Finger Pulse Oximeter -CMS50-Pro

Features

- This Pulse Oximeter adopts Photoelectric Oxyhemoglobin Inspection Technology integrated with Capacity Pulse Scanning & Recording Technology, which can be used to measure human oxygen saturation and pulse rate through finger.
- The device is suitable for use in family, hospital, oxygen bar, community health care and physical care in sports, etc.
- Accurate and reliable. Good quality and wide applicability which has been certified by healthcare professionals.
- ► Convinient to carry. With a lanyard for easy carrying, convinient for travel.
- Advanced features. SpO2,Pulse rate ,bar graph and pulse rate waveform, PI, alarm, auto-rotation etc.

Details

Product name	Model	Certificate	Color	Packing info	Carton dimension	Carton weight	Lead time
Finger Pulse Oximeter	CMS50-Pro	CE, FDA	blue, sky blue, white,yellow, black,pink	1pc/box; 200pcs/carton	43.3*42.5*35.3cm	4.5kg	5-15 days









4.Finger Pulse Oximeter -CMS50D1

Features

- This Pulse Oximeter adopts Photoelectric Oxyhemoglobin Inspection Technology integrated with Capacity Pulse Scanning & Recording Technology, which can be used to measure human oxygen saturation and pulse rate through finger.
- The device is suitable for use in family, hospital, oxygen bar, community health care and physical care in sports, etc.
- Accurate and reliable. Good quality and wide applicability which has been certified by healthcare professionals.
- Convinient to carry. With a lanyard for easy carrying, convinient for travel.
- Advanced features. SpO2,Pulse rate ,bar graph and pulse rate waveform, PI, alarm, auto-rotation etc.

Details

Product name	Model	Certificate	Color	Packing info	Carton dimension	Carton weight	Lead time
Finger Pulse Oximeter	CMS50D1	CE, FDA	blue, sky blue, white,yellow, black,pink	1pc/box; 200pcs/carton	43.3*42.5*35.3cm	4.5kg	5-15 days









D_D Glucometer



1. Safe-Accu2 glucometer

Features

- ▶ No coding required. Automatically set the correct code.
- ▶ Tiny 0.6 ul blood sample. Make daily testing virtually painless.
- ► Large numeric display. Easily and clearly get results.
- Triple sense technology. Quickly offer accurate results in merely 9 seconds.
- > 200 test results memory. Store 7, 14 and 28 days averages with 200 test results.
- Automatical strip ejection. Easily discard used test strips, eliminating the need to handle used ones.
- ▶ Automatically turn off. Save more power when you forget to turn off.
- Carry case for protability. Coviniently take it to travel or visit your health care providers.

Details

Product name	Model	Certificate	Memory	Packing info	Carton dimension	Carton weight	Lead time
Blood Glucose Meter	Safe-Accu2 glucometer	CE	200 test results	1set/box 30sets/carton	51*24*26.8cm	6kg	1-7 days









- Simple operation and convenient use
- Simple reading:the traffic light indicates blood sugar
- Novel blood collection pen

- Less blood is needed
- New test paper
- Speed upgrade



2. Safe AQ Voice Glucometer

Features

- Blood Glucose Testing Kit: This kit covers blood glucose monitor Safe AQ Voice & Strips & Lancets & Pain free lancing device & Case & User manual. A set of equipment is provided to meet all your needs when measuring blood glucose.
- Voice Reminder & Light Warning: The function has been added to allow the blood glucose meter to be more humane. The intimate design makes the product more suitable for the elderly and children.
- Painless Lancing Device: Ergonomic design allows users to boast a good experience. The concave trigger button is designed to prevent pressing by accident, and to ensure the stability of blood sampling. The device combines with 9 different depth settings, effectively reducing pain.
- Precise & Easy to Use: Code-free test strips, only 5s testing time, 0.6 micro liters blood sample volume. The test strips have advanced technology and stability, so you don't have to worry about inaccurate test results due to blood oxygen varia tions. Results are given in the UK standard measurement of mmol/L.
- A Perfect gift: A precious gift is to protect the health of family and friends. Suitable for all people, Exquisite and lightweight. Easy to carry anywhere. It allows people to easily test blood sugar while they are on a business trip or traveling.

Details

Product name	Model	Certificate	Memory	Packing info	Carton dimension	Carton weight	Lead time
Blood Glucose Meter with Voice Reminder and Precise Test Results	Safe AQ Voice	CE	10 test results	1set/box 30sets/carton	51*24*26.8cm	6kg	1-7 days







D_c Thermometer



1. Forhead&Ear Infrared thermometer

Features

- One second reading
- Forehead measure
- Fever alarm
- °F/°C Switchable

Details

- ▶ 35 memory function
- Object/room measure
- Latest infrared tech

Product name	Model	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Forhead&Ear Infrared Thermometer	Model FC-IR100	FDA, CE	1pc/box; 100pcs/carton	495*385*255	14.5KG	7-12 days
Forhead Infrared Thermometer	Model FC-IR202	FDA, CE	1pc/box; 100pcs/carton	495*385*255	14.5KG	7-12 days
Forhead&Ear Infrared Thermometer	Model FC-IR300	FDA, CE	1pc/box; 100pcs/carton	595*298*275	12.5KG	7-12 days
Forhead Infrared Thermometer	Model FC-IR2000	FDA, CE	1pc/box; 80pcs/carton	485*430*325	13.6KG	7-12 days



2.Non-contact Infrared Thermometer



Features

- Forehead/Room/Object Temperature^oC/F switchMute/un-mute switch Built-in distance-to-spot sensor
- ▶ Tri-color indicator backlight
- Memory recall of 35 reading, Accuracy for body: ±0.2°C(±0.4°F) Accuracy for Object:±1.0 °C(1.8°F)
- Automatic power off
- 2*AAA Batteries, Product dimension: 59*29*35cm

Product name	Model	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Non-contact Infrared Thermometer	TP500	FDA, CE	50pcs/carton	59*29*35cm	7KG	3-5 days
Non-contact Infrared Thermometer	AET-R1D1	FDA	120pcs/carton	47*41*40.5cm	10.5KG	1-7 days

Details





3.Thermometer



Features

- One second reading
- Forehead measure
- Fever alarm
- °F/°C Switchable
- 35 memory function
- Object/room measure
- Latest infrared tech

Details

Product name	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Thermometer	CE	200pcs/carton	25.4*25.4*20.5cm	6kg	1-7 days





D_d Oxygen concentrator

1. Portable oxygen concentrator for medical and home use

Features

- Adopts American PSA technology, use physical method to separate pure oxygen from air
- Advanced oil-free compressor, save 10% power energy;
- 24 hours continuous working available, 10,000 hours working time warranty;
- To strengthen your heart, reducing the risk of heart attacks
- To detoxify your blood, raise energy level
- To improve strength and build endurance
- To revitalize the skin
- To prevent disease, relieve hangovers
- To help fight off depression

Details

Product name	Model	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Portable oxygen concentrator	5L single flow	CE	1uni/carton	430×310×560mm	23kg	15days
	10L single flow	CE	1uni/carton	470×285×556mm	27kg	15days
	10L dual flow	CE	1uni/carton	470×285×556mm	27kg	15days

Product display



Flow:5L/Min Oxygen Purity:93%±3% Running Noise:5L≤58dB (A) Output Pressure:0.04-0.07MPA Voltage:AC220V Power Consumption:5L500VA Battery: Without Battery Continuous Working Time:24hours

10L single flow



Flow:10L/Min Oxygen Purity:93%±3% Running Noise:10L≤58dB (A) Output Pressure:0.04-0.07MPA Voltage:AC220V Power Consumption:10L≤700VA Battery: Without Battery Continuous Working Time:24hours

10L dual flow

Flow:10L/Min Oxygen Purity:93%±3% Running Noise:10L≤58dB (A) Output Pressure:0.04-0.07MPA Voltage:AC220V Power Consumption:10L≤700VA Battery: Without Battery Continuous Working Time:24hours

2. Single flow oxygen concentrator-5L/7L/10L

Features

- Oxygen output Concentrator level:93%±3%
- Outlet pressure:20Kpa-50Kpa
- Input power consumption :700VA
- ▶ Electrial Requirements:AC220V±10%, 50Hz±1Hz
- ▶ Operating noise:≤60dB (A) SpO2
- Measurement Range:30bpm-250bpm
- Safety characteristics
 Type of protection against electroshock : Class II equipment
 Degree of protection against electroshock:Type BF applied part
 Degree of protection against ingress of water:IP21

Details

Product name	Maximum flowrate	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Portable oxygen concentrator	5L/Min	CE	1uni/carton	508mm*260*530	28kg	15days
	7L/Min	CE	1uni/carton	508mm*260*530	28kg	15days
	10L/Min	CE	1uni/carton	508mm*260*530	28kg	15days



- With working indicator
- Built-in filters to pure the gas
- Oxygen concentration status indicator
- Function of accumulating time
- Function of timing shutdown

- Alarm for power failure
- Alarm for high/low pressure protection
- Alarm for low flowrate

3. 7F-5 Oxygen concentrator



Features

- 93±3% Oxygen Concentration
- Fliwrate:3L/min
- Cumulative time function
- Exceed press safety valve helping safe ensure
- Install power cut warning function
- High pressure and low presssure alarming functio
- Medically stable oxygen supply
- Easy to disassemble filter for cleaner

Details

Product name	Certificate	Packing info	Carton dimension	Carton weight	Lead time
7F-5 Oxygen concentrator	CE	1uni/carton	570*495*805	33kg	15days

Product display





Flow Range:1-10L/min Oxygen concentration:95.5%-87% maximun outlet pressure:40-70kPa pressure relief mechaism operates at :250kpa±25kpa operation noise level:s600B(A) input power:850VA minimum operating time:30 minutes



- Noise reduction processing: slow doen the airflow rate onlypure oxygen can" rest"
- America uop molecular sieve: longer life, higher degree of oxygen production

D_B Baby sound doppler

Features

- ▶ The Fetal Doppler is a hand-held obstetrical unit ,which can be used in home, clinic and hospital for daily self-check by pregnant woman.
- It is a high performance model with (fetal heart rate)LCD digital display .They are all available for user replaceable batteries.
- The user interface includes power button , volume control , single speaker , headphone jack and LCD display for heart rate ,battery and working mode, probe type.
- It has audio output ,and can be connected with speakers ,earphones or recorder with audio input.
- It uses standard 1.5V DC alkaline battery (requires 2 pieces 1.5V DC alkaline batteries to operate).
- The unit includes one piece interchangeable probe (2.5MHz normal ultrasound probe).

Details

Product name	Certificate	Packing info	Carton dimension	Carton weight	Lead time
Baby sound doppler	FDA, CE	1uni/box	135 *92 *29 mm	24.5kg	15days







Our Corporation consists of E-Link[™] International Supply Chain Ltd., SM Consulting Ltd. & E-Link[™] Supply UK Ltd.

Alti Mariani and Yulin Zhou are responsible for overall corporate performance and business success.

Our Physical Offices

CHINA/HONG KONG.

*All **postal correspondence** and contracts for Asia will be handled from our Head Office in Shenzhen, please use the address below. All **Bank transactions for Asia** will be handled by one of our Banks in Hong Kong : Standard Chartered HK, Bank of China HK or HSBC HK

Forms of Payment **SBLC or L/C**

Headquarters

Shenzhen, Guangdong.

10th 1006-1008, Ruisi A Building

NO.1002 North River Road,

LuoHu District

Shenzhen, China 深圳市罗湖区沿河北路1002号瑞 思国际A座1501

Guangzhou Branch

3403-Huancheng Hna Centre, Tianhebei Road 365

Tianhe District,

Guangzhou City

510630

China

广州市天河区天河北 路365号寰城海航广场 3403

UNITED KINGDOM 128 City Road, London, EC1V 2NX, U.K. Mobile: +44 7780841518, Office: +44 2039625755 Web: www.elinksupply.eu Email: alti@elinksupply.eu Registration no.13706105 HONG KONG 25th Floor Workington Tower 78 Bonham Strand, Sheung Wan Tel: +86 1882623404 Cert. No. 2532758 I



EUROPE

*All postal correspondence and contracts for Europe will be handled from our Head office in the City of London, please use the address below. All Bank Transactions for Europe and USA will be handled from one of our Banks in London : Lloyd's Bank UK, HSBC UK or The Royal Bank of Scotland.

Forms of Payment SBLC or L/C



We will only send to you official documents duly signed and accepted from our company through our corporate email. If you receive a document from our company by any other means, it will not have commercial validity and the document will not be honored.

E-Link Supply does not use private messaging tools such as Gmail, Facebook, WhatsApp or any other website to conduct business.

Therefore, we are not responsible for offers received in an inappropriate way or means.