

MEDICAL INSTRUMENTS

IFLink Supply V.K. Ltdl




www.elinksupply.eu

128 City road, London, IECIV 2NX. U.K

CONTENTS

01	NEBULIZER & HYPODERMIC INJECTION PRODUCTS I.V. &TRANSFUSION SET & ANESTHESIA PRODUCTS
02	STETHOSCOPE 013-020 SPHYGMOMANOMETER
03	HOSPITAL GOWN/LEAD PROTECTIVE PRODUCTS HOSPITAL SHOES/DISPOSABLE NONWOVEN PRODUCTS BANDAGE/GAUZE SWAB/COTTON ITEMS 021-035
04	WOUND DRESSING/PLASTER/TAPE/GLOVES SURGICAL BLADES/BLOOD LANCET/THERMOMETER 036-043
05	BATHROOM SCALE BABY SCALE&MEASURE TAPE 044-048 BMI CALCULATOR
06	DRESSING SETS/DRAINAGE BAGS/VAGINAL SPECULUMS BRACELETS/DIAGNOSTIC ITEMS/FIRST AID KITS AND 049-065 SUTURES & NEEDLES/OTHER MEDICAL DISPOSABLES
07	MICROSCOPES/CENTRIFUGES/LABORATORY EQUIPMENTS & DISPOSABLES 066-079
08	WHEEL CHAIRS/COMMODE CHAIR/WALKERS/STICKS
09	HOSPITAL BEDS/OPERATION TABLES/STRETCHERS/TROLLEYS



AIR COMPRESSING NEBULIZER











TC1003

Product Name:
Air Compressing Nebulizer



TC1004

Product Name:
Air Compressing Nebulizer



TC-CN6907

Product Name:
Air Compressing Nebulizer



TC-CN6909

Product Name:
Air Compressing Nebulizer



Product Name:
Air Compressing Nebulizer



Product Name: Air Compressing Nebulizer

NEBULIZER&DISPOSABLE



Code: TC-KCW-1S

Product Name:

Hand Held Ultrasonic Nebulizer

Specification

Max capacity of medicine cup: 10ml; Capacity of water trough: 50ml Nebulizing amount: 1ml/min-2ml/min;

Package:10pcs/ctn



Code:

TC-KCW-5T

Product Name:

Single Head Ultrasonic Nebulizer

Specification

Max capacity of medicine cup: 50ml; Capacity of water trough: 250ml Nebulizing amount: 3ml/min-5ml/min;

N.W.: 3.2KGS, Package:6pcs/ctn



Code:

TC-KCW-6T

Product Name:

Dual Head Ultrasonic Nebulizer

Specification

Max capacity of medicine cup: 50ml; Capacity of water trough: 250ml



Code:

TC1005A

Product Name:

Disposable Syringe

Specification

Style:Normal,Insulin,Tuberculin,IrrigationTipetc Size:1ml,2ml,3ml,5ml,10ml,20ml,50ml,60mletc With Or Without Needle

Luer Slip Or Luer Lock Packing: Polybag Or Blister



Code:

TC1005B

Product Name:

Safety Syringe

Specification

Size:1ml,3ml,5ml,10ml etc Needle:with or without luer slip or luer lock

Packing: blister



Code:

TC1005C

Product Name:

Auto-Disable Syringe

Specification

Size:1ml,3ml,5ml,10ml etc Needle:with or without luer slip or luer lock

Packing: blister



TC1005D

Product Name:

Disposable 2 Parts Syringe

Specification

Size:1ml,2ml,3ml,5ml,10ml etc Needle:with or without luer slip or luer lock Packing:Polybag,Blister



Code:

TC1006

Product Name:

Disposable Hypodermic Needle

Specification

Size:18G-30G

Packing:Polybag Or Blister



Code:

TC1007

Product Name:

Disposable Scalp Vein Set

Specification

Style:Butterfly Size:18G-27G

Luer Slip Or Luer Lock
Packing:Polybag Or Blister

HYPODERMIC INJECTION PRODUCTS



TC1008

Code:

Product Name: I.V.Cannula

Specification

Size:14G-24G

Type:Pen Type,With Wing Type,With Injection Port Type

Packing: Hard Blister Packing



Code: TC1009

Product Name:

Spinal Needle

Specification

Type:Bevel,Pen Point Tip Size:16G,18G,19G,20G,21G,22G, 23G,24G,25G

Packing:Blister Packing



Code:

TC1009-1

Product Name:

Epidural Anesthesia Needle

Specification

Size:16G,18G,19G,20G,21G,22G,23G,

24G,25G etc

Packing:Blister packing



Code:

TC1010A

Product Name:

Disposable Infusion Set

Specification

ABS Spike, Air Vented With Cap, Drop Ball With Filter

ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube,21-23G Needle Speed:1ml=15drops,1ml=20drops, 1ml=60drops

Packing:Polybag, OPP Film, Blister



Code:

TC1010B

Product Name:

Disposable Infusion Set With Flow Regulator

Specification

ABS Spike, Air Vented With Cap, Drop Ball With Filter

ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube,21-23G Needle Speed:1ml=15drops,1ml=20drops, 1ml=60drops

Packing:Polybag,OPP Film,Blister



Code:

TC1010C

Product Name:

Disposable Infusion Set With 3-way Stopcock

Specification

ABS Spike, Air Vented With Cap, Drop Ball With Filter

ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube,21-23G Needle

Speed:1ml=15drops,1ml=20drops, 1ml=60drops

Packing:Polybag,OPP Film,Blister



Product Name:

Disposable Blood Transfusion Set

Specification

ABS Spike, Air Vented With Cap, Drop Ball With Filter

ABS / PE Adjustor, Y Connector For Choice, 150cm PVC Tube, 18-23G Needle Packing:Polybag,OPP Film,Blister



Code: TC1012

Product Name:

Disposable Peadiatric Infusion Set With Burette / Microdropper Specification

Size:100ml,150ml

ABS Spike, Air Vented With Cap, Drop Chamber With Filter, PE/ABS Adjustor, Y Connector, 150cm PVC Tube, 21-25GNeedle

Speed:1ml=60drops Packing:Polybag, OPP Film Or Blister Code: TC1012-1 **Product Name:**

Bulb Irrigation Syringe

Specification

Size: 60ml





TC1013

Product Name:

Heparin Cap

Specification

Color: Yellow, Transparent



Code:

TC1013-1

Product Name:

Injection Stopper

Specification

Color: Red, White



Code: TC1014

Product Name:

3-Way Stopcock

Specification

Color:Blue.Red

With Or Without Extension Tube



CODE:

TC1015

Code:

TC1016

Product Name:

Flow Regulator

Specification

Product Name:

Extension Tube

Specification

Length: 10cm, 30cm, 50cm, 80cm etc With Or Without Y Connector Packing:Blister Packing



Code: TC1017

Product Name:

Combined Anaesthesia Puncture Kit

Specification

- 01 Needle for epidural 16" 1
- 02 Needle for spinal 5" 1
- 03 Double color catheter for epidural Φ1.0mm 1
- 04 Catheter fitting 1
- 05 Medical fluid filter 1
- 06 Air filter 1
- 07 Disposable loss of resistance syringe 5ml 1
- 08 Disposable sterile syringe 20ml 1
- 09 Disposable sterile syringe 3ml 1
- 10 Disposable sterile needle 6" 1
- 11 Disposable sterile needle 7" 1
- 12 Guide pin 16" 1
- 13 Suction tube 1
- 14 Latex glove 1
- 15 Sterilazation brush 3
- 16 Sterilazation cup 1
- 17 Surgical towel with hole 60cmx70cm 1
- 18 Surgical towel 40cmx50cm 1
- 19 Operaton cloth60cmx80cm 1
- 20 Medical gauze 7cmx7cm 2
- 21 Tampon 1
- 22 Wound bandage 5cmx8cm 1
- 23 Adhensive tap for fixing 5cmx30cm 1




Code: TC1018

Product Name:

Epidural Anaesthesia Puncture Kit / Spinal Anaesthesia Puncture Kit

Specification

- 01 Needle for epidural 16" 1
- 02 Catheter for epidural Φ1.0mm 1
- 03 Catheter fitting 1
- 04 Medical fluid filter 1
- 05 Air filter 1
- 06 Guide pin 16" 1
- 07 Disposable loss of resistance syringe 5ml 1
- 08 Disposable sterile syringe 20ml 1
- 09 Disposable sterile needle 6" 1
- 10 Disposable sterile needle 7" 1
- 11 Plastic tray 1
- 12 Latex glove 1
- 13 Sterilazation brush 3
- 14 Sterilazation cup 1
- 15 Surgical towel with hole 50cmx57cm 1
- 16 Operaton cloth 60cmx55cm 1
- 17 Medical gauze 7cmx7cm 2
- 18 Griding wheel 1
- 19 Wound bandage 5cmx8cm 1
- 20 Adhensive tap for fixing 2.5cmx30cm 1



Control For IV Fluids With Range Of 5

BREATHING ITEMS



Code:

TC1019

Product Name:

Nerve Block Anaesthesia Puncture Kit

Specification

01 Needle for nerve blocking 7" 1

02 Medical fluid filter 1

03 Suction tube 12" 1

04 Denture 1

05 Latex glove 1

06 Soft tube of suction Φ8x1050mm 3



07 Metal guide rod 1 08 Rubber tape 1 09 Tampon 1 10 Medical gauze 7cmx7cm 2

11 Plastic tray 1




TC1020 **Product Name:**

Code:

Disposable Anaesthesia Air Filter

Specification

Filter Efficiency: >99.9% For Particles 0.3um



Code: TC1020-1

Product Name:

Disposable Humidifier Artificial Nose

Specification

Size: Adult/Child use Packing:Blister packing



Code: TC1021

Product Name:

Oxygen Mask

Specification

Size:S(Pediatric Standard); M(Pediatric Elongated) L(Adult Standard); XL(Adult Elongated) With 2m Tube Color:Light Green,Clear



Code: TC1022

Product Name:

Nebulizer Mask

Specification

Nebulizer Mask Size: S(Pediatric Standard); M(Pediatric Elongated)

L(Adult Standard);

XL(Adult Elongated)

With 2m Tube Color:Light Green, Clear



Product Name:

Code:

Oxygen Adjustable Venturi Mask

Specification

Size: S(Pediatric Standard); M(Pediatric Elongated) L(Adult Standard); XL(Adult Elongated) With 2m Tube, Adjustable Switch To Hight/Low Oxygen Concentration Color:Light Green, Clear



Code:

TC1023-1

Product Name:

Oxygen Venturi Mask

Specification

Size: S(Pediatric Standard); M(Pediatric Elongated) L(Adult Standard); XL(Adult Elongated) With 2m Tube, Adjustable Switch To Hight/Low Oxygen Concentration Color:Light Green,Clear



Code: TC1024

Product Name:

Changeable High Pressure Oxygen Mask

Specification

Size: S(Pediatric Standard); M(Pediatric Elongated) L(Adult Standard); XL(Adult Elongated)

With 2m Tube

Six Color Connector For Choice Color:Light Green,Clear



BREATHING ITEMS





Product Name:

Code:

Non-Rebreathing Mask With Reservoir Bag

Specification

Size: S(Pediatric Standard); M(Pediatric Elongated) L(Adult Standard); XL(Adult Elongated) With 2m Tube Color:Light Green,Clear



Code:

TC1026

Product Name:

Tracheostom Mask

Specification

Connector: 360° Rotation



CODE:

TC1027

Product Name:

Mouth To Mouth Face Shield

Specification

Size: L



CODE:

TC1027-1

Product Name:

Oxygen Tube



Code:

TC1028

Product Name:

Nasal Oxygen Cannula

Specification

Size:S(Neonatal Use); M(Pediatric Use);L(Adult Use) Tube:2m Color:Light Green,Clear



Code:

TC1029

Product Name:

Yankauer Handle With Connecting Tube

Specification

Tube Size: 1/4",3/16",9/32" Tube Length:1.8M,2M,3.6M Yankauer Handle: Standard tip, With/Without Vent; Crown Tip, With/Without Vent



Product Name:

Breathing Circuit

Specification

Size: Adult/Child use

Type:Corrugated,Smoothbore,Expandable Tube length:1.5m,1.6m,1.8m,2.4m,3.0m etc



Code: TC1031

Product Name: Jet Nebulizer Kit

Specification

With 7ft oxygen connecting tube Color: clear



TC1031-1

Code:

Product Name: Anaesthesia Breathing Bag

Specification

Latex or Latex Free Capacity:1L,2L,3L etc

BREATHING PRODUCT



Product Name:

Respiratory Exerciser

Specification Flow Range:600cc-1200cc With 3 colors Balls



Product Name: Silicone Breath Resuscitator

Specification

S:Neonatal Use(</=2 years) M:Infant Use(2-7Years) L:Adult Use



Code:

TC1032B

Product Name:

PVC Breath Resuscitator

Specification S:Neonatal Use(</=2 years) M:Infant Use(2-7Years) L:Adult Use



TC1032-1

Product Name: Re-usable CPAP Mask

Specification

Style: Full Mask, Nasal Mask Size: S/M/L

Packing: Blister packing Fit any brand of CPAP/BiPAP Fix-position adjustable in 2 dimensions



Code: TC1032-2

Product Name:

Disposable CPAP Mask

Specification

Style: PVC Mask,22F,30M

Size: S/M/L

Optional: silicone headgear, PEEP Valve

Packing: PE bag



Code: TC1033

Product Name:

CPR Mask

Specification

Type:Economic,Luxury Packing:Plastic Box



Product Name:

PVC Anesthesia Mask

Specification

Size:S(Neonate) M(Infant) L(Pediatric) XL(Adult-Small) XXL(Adult-M)



Product Name:

Silicone Anesthesia Mask

Specification

Size:A:Silicone Integral type
0# (Neonate) 1# (Infant)
2# (Pediatric) 3# (Adult-small)
4# (Adult-medium) 5# (Adult-large) B:Silicone & PC combined type 3# (Adult-small) 4# (Adult-medium) 5# (Adult-large) Packing:PE bag



Code: TC1035

Product Name: Berman Airway

Specification

Color: White, Colorful Size:000#,00#,0#,1#,2#,3#,4#,5# (40-110mm)



DISPOSABLE PRODUCT



Code:

TC1036

Product Name:

Guedel Airway

Specification

Size:000#,00#,0#,1#,2#,3#,4#,5# (40-110mm)



Code:

TC1036-1

Product Name:

Nasopharyngeal/Nasal Airway

Specification

Size:ID3.0-ID9.0



TC1037

Product Name:

PVC Nelaton Catheter

Specification

Size:6fr-24fr

With Or Without Detectable X-Ray Packing: Polybag Or Blister Packing



Product Name:

Feeding Tube

Specification

Size:4fr-22fr

With Or Without Detectable X-Ray Packing: Polybag Or Blister Packing



Code:

TC1039

Product Name:

Stomach Tube

Specification

Size:6fr-22fr

With Or Without Detectable X-Ray Packing: Polybag Or Blister Packing



CODE:

TC1039-1

Product Name:

PVC Ryle's Tube

Specification

With Metal Ball or With Barium Sulfate Size:6fr-20fr

With or Without detectable X-ray Packing:Blister



CODE:

TC1039-2

Product Name:

Silicone Ryle's Tube

Specification

With Metal Bal Or With Barium Sulfatel Size:6fr-20fr

With or Without detectable X-ray Packing:Blister



Code:

TC1040

Product Name:

Rectal Tube/ flatus tube

Specification

Size:26fr-36fr

With Or Without Detectable X-Ray Packing: Polybag Or Blister Packing



Code:

TC1041

Product Name:

Suction Catheter


Specification

Size:5fr-24fr

With Or Without Detactable X-ray Connector: Finger Control/Funnel Packing: Polybag Or Blister Packing

DISPOSABLE PRODUCT





Product Name:

Thoracic Cavity Drainage Tube

Specification Size:24fr-36fr

Pkg:blister packing




Product Name:

Uterus Drainage Tude

Specification

Size:6Fr-24Fr Pkg: blister packing



Product Name:

Code:

Silicone Chest Drainage Tube

Specification

Size:12fr-36fr Packing:Blister



Endometrial Biopsy Curetter

Specification Size:24fr-36fr Packing:Blister Packing



Product Name:

Mucus Extractor

Specification

Size:25ml,Fr8,Fr10,Fr12 Finger Control Or Funnel Type Packing: Polybag Or Blister Packing



TC1047

Tracheostomy Tube

Specification

With Cuff:I.D.5.0-10.0(MM) Without Cuff: I.D.3.0-10.0 (MM)



TC1047-1

Product Name:

Tracheostomy Tube With Mucus Extractor

Specification

With or W/o cuff:1.D.6.5-9.0mm Suction size:8fr,25ml Type:Finger Control,Funnel Packing:Blister packing



Code:

TC1048

Product Name:

Latex Tubing

Specification

Size: Ф3mm x 5mm, Ф4mm x 6mm Ф5mm x 8mm, Ф6mm x 9mm Ф7mm x 10mm, Ф8mm x 11mm



Code:

TC1049

Product Name:

Disposable PVC Laryngeal Mask Airway

Size:1#,1.5#,2#,2.5#,3#,4#,5# Packing:Blister Packing



BREATHING PRODUCT



TC1049-1 **Product Name:**

Code:

Disposable silicone laryngeal mask airway

Specification

Size:1#,1.5#,2#,2.5#,3#,4#,5# Packing:Blister Packing



Code:

TC1049-2

Product Name:

Disposable PVC+Silicone Laryngeal Mask Airway

Specification Size:1#,1.5#,2#,2.5#,3#,4#,5# Packing:Blister Packing



Code: TC1049-3

Product Name:

Disposable Reinforced Silicone Laryngeal Mask Airway

Specification

Size:1#,1.5#,2#,2.5#,3#,4#,5# Pkg:Blister Packing



Code: TC1050

Product Name:

Re-Usable Silicone Laryngeal Mask Airway

Specification

Size:1#,1.5#,2#,2.5#,3#,4#,5# Packing:Blister Packing



Code: TC1051

Product Name:

Endotracheal Tube

Specification

With Cuff:I.D.3.0-10.0(mm) Without Cuff:I.D.2.0-10.0(MM)



Code:

TC1051-1

Product Name:

Reinforced Endotracheal Tube

Specification

Size:6fr/10fr/14fr Pkg: Blister packing



Product Name:

Endotracheal Tube With Suction Catheter

Specification With cuff:1.D.6.5-9.0mm Suction size:8fr Type:Finger Control,Funnel Packing:Blister packing



Code: TC1051-3

Product Name: Endotracheal Tube With Mucus Extractor

Specification With cuff:1.D.6.5-9.0mm Suction size:8fr,25ml Type:Finger Control, Funnel Packing: Blister packing



TC1051-4

Product Name:

Endotracheal Tube Holder

Specification

Size: Adult , Child Use Packing: blister packing

DISPOSABLE PRODUCT



Size:6fr/10fr/14fr Pkg: Blister packing





















SINGLE HEAD STETHOSCOPE



TC1057

Product Name: Single Head Stethoscope

Specification

Silver Chestpiece & Tubing Tubing Color: Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender /Yellow



TC1058

Product Name:

Single Head Stethoscope With Plastic Ring

Specification

Silver Chestpiece & Tubing & Ring Tubing Color: Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender



Code: TC1059

Product Name:

Coloured Single Head Stethoscope

Specification

Silver Chestpiece & Tubing & Ring Tubing Color: Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code: TC1060-1

Product Name: Bowles Stethoscope

Specification

Silver Chestpiece & Tubing Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



TC1060-2

Product Name: Acrylic Head Stethoscope

Specification

Acrylic Chestpiece & Tubing Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender



Code: TC1060-3

Product Name:

Disposable Single Head Stethoscope

Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code: TC1061

Product Name:

Dual Head Stethoscope

Specification

Silver Chestpiece & Tubing Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender / Yellow



Code: TC1062

Product Name:

Dual Head Stethoscope With Plastic Ring

Specification

Silver Chestpiece & Tubing Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender /Yellow



Code: TC1063

Product Name:

Coloured Dual Head Stethoscope

Specification

Silver Chestpiece & Tubing

Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender /Yellow

STETHOSCOPES



Code: TC1064

Product Name: Dual Head Stethoscope With Non-Chill Ring

Specification Silver Chestpiece & Tubing & Ring Tubing Color:Black / Red / Green / Blue /Orange / Gray / Navy / Pink / Lavender /Yellow



Code: TC1065

Product Name: Stainless Steel Stethoscope For Adult

Specification

Stainless Steel Chestpiece&Tubing&Ring Tubing Color: Black/Blue/Red/Yellow/ Pink etc



Code: TC1065-1

Product Name: Stainless Steel Stethoscope For Child

Specification

Stainless Steel Chestpiece&Tubing&Ring Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code: TC1066

Product Name:

Cardiology Stainless Steel Stethoscope

SpecificationStainless Steel Chestpiece&Tubing&Ring Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code: TC1066-1

Product Name:

Cardiology Stainless Steel Stethoscope with double membrane

Specification

Stainless Steel Chestpiece&Tubing&Ring Tubing Color: Black/Blue/Red/Yellow /Pink etc



Code: TC1067

Product Name:

Cross Membrane Lock Stethoscope



Product Name:

Code:

Single Head Stethoscope With Horologe



Code: TC1069

Product Name:

Dual Head Stethoscope For Child

Specification

Silver Chestpiece&Tubing Tubing Color: Pink/Blue/Red/Black/ etc



Code: TC1070

Product Name:

Standard Fetal Stethoscope

STETHOSCOPE&COVER









Product Name: Gold-Plated Head Sprague Rappaport Stethoscope

Specification: Tubing Color:Black/Green/Yellow/Blue/ Red/Purple etc



Tubing Color:Black/Green/Yellow/Blue/ Red/Purple etc





Product Name: With Clock Stethoscope With Clock

Specification:

Tubing Color:Black/Green/Yellow/Blue /Red/Purple etc



TC1073-1 **Product Name:**

Code:

3 Type Head Stainless Steel Stethoscope

Specification 3 Type head: Adult, Child , Pediatric



Code: TC1073-2

Product Name:

Stethoscope Covers Animal Toy Cover

Specification

Shape:Dog,Lion,Rabbit,Bear,Tiger, Giraffe, Crocodile

ANEROID SPHYGMOMANOMETER



Product Name:

Code:

TC1074

Aneroid Sphygmomanometer

Specification

Standard Type Cuff: Cotton/Nylon. Bulb/Bladder:PVC,Latex



Product Name:

Code:

TC1075

Aneroid Sphygmomanometer With D-Ring

Specification

Standard Type Cuff: Cotton/Nylon. Bulb/Bladder:PVC,Latex



Code: TC1076

Product Name:

Infusion Cuff Sphygmomanometer

Specification Bulb/Bladder:Pvc,Latex Size:500ml,1000ml



Code: TC1077

Product Name:

Aneroid Sphygmomanometer

Specification

French Type

Cuff: Cotton With Leather Attachment Bulb/Bladder: PVC,Latex



Code: TC1079

Product Name:

Aneroid Sphygmomanometer

Specification

Child Use

Cuff: Cotton With Cartoon Bulb/Bladder: PVC,Latex



Code: TC1080

Product Name:

Aneroid Sphygmomanometer With Separate Single Head Stethoscope

Specification

Cuff:Nylon With D-Ring Bulb/Bladder: PVC,Latex With: Single Head Stethoscope



Code:

TC1080-A

Product Name:

Aneroid Sphygmomanometer With Dual Head Stethoscope

Specification

Cuff:Nylon

Bulb/Bladder: PVC

With: Dual Head Stethoscope



Code: TC1080-B

Product Name:

Aneroid Sphygmomanometer With Sprague Rappaport Stethoscope

Specification

Cuff:Nylon With D-Ring Bulb/Bladder: PVC

With: Sprague Rappaport Stethoscope



Code: TC1082

Product Name:

Palm Type Aneroid Sphygmomanometer

With Twin Tube

Specification

Cuff: Cotton With D-Ring Bulb/Bladder: PVC, Latex

ANEROID SPHYGMOMANOMETER



Code: TC1083

Product Name:

Palm Type Aneroid Sphygmomanometer With Single Tube

Specification

Cuff:Nylon

Bulb/Bladder: PVC,Latex



TC1083-1
Product Name:

Code:

Palm Type Aneroid Sphygmomanometer

With Single Tube **Specification**

Cuff: Nylon+D-Ring

Bulb/Bladder: PVC

ABS plastic gauge with chrome plated Diameter:51mm



Code: TC1083-2

Product Name:

Palm Type Aneroid Sphygmomanometer

With Single Tube

Specification Cuff:Nylon with silk screen

printing + D-Ring

Bulb/Bladder: PVC

ABS plastic gauge Fluorescent surface

Diameter:63mm



Code: TC1083-3

Product Name:

Palm Type Aneroid Sphygmomanometer With Single Tube

Specification

Cuff: Nylon+D-Ring Bulb/Bladder: PVC,Latex



TC1084

Product Name:

Palm Type Aneroid Sphygmomanometer With Single Tube

Specification

Eruope Type

Cuff:Nylong+D-ring
Bulb/Bladder: PVC,Latex.



Code: TC1085

Product Name:

Aneroid Sphygmomanometer With

Metal Hook Type

Specification

Cuff:Cotton
Bulb/Bladder: PVC.Latex



Code: TC1086

Product Name:

Aneroid Sphygmomanometer With ABS Gauge

Specification

Family Type Cuff: Nylon,Cotton Bulb/Bladder: PVC,Latex



Code:

TC1088
Product Name:

Aneroid Blood Pressure Monitor Gift Set

Specification

Content:1pc B.P.Monitor With 1pc Child Cuff &1pc Adult Cuff &1pc Obese Cuff Cuff:Nylon



Code: TC1088-1

Product Name:

Aneroid Sphygmomanometer Kit

Specification

Cuff: Nylon + D-Ring
Bulb/Bladder: PVC
Neurological Hammer Diagnostic
Pen Light Tourniquet
Single Head Stethoscope
Large Nylon Case

SPHYGMOMANOMETER



Code: TC1089

Product Name:

Mercury Sphygmomanometer

Specification Standard Type Aluminum Alloy Case Nylon Cuff Color:Gray/Black/Blue/Red / Green/Yellow



Code: TC1090

Product Name:

Mercury Sphygmomanometer

Specification

Wall Type Nylon Cuff



Code: TC1091

Product Name:

Aneroid Sphygmomanometer

Specification ABS Square Gauge Desk / Wall Type Nylon Cuff



Code: TC1091-1

Product Name:

Aneroid Sphygmomanometer

Specification

Clock Wall Mounted Type Cuff:Nylon/Cotton Bladder/Bulb:Latex Or PVC



Code: TC1092

Product Name:

Floor Type Mercury Sphygmomanometer

Specification

With Cotton Cuff With Latex Bulb&Bladder



Code: TC1093

Product Name:

Floor Type Aneroid Sphygmomanometer With Square Gauge

Specification

With Cotton Cuff With Latex Bulb&Bladder



Code: TC1094

Floor Type Aneroid Sphygmomanometer With Round Gauge

Specification

With Cotton Cuff

With Latex Bulb&Bladder



Code:

TC1095D **Product Name:**

Wrist Type Fully Automatic Digital Blood Pressure Meter

Product Size(LxWxH):77. 5x68x30(mm)

Power: 2XAAA

Memory:99sets for 2 people



Code:

TC1095R

Product Name:

Wrist Type Fully Automatic Digital Blood Pressure Meter

Specification

Product Size(LxWxH):77. 5x68x30(mm)

Power: 2XAAA

SPHYGMOMANOMETER



Code: TC1096A

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power: 4XAA

Memory: 198 sets for 2 users

With Voice



Code:

TC1096B

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power: 4XAA, AC

Memory: 198 sets for 2 users



Code:

TC1096C

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification Power: 4XAAA

Memory:99sets for 2 people



Code:

TC1096D

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power: 4XAAA, USB-cable Memory: 120 sets for 2 users With Voice, background music,

arrhythmia Measure



Code:

TC1096E

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power:4XAA, USB-cable Memory: 120 sets for 2 users



Code:

TC1096F

Product Name:

Upper Arm Fully Automatic Digital

Blood Pressure Meter

Specification

Power: 4XAAA

Memory:99sets for 2 people



Code:

TC1096G

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power: 1pc Alkaline Battery

Memory:90sets



Code:

TC1096H

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Power: 1pc Alkaline Battery

Memory:90sets



Code:

TC10961

Product Name:

Upper Arm Fully Automatic Digital Blood Pressure Meter

Specification

Bluetooth function

Power: 4XAAA Memory: 120 sets for 2 users



LEAD PROTECTIVE PRODUCTS



TC4001

Product Name: Surgeon Gown

Specification

Material:100% Cotton Or T65%+C35% Weight:145g-155g



TC4001-1

Product Name: Surgeon Gown

Specification Material:100% Cotton Or T65%+C35% Weight:145g-155g



TC4002

Product Name:

Surgeon Gown

Specification Material:100% Cotton Or T65%+C35% Weight:145g-155g



Code:

TC4002-1 **Product Name:**

Material: Front- 99% Polyster+1% Carbon Fiber Back-65% Polyster+35% Cotton

Surgeon Gown **Specification**



Product Name:

Surgical Uniform

Specification

Material: 100% Cotton Or T65%+C35%



Code: TC4003-1

Product Name: Medical Scrub

Specification
Material:100% Cotton Or T65%+C35% Weight: 150g-180g



Code:

TC4003-2 Product Name: Medical Scrub

Specification Material:100% Cotton Or T65%+C35% Weight:150g-180g



Code: TC4004

Product Name: Medical Scrub


Specification Material:100% Cotton Or T65%+C35%

Weight: 150g-180g With Cartoon

Code: TC4005 Product Name: Doctor Uniform

Specification

Material: T65% & C35% or C100%



LEAD PROTECTIVE PRODUCTS





TC4005-1 **Product Name:** Doctor Uniform

Specification Material: T65% & C35% or C100%



TC4006

Product Name: Doctor Uniform

Specification Material: T65% & C35% or C100%



TC4006-1

Product Name: Doctor Uniform

Specification

Material: T65% & C35% or C100%



Code: TC4007

Product Name: Lead Vest Jacket

Specification

Material:Lead Leather&PVC Color:Blue, Brown, Dark Green, Light Grey etc Lead Equivalent: 0.35mmPb, 0.5mmPB etc b



Code: TC4008

Product Name: Lead Vest Jacket

Specification

Material:Lead Leather&PVC Color:Blue,Brown,Dark Green,Light Grey etc Lead Equivalent: 0.35mmPb, 0.5mmPB etc



Code: TC4009

Product Name: Lead Vest Apron

Specification

Material:Lead Leather&PVC Color:Blue,Brown,Dark Green,Light Grey etc Lead Equivalent: 0.25mmPb, 0.35mm Pb, 0.5mmPb

Code: TC4010

Product Name: Lead Vest Apron

Specification Material:Lead Leather&PVC Color:Blue, Brown, Dark Green, Light Grey etc Lead Equivalent: 0.35mmPb, 0.5mmPB etc



TC4011

Product Name: Lead Vest Jacket

Specification Material:Lead Leather&PVC Color:Blue,Brown,Dark Green,Light Grey etc Lead Equivalent: 0.35mmPb, 0.5mmPB etc



TC4012

Product Name: Skirt Lead Vest Apron

Specification Material:Lead Leather&PVC Color:Blue, Brown, Dark Green, Light Grey etc Lead Equivalent:0.25mmPb,0.35mmPb, 0.5mmPb

LEAD PROTECTIVE PRODUCTS



TC4013

Product Name:

Lead Vest Apron

Specification

Material:Lead Leather&PVC Color:Blue,Brown,Dark Green,Light Grey etc Lead Equivalent: 0.35mmPb

,0.5mmPb etc



TC4014

Product Name:

Lead Protective Cap

Specification

Material: Lead Leather&cotton; Lead Equivalent:,0.35mmPb, 0.5mmPb etc



TC4015

Product Name:

Lead Protective Collar

Material:Lead Leather&Polyester Taffeta Lead Equivalent: 0.35mmPb,0.5mmPb etc



Code:

TC4016

Product Name:

Lead Protective Gloves

Specification

Material:Lead Leather, Cotton&Terylene Size:M,L



Code:

TC4017

Product Name:

Mackintosh for operation table

Specification

Size: Various

Color: Brown, Blue, Magenta, light gray etc



Code:

TC4018

Product Name:

X-ray Protective Glasses

Specification

A: Uiversal Type B:Side-Protective



Code:

TC-TPE01

Product Name:

Clearoom Working Shoes

Specification Size:37-46#

Color:White/Blue/Green Antistatic



Code:

TC-TPE02

Product Name:

Clearoom Working Shoes

Specification Size:37-46#

Color:White/Blue/Green



TC-TPE03

Product Name:

Clearoom Working Shoes

Size:37-46#

Color:White/Blue/Green

HOSPITAL SHOES



Code: TC-A1302

Product Name:

Clearoom Working Shoes

Specification Size:35/36-45/46#

Color:green/Khaki/Purple/blue



TC-ANR01

Product Name:

Clearoom Working Shoes

Specification Size:37-46#

Color:White/Blue/Green



Code:

TC-LE101

Product Name:

Nurse Working Shoes

Specification Size:35-45# Color: White/Black



Code:

TC-LE102

Product Name:

Nurse Working Shoes

Specification Size:40-46#

Color:White/Black



Code:

TC-LE123

Product Name: Nurse Working Shoes

Specification Size:35-41#

Color: White/Black



Code: TC-J402

Product Name: Nurse Working Shoes

Specification Size:36-45#

Color:White/Black



TC-K5102

Product Name: Nurse Working Shoes

Specification Size:36-41# Color:White/Black



TC-K5103

Product Name: Nurse Working Shoes

Specification Size:36-41#

Color:White/Black



Code:

TC-K5104

Product Name: Nurse Working Shoes

Specification Size:36-41#

Color:White/Black

HOSPITAL SHOES&DISPOSABLE



TC-K5105

Product Name:

Nurse Working Shoes

Specification

Size:36-41# Color:White/Black



TC-LR104

Product Name:

Nurse Working Shoes

Specification

Size:34-42# Color:White/Black



TC-LR125

Product Name:

Nurse Working Shoes

Specification

Size:35-41# Color: White/Black



Code: TC1097

Product Name:

PP Surgeon Gown

Specification

Size:115*137cm,120*140cm,125*155cmetc Gram:20g/m²,25g/m²,30g/m²,40g/m²etc Color:Blue,Yellow,Green etc. With Elastic Cuff



Code: TC1098

Product Name:

CPE Surgeon Gown

Specification Size:120*140cm,129*210cm etc Color:Blue,White

With Elastic Cuff



Code: TC1099

Product Name:

PP Isolation Gown

Specification

Size:115*137cm,120*140cm,125*155cm etc Gram:20g/m²,25g/m²,30g/m²,40g/m² etc

Color:Blue, Yellow, Green etc.

With Elastic Cuff



TC1100

Product Name:

SMS Surgeon Gown

Specification Size:115*137cm,120*140cm,125*155cm, 130cm*160cm etc

Gram:25g/m²,30g/m²,40g/m²,50g/m² etc Color:Blue,Green etc.

Cuff: Elastic Or Knitted Cuff



TC1101

Product Name:

PP Patient Gown

Specification Size:S,M,L,XL,XXL,XXXL Gram:30g/m²,40g/m²,50g/m² etc Color:Blue, Green etc.



TC1102

Product Name: PP Lab Coat

Specification Size:S,M,L,XL,XXL,XXXL Gram:30g/m²,40g/m²,50g/m² etc Color:Blue, Green etc. With Elastic Cuff

DISPOSABLE PROTECTION ITEMS



TC1103

Product Name:

PP Visiting Gown

With Elastic Cuff

Size:115*137cm,120*140cm,125*155cm, 130cm*160cm etc Gram:18g/m²,20g/m²,25g/m²,30g/m² etc Color:Yellow,Blue,Green etc.



TC1104

Product Name: PP Protection Gown

Size:S,M,L,XL,XXL,XXXL Gram:30g/m²,40g/m²,50g/m² etc Color:White,Blue,Green etc. With Elastic Cuf



TC1105

Product Name: PE Apron

Specification Size:1220*760mm,1220*710mm, 1200*900mm,1170*710mm etc Thickness:0.02mm,0.025mm Color: White, Blue etc.



Code: TC1105-1

Product Name: Nonwoven Pants

Specification

Gram:40g/m²,50g/m² etc Size:68x60cm etc Color: Dark Blue, Black etc



Code:

TC1105-2

Product Name:

Nonwoven Underpant

Specification Gram:25g/m²,30g/m² etc Size:S,M,L,XL etc Color:wihte,blue etc



Code: TC1106

Product Name:

Dust-Proof Face Mask

Specification

Gram:120g,140g,160g,180g,200g etc Color: White, Pink, Blue etc.



Code:

TC1107

Product Name:

Non-Woven Face Mask

SpecificationWith Tie Or With Earloop Color:Blue, Green, White etc



TC1107-1

Product Name: Activated Carbon Face Mask

Specification

With tie or with earloop Ply:4ply



TC1108

Product Name:

N95 Face Mask

Specification With Earloop

Color:White

With Valve Or Without Valve



TC1109

Product Name:

FFP2 Face Mask

Specification

With Earloop Color:White Style:Folding Type,Duckbilled Type With Valve Or Without Valve



TC1110

Product Name:

Paper Face Mask

Specification

With Earloop Ply:1 or 2 Color:White



TC1111

Product Name:

Face Mask With Eye Shield

Specification

Mask ply:2 or 3 Color:Blue, Green etc



Code:

TC1111-1

Product Name: Disposable Face Shield

Specification

Size:Half,3/4,full face Type:With Elastic Strip, With Plastic Clip Anti Fog, Anti-Static.



Code:

TC1111-2

Product Name: Beard Cover

Specification

Material:Nonwove,Net Size:9"x12" etc Gram:10g,12g,14g etc Color:White etc



Code: TC1112

Product Name:

Strip / Mob / Clip Cap

Specification Size:18" 21" 24" etc

Gram:10g,12g,14g etc Color:Blue,Yellow,Pink,Green,White etc

Elastic: Single, Double



Code: TC1113

Product Name: Doctor / Surgeon Cap

Specification Style:With Tie Or Elastic Back Size:18" 21" 24" etc Gram:25g,30g etc Color:Green,Blue etc



Code: TC1114

Product Name: Bouffant / Nurse Cap

Specification Size:18" 21" 24" etc Gram:10g,12g,14g etc Color:White,Blue,Green etc



Code: TC1114-1

Product Name:

PE Shower Cap

Specification Size:18",21",24" etc Gram:2.6g,2.8g,3.2g etc Color: white, pink, blue, green etc





TC1115

Product Name: Non-woven Shoe Cover

Specification

Size:36*15cm,38*16cm,40*17cm etc Gram:25g,30g,35g etc Color:Blue,Green,White etc



TC1116

Product Name:

Non-Skid Shoe Cover

Specification

Size:36*15cm,38*16cm,40*17cm etc Gram:25g,30g,35g etc Color:Blue,Green,White etc



TC1116-1

Product Name: Non-woven Boot Cover

Specification

Size:36x16x25cm,40x17x30cm etc Gram:25g,30g etc Color:green,blue etc



Code: TC1117

Product Name:

CPE Shoe Cover

Specification

Size:36*15cm,38*15cm,39*15CM, 40*15cm etc Gram:2g,2.5g,3g,3.5g etc Color:Blue, Green etc



Code:

TC1117-1

Product Name:

PE Shoe Cover

Specification

Size:36x15cm,38x15cm,39x15cm, 40x15cm etc Gram: 1.5g, 2g, 2.5g, 3g etc Color:Blue, Green etc



Code:

TC1118

Product Name:

Plastic Sleeve Cover

Specification

Size:400*200mm(16") 460*220mm(18") Gram:3.5g,3.8g etc Color:Blue,White etc Material: CPE or PE



Code: TC1119

Product Name:

Non-Woven Bed Sheet

Specification Size:100*200cm,120*220cm etc Gram:25g,30g etc Color:Blue,White etc



TC1119-1

Product Name:

Non-Woven Bed Cover

Specification

Size(WxLxH):80x175x20cm, 90x210x20cm etc Gram:25g/m2,30g/m2 etc Color:White,Blue etc



Code:

TC1119-2

Product Name:

Couch Roll

Specification

Type:2Ply,3Ply Paper 1Ply Paper + 1Ply PE Film Size:60cmX50m,56cmX50m etc Gram:32g,40g etc



TC1119-3

Product Name:

Sterile Burn Sheet

Specification

Size:60X90" etc



TC1120

Product Name:

Non-Woven Pillow Cover

Specification Size:50*50cm,50*60cm etc Gram:25g,30g etc Color:Skyblue,Darkblue,Green,White etc



TC1121

Product Name:

Disposable UnderPad

Specification With Or Without SAP

Size:600*400mm(45g),450*750mm(52g) 600*600mm(60g),600*900mm(80g)etc



Code: TC1121-1

Product Name:

Disposable Diaper

Specification

Pediatric Use, Adult Use

Size:NB,XS,S,M,L

800*650mm with leg cuffs(110-115g), 800*650mm without leg cuff(95-100g) 960*880mm with leg cuffs(120-125g), 960*880mm without leg cuff(110-115g)



Code: TC1122

Product Name: PBT / Confirming Bandage

Specification Width:2",3",4",6",8" etc Stretched Length:4.5m Color:Bleached, Unbleached



Code:

TC1123

Product Name:

First Aid Dressing Bandage(With Pad)

Specification Size:6cm*4m(pad 6cm*8cm), 8cm*4m(pad 8cm*10cm) 10cm*4m(pad 10cm*12cm) Weight Of PBT:28-30g/m² Dressing Pad:120g/m²
Color:Bleached,Unbleached



TC1124

Product Name:

Self-Adhesive / Cohesive Elastic Bandage

Specification Width:2",3",4",6",8" etc Stretched Length: 4.5m Color: Various Colors Material: Non-woven Or Cotton



Code: TC1125

Product Name: Self-Adhesive / Cohesive Elastic Bandage W/Patterns

Specification

Width:2",3",4",6",8" etc Stretched Length:4.5m Pattern Color: Yellow, Blue, Green, Pink etc Material:Non-woven



Code:

TC1126

Product Name:

Plaster Of Paris / P.O.P.Bandage

Specification Width:2",3",4",6",8" etc Length: 2.7m, 3m, 4.6m etc



BANDAGE



Code:

TC1126-1

Product Name:

Orthopaedic Padding Viscose/Wadding

Specification Width:2",3",4",6",8" etc Length:2.7m,3m,3.6m etc Weight:80g,90g etc Material:50%Polyster+50%cotton 100% polyster, 100% cotton



TC1127

Product Name:

Stockinette Tubular Bandage

Specification

Size:4.5cm*10m,6.25cm*10m 6.5cm*10m,6.75cm*10m etc



TC1127-1

Product Name:

Tubular Bandage With Middle Line

Specification

Size:4.5cm*10m,6.25cm*10m, 6.5cm*10m,6.75cm*10m etc Color of Middle Line: Blue, Green



Code:

TC1128

Product Name:

Thick PBT / Confirming Bandage

Specification Width:2",3",4",6",8" etc Stretched Length: 4.5m Color:Bleached, Unbleached



Code:

TC1129

Product Name:

Tubular Elastic Net Bandage

Specification

Size:1#-11#



Code:

TC1130

Product Name:

High Elastic Bandage

Specification Width:2",3",4",6",8" etc Stretched Length:4.5m Color:Light Skin, Dark Skin, Unbleached



TC1130-1

Product Name:

Rubber High Elastic Bandage With Velcro

Specification Material:Cotton+Spandex+Fibre Weight(g/m2):80g,90g,100g Stretched Length: 4.5m Width:2",3",4",6" etc Color:Light Skin,Unbleached



TC1130-2

Product Name:

Blue-Side High Elastic Bandage

Specification Width:2",3",4",6" etc Stretched Length: 4.5m Color: Bleached, Unbleached



TC1130-3

Product Name:

Rubber Elastic Bandage

Specification Width:2",3",4",6" etc Stretched Length: 4.5m Color: Light Skin , Dark Skin

BANDAGE



TC1130-4

Product Name:

Plain Elastic Bandage

Specification Width:2",3",4",6" etc Stretched Length: 4.5m Color: Bleached, Unbleached etc



TC1131

Product Name:

Crepe Elastic Bandage

Specification Width:2",3",4",6",8" etc Stretched Length: 4.5m Color:Bleached, Unbleached



TC1132

Product Name:

100% Pure Cotton Crepe Bandage **Specification**

Type:Plain,With Red-Side Or With Blue Side Width:2" ,3" ,4" ,6" ,8" Stretched Length:4.5m Color Bleached, Unbleached



Code:

TC1133

Product Name:

Red-Side Crepe Bandage

Type: Adhesive Or Non-Adhesive Width:2",3",4",6",8" etc Stretched Length:4.5m Color:Bleached, Unbleached



Code: TC1133-1

Product Name:

Blue-Side Crepe Bandage

Specification Width:2",3",4",6",8" etc Stretched Length: 4.5m Color:Bleached, Unbleached



Code:

TC1133-2A

Product Name:

Military Emergency Trauma Bandage

Specification

Size:10cmx3.6cm,15x3.6cm



Code:

TC1133-2B

Product Name:

First Aid Hemostatic Bandage

Specification
7.5x250cm(WxL),7.5x450cm(WxL) 10x250cm(WxL),10x450cm(WxL)



Code:

TC1133-2C

Product Name:

H Type First Aid Bandage

Specification

Length:10cmx1.75m;Padding:20cmx24cm



Code:

TC1133-3

Product Name:

Skin Traction Kit

Specification Style: Child, Adult

Type:Adhesive Or Non-Adhesive

BANDAGE/BLANKET GAUZE ROLL



TC1134

Product Name:

Triangular Gauze Bandage With 2 Pins

Specification

40's*40's Cotton Yarn Mesh:48*48,44*30 etc Size:36"*36"*51",40"*40"*56" etc



TC1135

Product Name:

Triangular Non-woven Bandage With 2 Pins

Specification

Gram:30g/m², 40g/m² etc Size:127*127*140cm etc



TC1135-1

Product Name:

Collar&Cuff Bandage

Specification

Size: 5cmx6m,7.5cmx6m Color: Skin, white



Code:

TC1136

Product Name:

Emergency Blanket

Specification

Color:Silver,Gold,Silver + Gold Size:160cm*210cm etc



Code: TC1137

Product Name:

Sterile Tracheotomy Swab

Specification

40's*40's Cotton Yarn Mesh:19*9,24*20 etc Size:10cm*10cm etc

Ply:12 etc



Code:

TC1138

Product Name:

Gauze Roll

Specification 40's*40's Cotton Yarn With Or Without X-Ray Thyread Mesh:18*12,19*15,24*20,26*18 etc

Size:36''*50m,36''*100Y,36''*100m etc



Code:

TC1138-1

Product Name:

Zigzag Gauze Swab

Specification

40'sx40's cotton yarn Mesh:12x8,18x11,19x15,24x20 etc

Size: 65cmx100m,90cmx100y, 90cmx100m etc



TC1138-2

Product Name:

Pillow Gauze Swab

Specification

40'sx40's cotton yarn Mesh:12x8,18x11,19x15,24x20 etc

Size: 90cmx100y,90cmx100m



Code:

TC1139

Product Name:

Wow Gauze Bandage

Specification 40's*40's Cotton Yarn

Mesh:18*12,19*15,24*20,20*18 etc Size:5cm*5m,7.5cm*5m,10cm*5m 12.5cm*5m,15cm*5m etc

GAUZE & NONWOVEN SWAB



Code:

TC1140

Product Name:

Gauze Swab/Gauze Spong

Specification

40's*40's Cotton Yarn With Or Without X-Ray Thread Mesh:18*12,19*15,24*20,26*18 etc Ply:4,8,12,16 etc Edge:Folded Or Unfolded Size:5cm*5cm,7.5cm*7.5cm, 10cm*10cm,10cm*20cm etc



Code: TC1141

Product Name:

Sterile Gauze Swab

40's*40's Cotton Yarn With Or Without X-Ray Thread Mesh:18*12,19*15,24*20,26*18 etc Ply:4,8,12,16 etc , Edge:Folded Or Unfolded Size:5cm*5cm,7.5cm*7.5cm, 10cm*10cm,10cm*20cm etc Packing:1pc/pack,2pcs/pack,5pcs/pack



Code:

TC1142

Product Name: Non-woven Swab

Specification

Gram:30g/m²,40g/m², etc Size:5cm*5cm,7.5cm*7.5cm 10cm*10cm Ply:4 etc



Code:

TC1143

Product Name:

Laparotomy Sponge

40's*40's Cotton Yarn, Pre-washed Or Washable With Or Without X-Ray, With Or Without Cotton Loop

Mesh:18*12,19*15,24*20 etc Size:30cm*30cm,45cm*45cm etc Ply:4,8,12,16 etc , Sterile Or Unsterile



Code:

TC1144

Product Name:

Paraffin Gauze Swab

Specification

40's*40's Cotton Yarn Size:10cm*10cm etc

Packing: Single Aluminum Foil Pack



Code:

TC1145

Product Name:

Alcohol Swab/Prep Pad

Size:65mm x 30mm,65mm x 56mm etc Ply:2,4 etc



Code:

TC1146

Product Name:

Absorbent Gauze Ball

Mesh:40's/26*18 etc Size:10*10cm,20*20cm etc With Or Without X-Ray Thread Shape Type:Peanut,Plum



Code: TC1147

Product Name:

Absorbent Cotton Ball

Weight: 0.5g/pc, 1g/pc Color:White / Colorfull



TC1148

Product Name: Cotton Eye Pad

Specification

Oval Shape

Size:6cm*8cm,5*7.5cm etc Sterile Or Unsterile



CASTING TAPE OTHER COTTON ITEMS



Code:

TC1148-1

Product Name:

Make Up Cotton

Specification

Size: ¢ 5.5cm, ¢ 5.8cm, 7x9cm, 5x5cm Type:Round,Oval,Square Surface: Plain Or Embossing



TC1149

Product Name:

Dental Cotton

Specification

Size: Φ 0.8cm*L3.8CM Ф1cm*L3.8cm Ф1.2cm*L3.8cm



TC1150

Product Name:

Absorbent Cotton Roll

Weight:50g,100g,200g,250g,500g,1000g Packing: Normal Paper, Interleaved Paper Milky Polybag



Code: TC1151

Product Name:

Zig-Zag Cotton Wool

Specification

Weight:50g,100g,200g,500g,1000g etc Packing: Milky Polybag, Transparent Polybag



Code: TC1152

Product Name: Abdominal Pad

Specification

Size:10x10cm,10x20cm,20x20cm, 20x30cm,20x40cm etc Material: Non-woven+Cotton, with X-ray Thread



Code: TC1153

Product Name: Orthopaedic Fiberglass Casting Tape

Specification Width:2",3",4",6",8" etc Length:3m,3.6m etc Color: White, Colorful



Code:

TC-IW001

roduct Name: Cold-Wrap Elasticated Bandage

Specification

Width:5cm,7.5cm,10cm, etc Length:3.6m



Code:

TC-FB001

Product Name:

Fire Blanket

Specification Size:1x1m,1.2x1.2m,1.2x1.8m,




TC-CG01

Product Name:

Weaved Gauze Bandage

Specification Width:2",3",4",6" Etc Length:4m,5y,5m Etc



DISPOSABLE WOUND DRESSING



Code: TC1154

Product Name:

IV Cannula Wound Dressing

Specification

With Or Without Pad Size:6 x 7cm etc Spunlace Non-woven, PU



Code: TC1155

Product Name:

Spunlace Non-Woven Adhesive Eyes Plaster With Pad

Specification

Shape:Oval,Square,Pear Size:80 x 50mm,85 x 55mm etc



Code:

TC1156

Product Name:

Nose Plaster

Specification

Size:10mm x 45mm,12mm x 70mm



Code: TC1157

Product Name:

Wound Dressing Plaster With Pad

Specification

Width:4cm,6cm,8cm etc Length:10cm,1m,5m etc
Material:Elastic Cloth,Cotton,PE, PVC,
Spunlace Non-Woven With Or Without Hole Color: Skin, White, Various Cartoon Pattern



Code: TC1157-1

Product Name:

Healing Capsicum Plaster

Specification

Size:10x15cm,36x40cm etc



Code: TC1158

Product Name: Spunlace Non-woven Adhesive Tape

Specification

Width:5cm,10cm,15cm,20cm etc Length:10m etc Color:White

With Or Without Hole Back: White Paper, Square Grid



TC1159

Product Name:

Spunlace Non-woven Self-Adhesive Wound Dressing(With Pad)

Specification

Shape:Square Edges,Round Edges Size:5cm x 5cm,5 x 7cm,6cm x 8cm, 5cm x 10cm, 10cm x 10cm, 10cm x 12cm, 10 x 15cm, 10cm x 20cm, 10cm x 25cm, 10cm x 30cm, 10 x 35cm etc



Code:

TC1159-1

Product Name:

Hydrocolloid Dressings

Specification

Size:20X60mm,37X55mm 20X65mm,28X69mm 17X48mm, 15X51mm 30X60mm,25X65mm etc



Code: TC1159-2

Product Name: Wound Colsure Strip

Specification

Size:3X75mm.6X75mm 6X38mm,6X100mm 12X100mm etc

WOUND DRESSING PLASTER



Code:

TC1160

Product Name:

PU Transparent Wound Dressing

Specification

Size:5 x 7cm,6cm x 8cm,10cm x 10cm, 10 x 15cm,10cm x 20cm etc With or Without Pad Type: Square Edge,Round Edge ,Pointedness



Code:

TC1161

Product Name:

First Aid Adhesive Bandage/Wound Plaster

Specification

Size:Φ22mm,Φ25mm,40 x 10mm,38 x 19mm,72 x 19mm,72 x 25mm,
76 x 19mm,76 x 25mm,76 x 38mm,51 x 45mm Butterfly,76 x 45mm Butterfly,
76 x 38mm H,10 x 45mm Small Nose,12 x 70mm Big Nose etc
Material:Cotton,PVC,PE,PU,POE,Elastic Cloth,Spunlace Nonwoven etc
Color:Skin,White,Various Cartoon Patterns
Latex-Free Or Porous Are Available



Code:

TC1160-1

Product Name:

PU Surgical Operation Film

Specification

Type:Normal, With Providone Iodine



Code:

TC1162

Product Name:

Zinc Oxide Plaster

Specification

Width:1.25cm,2.5cm,5cm,7.5cm,10cm,15cm etc Length:1m,5m,10m etc Color:White,Light Skin,Dark Skin Pkg:Simple paper,plastic shell,tinplate shell. Metal:Tinplate Shell



Code:

TC1162-1

Product Name:

100% Cotton Umbilical Tape

Specification

Size:3mmx50m,3mmx100m etc Color :White Pkg:Plastic Shell,Poloy Bag etc



Code:

TC1163

Product Name:

Surgical Cotton Sports Tape

Specification

Width:2.5cm,3.75cm,5cm etc Length:10y,10m,15y etc Color:White,Yellow,Green,Red etc



Code:

TC1163-1

Product Name:

Kinesio Tape

Specification

Size: 5cmx5m,7.5cmx5m etc Color: Blue,Pink,Yellow,Green,Brown etc



Code:

TC1163-2

Product Name:

PE Cotton Complex Adhesive waterproof Tape

Specification

Width:1.25cm,2.5cm,5cm,7.5cm,10cm etc Length:5y,10y,etc Color: Milky white etc Pkg:Paper,plastic shell,with cutter /Dispenser etc



DISPOSABLE TAPE & GLOVES



Code:

TC1163-3

Product Name:

ш

Thick Elastic Cloth Adhesive tape /Tensoplast

Specification

Width: 2.5cm,5cm,7.5cm,10cm etc Length:4.5m etc

Color: Skin, White etc



Code:

TC1163-4

Product Name:

Elastic Adhesive Bandage/Elastoplast

Specification

Width:5cm,7.5cm,10cm etc Length:4.5m etc Color: Skin, White etc



Code:

TC1164

Product Name:

Microporous Non-Woven Surgical Tape

Specification

Width:1.25cm,2.5cm,5cm,7.5cm,10cm,15cm etc Length:5y,10y etc Packing:Simple Paper,Plastic Shell Or

With Cutter/Dispenser



Code: TC1165

Product Name: Transparent PE Surgical Tape

Specification

Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm, 15cm etc Length:5y,10y etc Packing: Simple Paper, Plastic Shell Or

With Cutter/Dispenser



Code:

TC1166

Product Name:

Silk Surgical Tape

Specification

Width: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm, 15cm etc

Length:5y,10y etc

Packing: Simple Paper, Plastic Shell Or With Cutter/Dispenser



Code:

TC1167

Product Name:

Nitrile Gloves

Specification

Powdered Or Powder-Free Size:S.M.L



Code:

TC1168

Product Name:

PE Gloves

Specification

HDPE & LDPE Plain & Embossed Film Color:Clear & White



Code:

TC1169

Product Name:

Latex Exam Gloves

Specification

Pre-Powdered, Powder-Free Size:S,M,L,XL Sterile Or Unsterile



Code:

TC1170

Product Name:

Latex Surgical Gloves

Specification

Pre-Powdered, Powder-Free Size:6#,6.5#,7#,7.5#,8#,8.5# Sterile

BLOODLANCET BLOOD LANCET



Code:

TC1171

Product Name:

Vinyl/PVC Gloves

Specification

Powered Or Powdered - Free Size:S,M,L Sterile Or Unsterile



Code:

TC1172

Product Name:

Blood Lancet

Specification

Stainless Steel, Flake Type SIZE:L,S



Code:

TC1173

Product Name:

Blood Lancet

Specification

Mini Type,Plastic Handle SIZE:28G,30G



Code:


TC1174

Product Name:

Blood Lancet

Specification

Twist Type, Plast Handle Size: 28G, 30G



Code:

TC1174-1

Product Name:

Safety/Automatic Blood Lancet

Specification

Button Activated Safety
Type; Size: 21G, 23G, 26G (2.4mm)



Code: TC1175

Product Name:

Blood Lancet Device

Specification

Length: 125mm Or 95mm



Code:

TC1176

Product Name:

Disposable Razor

Specification

Medical Use

Material:Carbon Steel,Stainless Steel With one/two blades in one side



Code:

TC1177

Product Name:

Disposable Razor

Specification

Medical / Civilian Use Material:Carbon Steel,Stainless Steel With One Blade On Each Side



Code:

TC1178

Product Name:

Surgical Blade

Specification

Material:Carbon Steel Or Stainless Steel Size:10,10A,11,12,12B,13,14,15,15C, 16,17,18,19,20,21,22,23,24,25,36



THERMOMETER



TC1179

Product Name:

Plastic Handle Scalpel

Material: Carbon Steel Or Stainless Steel Size:10,10A,11,12,12B,13,14,15,15C, 16,17,18,19,20,21,22,23,24,25,36



TC1180 **Product Name:**

Stitch Cutter

Code:

Specification

Material: Carbon Steel Or Stainless Steel Length:65mm,110mm



Code:

TC1181

Product Name:

Plastic Wall Thermometer

Specification

50°C~50°C(-60°F~120°F)



Product Name:

Wooden Wall Thermometer

Specification

-40°C~50°C(-40°F~120°F)



Code: TC1183

Product Name:

Ear Infra-Red Thermometer

Specification

3 Digit, Display Range: 34.0°C~44.0°C (93.2°F~111.2°F) Accuracy:±0.2°C(±0.4°F) Min Scale: 0.1°C/0.1°F Memory: 10 memories Measurement Time: 1 second, Battery: AAAX2, Alkaline Batteries Battery Life: Approx. 4000 times



Code: TC1184

Product Name:

Ear Infra-Red Thermometer Mini Size **Specification**

3 Digit, Display Range: 34.0°C~44.0°C (93.2°F~111.2°F)

Accuracy:±0.2°C(±0.4°F) Min Scale: 0.1°C /0.1°F

Memory: 10 memories

Measurement Time:1 second Battery: 3V, Button Battery(LR/CR 2032)

Battery Life: Approx. 4000 times



TC1184-1

Product Name:

Ear Infra-red Thermometer

Specification

3 Digit,Display Range:34.0°C~44.0°C (93.2°F~111.2°F) Accuracy:±0.2°C(±0.4°F) Min Scale: 0.1°C /0.1°F Memory: 10 memories Measurement Time: 1 second

Battery: 3V, Button Battery(LR/CR 2032) Battery Life: Approx. 4000 times



Code: TC1184-2

Product Name:

Ear Infra-Red Thermometer Mini Size Specification

3 Digit,Display Range:34.0°C~44.0°C (93.2°F~111.2°F) Accuracy:±0.2°C(±0.4°F) Min Scale: 0.1°C /0.1°F

Memory: 10 memories

Measurement Time: 1 second Battery: 3V, Button Battery(LR/CR 2032)

Battery Life: Approx. 4000 times



Code: TC1184-4

Product Name:

Head Infra-red Digital Thermomer

Specification

3Digit,LCD Display Range:34.0°C~44.0°C (93.2°F~111.2°F)

Accuracy:±0.2°C(±0.4°F) Min Scale: 0.1°C /0.1°F Memory: 32 memories

Measurement Time: 1 second Battery: 3V, Button Battery(LR/CR 2032) Battery Life: Approx. 4000 times



THERMOMETER



Code:

TC1184-5

Product Name:

Non-Contact Infra-Red Digital Thermometer

3 Digit, tricolor Illuminated Display Voice Identification Multiple Use:body, Surface Self-set The Fever Alarm Temperature Point



Product Name:

Non-Contact Infra-Red Digital Thermometer

Specification

3 Digit, tricolor Illuminated Display Voice Identification Multiple Use:body, Surface Self-set The Fever Alarm Temperature Point



Code:

TC1184-7

Product Name:

Non-Contact Infra-Red Digital Thermometer

Specification

3 Digit, tricolor Illuminated Display Voice Identification

Range: 34.00~44.00°C/93.2~111.20°F Accuracy: ±0.2°C/±0.4°F

32 Memories



Code:

TC1184-8

Product Name:

Non-Contact Infra-Red Digital Thermometer

Specification

3 Digit, tricolor Llluminated Bisplay Voice Ldentification Multiple Use:body, Surface Self-set The Fever Alarm Temperature Point



Code:

TC1184-9

Product Name:

Non-Contact Infra-Red Digital Thermometer

Specification

3 Digit, tricolor Illuminated Display Voice Identification Multiple Use:body, Surface Self-set The Fever Alarm Temperature Point



Code: TC1185

Product Name:

Clinical Glass Thermometer

Specification

A:Rectal Use,Short Blub B:Oral Use,Long Bulb C:Armpit Use, Medium & Large Size



Product Name:

Code:

Basic Digital Thermometer

Specification

3 Digit, Display Range:32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time: 60±10 Seconds In Oral 100±20 Seconds Underarm



Product Name:

Code:

Digital Basal Thermometer

Specification4digit, Display Range: 32.00~43.00oC/

90.00~109.40oF

Accuracy: ±0.1oC/±0.2oF Min Scale: 0.1°C /0.1°F

Measurement Tiem: 60±10 seconds in Oral 100±20seconds underarm.



Code:

TC1187-1

Product Name: Rapid Digital Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time: 17±2 Seconds In Oral 20±6 Seconds Underarm



THERMOMETER



Code:

TC1187-2

Product Name:

Rapid Digital Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time: 17±2 Seconds In Oral 20±6 Seconds Underarm



Code:

TC1188

Product Name:

Digital Flexible Tip Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time: 60±10 Seconds In Oral 100±20 Seconds Underarm



Code: TC1188-1

Product Name:

Waterproof Digital Flexible Tip Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time: 17±2 Seconds In Oral 20±6 Seconds Underarm



Code: TC1188-2

Product Name: Waterproof Digital Flexible Tip Thermometer

Specification
3 Digit, Display Range:32.0°C~42.0°C (90°F~107.6°F) Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F Measurement Time:60±10 Seconds In Oral

100±20 Seconds Underarm

Code:

TC1189

Product Name:

Digital Flexible Tip Thermometer

Specification

3 Digit, Display Range:32.0°C~42.0°C (90°F~107.6°F) Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time:60±10 Seconds In Oral 100±20 Seconds Underarm



Code:

TC1190

Product Name:

Water Proof Digital Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy:±0.1°C(±0.2°F) Min Scale: 0.1°C /0.1°F

Measurement Time:60±10 Seconds In Oral 100±20 Seconds Underarm



TC1191-1

Product Name:

Digital Thermometer

Specification

3 Digit, Display Range: 32.0°C~42.0°C (90°F~107.6°F)

Accuracy: ±0.1°C(±0.2°F) Alarm: About 10 Seconds Sound After Operation



Code:

TC1192-2

Product Name: Milk Bottle Thermometer

Specification

3Digit,Display Range:32°C~42°C (89.6°F~109.40°F) Display showing"L" for temperature less than 32°C;

Display showing "H" for temperature More than 42°C

Accuracy:±1°C Power: 1X1.5V



Code:

TC1192-3

Product Name:

Forehead Disposable Thermometer

Specification

Size:16X90mm,19X75mm Temperatur::35°C~40°C

PERSONAL MECHANICAL SCALE



Code: TC-PA10-01

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



Code: TC-RTZ-111

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



Code: TC-RTZ-116

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



TC-RTZ-114

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



TC-RTZ-121A

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



TC-RTZ-131A

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



Code:

TC-RTZ-132A

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



Code:

TC-RTZ-110C

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs



Code:

TC-RTZ-312

Product Name:

Mechanical Bathroom Scale

Specification

Capacity: 130kgs / 286lbs

PERSONAL SCALES&BABY SCALES



Code: TC-PA05

Product Name: Digital Bathroom Scale

Specification Capacity:180kgs/396lbs



Code: TC-RSZ-060

Product Name: Digital Body Fat Scale

Specification

Glass Type

Capacity:150kgs/330lbs



Code: TC-PA04

Product Name:

Digital Bathroom Scale

Specification

Glass Type Capacity:150kgs / 330lbs



TC-2006A1

Product Name: Digital Bathroom Scale

Specification

Capacity: 150kgs / 330lbs



Code:

TC-2006A2

Product Name: Digital Bathroom Scale

Specification Glass

Capacity: 150kgs / 330lbs



Code: TC-2008A1

Product Name: Digital Bathroom Scale

Specification Glass

Capacity: 150kgs / 330lbs



Code:

TC-RTZ-610A

Product Name:

Mechanical Bathroom Scale

Specification Capacity:150kgs/330lbs



Code:

TC-DT02A

Product Name:

Mechanical Personale

Specification Capacity:160kgs/352lbs



Code:

TC-DT01D

Product Name: Mechanical Personale

Specification Capacity:160kgs/352lbs

BABY SCALES



Code:

TC-HCS-20D-YE

Product Name:

Digital Baby Scale

Specification

Max. Weighting: 20kgs Weight Division: 10g/0.5oz

Load Platform Area(L*W*H):590*400*180mm Product Size(L*W*H):620*325*70mm

N.W./G.W.:4kgs/5kgs



Code: TC-ACS-20B-YE

Product Name:

Digital Baby Scale

Specification

Max. Weighting:20kgs Weight Division:10g/0.5oz

Height Measurement Rang:0~560mm

Height division:1mm



Code:

TC-EBSD-20

Product Name:

Digital Baby Scale

Specification

Max. Weighting: 20kgs Weight Division:5g/0.18oz



Code:

TC-YRBB-20

Product Name:

Mechanical Baby Scale

Specification
Max. Capacity:20kgs
Product Size(L*W*H):545*345*135mm

N.W./G.W.:3.5kgs/5kgs



Code:

TC-RGZ-20

Product Name:

Mechanical Baby Scale

Specification

Max.Weighting:20kgs

Weight Division: 0.05kgs(0-10kgs)

0.1kgs(10-20kgs) Load Platform Area(L*W):545*270mm Product Size(L*W*H):545*330*153mm N.W./G.W.:3.5kgs/5kgs



Code:

TC-RGZ-20A

Product Name:

Mechanical Baby Scale

SpecificationMax. Weighting:20kgs Weight Division: 0.05kgs (0-10kgs),

0.1kgs(10-20kgs)

Load Platform Area(L*W):545*270mm Product Size(L*W*H):545*330*153mm

N.W./G.W.:3.5kgs/5kgs



Code:

TC-EBSL-20L

Product Name:

Digital Baby Scale With Height Meter

Specification

Max:20kgs

Dimension:60. 3X38. 5X15cm



Code:

TC-RGZ-25

Product Name:

Hanging Baby Scale

Specification

Max Weight: 25kgs Weight Division: 100g



Code:

TC-BM-100

Product Name:

Baby Body Length Measure Tape

Specification

Measure Range: 20-99cm

SCALE&BMI CALCULATOR



Code:

TC-MR-100

Product Name:

Baby Measuring Meter

Specification

Measurement Range: 0-1000mm Division:1mm



Code:

TC-SH-2

Product Name:

Height Wall Mounted Scale

Specification

Max Height: 2M



Code: TC-BMI-1

Product Name:

BMI Calculator

Specification


Material: ABS+PVC Tape Width: 0.75cm,

Measurement Range:0-1500mm Division:1mm

Tape Color: White Or Colorful

Shape:Round, Triangle, Heart, Stomach,

Flower etc



Code:

TC-MST-1

Product Name:

MUAC Measure Tape

Specification

Printing: 0-16cm red,16-18.5cm yellow, 18.5-45cm Green Or Full White



Code:

TC-ZT-120

Product Name:

Weight + Height Floor Type Balance

Max. Weighting:120kgs, Weight Division:0.5kgs Height Measurement Rang:700~1900mm Height division:5mm

Load Platform Area(L*W):375*275mm Product Size(L*W*H):695*286*293mm



Code:

TC-RGT-200RT

Product Name:

Weight + Height Floor Type Balance

Specification

Max. Weighting:140-200kgs, Weight Division:100g Height Measurement Rang:700~1900mm Height division:5mm

Load Platform Area(L*W):375*275mm Product Size(L*W*H):570*437*1317mm



Code: TC-H01

Product Name: Ultrasonic Height Body Fat Analyzer Scale With BMI

Specification

Capacity:3-200kgs Min. Weighting:2kg Height Measuring Body Fat Measuring and Aralyzing



Code:

TC-TCS200RT

Product Name:

Weight + Height Floor Type Balance

SpecificationMax. Weighting:200kgs,Weight Division:100g Height Measurement Rang:700~1900mm Height division:5mm

Load Platform Area(L*W):375*275mm Product Size(L*W*H):535*275*940mm



Code:

TC-TCS-200RTB

Product Name:

Digital Wheelchair Scale

Specification

Max. Weighting:200kgs Min. Weighting:2kg Weight Division: 100g Product Size(LxWxH):870x560x1070mm N.W/G.W.:25kgs/35kgs



DISPOSABLE PRODUCTS



TC1193

Product Name:

Tongue Depressor

Specification

A: Wooden B: Plastic

Adult Use&Child Use;Sterile Or Unsterile



TC1194

Product Name:

Wooden Cervical Scraper

Specification

A:With Tongue-Shape Tip B:With Round Tip



Code:

TC1195

Product Name:

Applicator

Specification

A:Without Cotton Tip B:With Single Cotton Tip Size:3" Or 6" Wooden Or Plastic



Code:

TC1195-1

Product Name:

Disposable Swabstick

Specification

A:Lemon Glycerin B:70% isopropyl alcohol C:Providone lodine pkg:1pc/bag,3pcs/bag etc



Product Name:

Prep Swab Applicators

Specification

Size:10.5ml,26ml etc



Code: TC1196

Product Name:

Cyto Brush/Gyno Brush

Specification

A:Simple

B:with ball end

C:with bone end D:with broom shape



TC1196-1

Product Name:

Medical Sponge

Specification

Size:25*18*150mm(Length), 50*50*25-150mm(Length) Pkg:1pc/pk,5pcs/pk etc Sponge Shape:Rhombus/ Hexagonal Fower,Cylindrical etc




TC1196-2 **Product Name:**

Nail Brush

Specification

Type:Sponge+Brush



TC1196-3

Product Name:

Plastic Dressing Pliers

Specification

Size: 140mm,190mm,240mm etc

Color: Blue, Green etc

PENLIGHT&SIMPLE OTOSCOPE





Code: TC1196-5

Product Name:

Plastic Forceps/Tweezer

Specification

Size:110mm,130mm etc Color:Blue, Green, Yellow Etc.



Code:

TC1196-6

Product Name:

Disposable Smear Kit

Specification Including: 1pc gyno/cyto brush

1pc wooden cervical scraper 1pc 6" applicator single cotton tip

1pc cover slid.



TC1196-7

Product Name:

Suture Removal Kit

Color: Blue, Green etc

Specification

Including: 1pc suture removal scissor 1pc metal forceps 4" 1pc gauze sponge.



Code: TC1197

Product Name:

Penlight

Specification

With Or Without Battery Pen Color: Red, Blue etc



TC1197-1

Product Name:

Penlight

With Or Without Battery Pen Color: Red, Blue etc



TC1198

Product Name:

Penlight

Specification

With Or Without Wooden Tongue Depressor Pen Color: Gray, Green etc



Product Name:

Simple Otoscope Set



Code:

TC1198-1B

Product Name: Simple Otoscope Set

DIAGNOSTIC SET



TC1198-1C

Product Name:
Simple Otoscope Set



Code: TC1198-2A Product Name: Otoscope Set



Code: TC1198-2B Product Name: Fiber Otoscope Set



TC1198-3
Product Name:
Ophthalmoscope Set



Code: TC1198-4 Product Name: Otoscope&Ophthalmoscope Set



Code: TC1198-4A Product Name: Fiber Otoscope

Code:



Code: TC1198-5 Product Name: ENT Diagnostic Set



TC1198-6

Product Name:
Disposable Anesthesia Laryngoscope
Specification

Size:95mm,110mm,120mm,140mm etc



TC1198-7

Product Name:
Reusable Anesthesia Laryngoscope
Specification
Material: Stainless Steel

HAMMER GIFT SET&MONOFILAMENT



TC1199

Product Name:

Reflex Hammer



TC1200A

Product Name:

Reflex Hammer Gift Set

Specification Including:1pc Rossier Reflex Hammer

1pc Tensible Reflex Hammer

1pc Gear Wheel Reflex Hammer 1pc Buck Reflex Hammer

1 pc Trigona Taylor Neurological Reflex Hammer



TC1200B

Product Name:

Reflex Hammer Gift Set

Specification

1 pc Trigona Taylor Neurological Reflex Hammer

1pc Buck Reflex Hammer

1pc Rossier Reflex Hammer



TC1200-1A

Product Name:

Diabetes Filament/Monofilament

Nylon Filament Dia.:0.4mm,0.5mm,0.7mm



Code:

TC1200-1B

Product Name:

Diabetes Filament/Monofilament

Specification

Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code: TC1200-1C

Product Name:

Diabetes Filament/Monofilament

Specification

Nylon Filament Dia.: 0.4mm, 0.5mm, 0.7mm



Code:

TC1200-1D

Product Name:

Diabetes Filament/Monofilament

Specification

Nylon Filament Dia.:0.4mm,0.5mm, 0.7mm



TC1200-1E

Product Name:

Diabetes Filament/Monofilament

Specification

Nylon Filament Dia.:0.4mm,0.5mm, 0.7mm



TC1200-1F

Product Name:

Diabetes Filament/Monofilament

Nylon Filament Dia.:0.4mm,0.5mm, 0.7mm

STERILIZATION PRODUCTS&URINE BAG



Code

TC1201

Product Name:

Self-Sealing Flat Sterilization Pouch

Size:2.25*4",3.3*6",3.5*9",5 1/3*10", 6*9" etc



Code: TC1202

Product Name:

Flat Sterilization Reel

Specification

Width:5cm,7.5cm,10cm,15cm,20cm, 25cm,30cm etc Length:200m etc



TC1202-1

Product Name:

Bowie Dick Test Pack



TC1203 **Product Name:**

Autoclave Steam Tape/Chemi Vappor/ Steam Sterilization Tape Indicator

Size:12.5mm*50m,20mm*50m, 30mm*50m etc



Code:

TC1203-1

Product Name:

Crepe Wrapping Sterilization Paper

Gram:60g/ m2,70G/m2 Color:Green,Blue etc Size:40x40cm,50x50cm,60x60cm, 70x70cm,90x90cm etc



Code:

TC1204

Product Name:

Electrode Pencil

Stainless Steel Blade Electrode 170mm ABS Pen 3m Length PVC Medical Cable 3pins Plug Max. Output Current 1A Frequency Corfine:0-1MHz

Current Resistance:200



TC1204-1

Electrosurgical Tip Cleaner

Product Name:

Size:5X5cm etc



TC1205

Product Name:

Urine Drainage Bag With Outlet

Size:1500ml,2000ml



TC1206

Product Name:

Urine Drainage Bag With T-Tap Outlet

Size:1500ml,2000ml



DRAINAGE BAG



TC1207

Product Name:

Urine Drainage Bag Without Outlet

Specification

Size:1500ml,2000ml



Code

TC1208

Product Name:

Urine Leg Bag

Specification Size:750ml,500ml With Hanging Elastic Strap



TC1208-1

Product Name:

Urine Leg Bag with T-Tap Outlet

Specification Size:750ml,500ml

With Hanging Elastic Strap



Code: TC1209

Product Name:

Paediatric Urine Collector

Specification

100ml,200ml



Code:

TC1209-1

Product Name:

Disposable Drainage Bag

Specification

Size:1500ml,2000ml etc



Code:

TC1209-2

Product Name: Luxury Urine Drainage Bag

Specification Size:1500ml,2000ml etc



Code:

TC1209-3

Product Name:

Luxury Urine Drainage Bag With T-Tap Outlet

Specification

Size:2000ml,2600ml etc



TC1209-4

Product Name:

Luxury Urine Drainage Bag t With T-Tap Outlet and Hanging Hook

Specification

Size:2000ml



TC1210

Product Name:

Wound Drainage System

Specification

Size:200ml,400ml,800ml Tube:10fr,12fr,14fr,16fr,18fr

BLOOD BAG&URINEMETER



Product Name:

Wound Drainage Reservoir System

Specification
Material:PVC,Silicone Reservoir Bulb:100ml,200ml



TC1211

Product Name:

Urinemeter

Size:500ml+2000ml



TC1211-1

Product Name:

Urinemeter

Specification Size:500ml+2000ml



Product Name:

Disposable Colostomy Bag

Specification

Type: one piece



TC1212

Product Name: Disposable Colostomy Bag

Specification Size:20*14cm,25*15cm etc



Code: TC1212-1

Product Name:

Reusable Urostomy Bag

Specification Size:50mm,60mm,70mm



Product Name:

Cleaning Enema Bag

Specification

Size:1500ml,2000ml



TC1212-3

Product Name: Feeding Bag

Specification

Size:1000ml,1200ml



TC1213

Product Name:

Blood Bag With CPDA Solution

Specification

Single Room, Double Room Triple Room, Quadruple Room Size:100ml,250ml,350ml,450ml,500ml etc Bag Type: Rolling ,Extruding

GYNECOLOGICAL EXAMINATION KIT VAGINAL SPECULUM



Code: TC1214

Product Name:

Disposable Vaginal Speculum French Type

Size:XXS,XS,S,M,L



Code:

TC1215

Product Name:

Disposable Vaginal Speculum Side Screw Type

Specification

Size:S,M,L



Code:

TC1216

Product Name:

Disposable Vaginal Speculum

Middle Screw Type

Specification Size:XS,S,M,L



TC1216-1

Product Name:

Disposable Vaginal Speculume Push Type

Specification

Size: S,M,L



TC1216-2

Product Name:

Disposable Vaginal Speculume Spanish Type

Specification

Size: S,M,L



Code:

TC1216-3A

Product Name:

Gynecological examination Kit

Specification

1pc vaginal speculum;1pc gyno brush

1pc wooden cervical scraper

1pc cover slid

1pair latex examination glove



TC1216-3B

Product Name:

Gynecological examination Kit

Specification

1pc vaginal speculum

1pc plastic cervical spoon

1pc nonwoven examination pad 1pair latex examination glove



TC1216-3C

Product Name:

Gynecological examination Kit

1pc vaginal speculum

1pc gyno brush

1pc wooden cervical scraper

1pc sample container



Code:

TC1216-4

Product Name:

Disposable Vaginal Speculum With Light Source

Specification

Size:XS,S,M,L



Specification

1pair latex examination glove

FIRST AID KIT



TC1217

Product Name:

Chest Drainage System

SpecificationOne Chamber Two Chambers **Three Chambers**



TC1218

Product Name:

First Aid Kit

Material:PP,ABS Size:22*14*5.5cm,26*17*8cm etc With Or Without Content Color: White. Green etc



TC1218-1

Product Name:

First Aid Kit

Specification Material: EVA Size(LxWxH):12x10x4.5cm With Content Color: Green, Blue, Red etc



TC1218-2

Product Name:

First Aid Kit

Specification Material: ABS

Size: 27.5x22.9x9.5cm

With Content

Wall Mounted Available



TC1219

Product Name:

First Aid Kit

Specification

Material: Nylon Size:18*13*5cm,20*15*5.5cm etc

With Content



Code:

TC1219-1

Product Name: First Aid Kit

Specification

Material: Nylon Size:13*8*5cm

With Content



Code:

TC1219-2

Product Name:

First Aid Kit

Specification

Material:Nylon Size:18*13*5cm etc With Content



Code:

TC1220

Product Name:

First Aid Kit

Specification Size:23*19*14.5cm etc Without Content



TC1220B

Product Name:

Metal First Aidkit Specificatio

Size: A 300*460*140mm B 300*460*140mm C 270*185*65mm

MEDICAL BAG&OXYGEN ITEMS



Code:

TC1220-1

Product Name:

Standard Oxygen Bag

Specification
Material: Polyester Size:27"X12"X10" etc Color: Green, Navy, Red etc



Code

TC1220-2

Product Name:

Oxygen Barrel Bag

Specification Material:Polyester Size:21" x8.5" etc Color: Green, Navy, Red etc



TC1220-3

Product Name:

Basic Elite Trauma Bag

Material:Polyester Size:25.5"x13.75"x11.5" etc Color:Red,Orange,Blue etc



TC1220-4

Product Name:

First Responder Trauma Bag

Specification

Material:Polyester;

Size:17"x9"x7" etc Color:Orange,Red,Navy etc



Code:

TC1220-5

Product Name:

Oxygen Regulator

Specification

Conector:male/Female



Code: TC1220-6

Product Name:

Medical Aluminum Oxygen Cylinder

Specification With Or Without Valve Capacity:2L,4L,6.3L,8L,10L etc



CODE

TC1220-7

Product Name:

Suction Regulator

Bottle Size:170ml,1000ml,2000ml etc



CODE:

TC1220-8

Product Name:

Humidifier Bottle

Specification

Size: 250ml,500ml etc Packing:Blister



CODE:

TC1220-9

Product Name:

Oxygen Flow Regulator

Capacity: 0-4L/min,0-8L/min,0-15L/min,

0-25L/min

Color: Green, Blue etc

MEDICAL BAG&OXYGEN ITEMS SPLINTS



TC1220-10

Product Name:

Bullnose Oxygen Regulator

Specification

Size:Single,Double



TC1220-15

Product Name:

Emergency Backpack

Specification Size:21.5"x13"x7" Color:Navy,Red,Orange etc



Code:

TC1220-16

Product Name:

Oxygen Bag



TC1220-21

Product Name:

EMS Rescue Backpack

Size:13.75"X22.25"X7.75"



TC1221

Product Name:

Tourniquet

Specification

Color:Red,Blue,Yellow,Green,Pink White, Orange etc



TC1221-1

Product Name:

Arm Sling

Specification

Size: 35x19cm,42x21.5cm,49x19.5cm etc



TC1221-2

Product Name:

Basic Splint

Specification

Size:36"x4.25",100x11cm,50x11cm,18"x4.25" 10"x4.25",5x11cm,7x11cm etc Color:Orange+Blue,Orange+Grey,Orange+White

Dark Grey+Dark Greyetc

Baseball Type Frog Type Spoon Type

Code:

TC1221-3

Product Name: Finger Splint

Specification

Type: Cot,Frog,Baseball,Spoon Length:2",3",4"(Cot);3",3 1/2",4"(Frog) 3 3/4",5",6"(Baseball);2 ½",3 ½",4 1/4" (Spoon)



TC1221-4

Product Name:

Padded Wood Board Splints

Specification

Width:3"

Length:12",15",18",24",32",36",42",54" etc

OTHER PRODUCTS



TC1221-5

Product Name:

Aluminum Strip Splint

Specification

Width: 1.2cm, 1.5cm, 2.5cm, 5cm, 8cm, 10cm Length:45cm,50cm etc



Code

TC1221-6

Product Name:

Air Splints Set

Specification Contents:1pc For Hand&Twist 1pc For Foot&Ankle 1pc For Half Upper Limbs 1pc For Full Upper Limbs 1pc For Half Lower Limbs

1pc For Full Lower Limbs



TC1222

Product Name:

Bandage Scissors

Specification Size: 7" etc

Color: Blue, Yellow, Black, Pink etc



Code:

TC1223A

Product Name:

Patient ID Bracelet

Size: Adult Or Infant Use Color: Pink, Blue, White, Green etc



Code

TC1223B

Product Name:

Mother-Baby ID Bracelet

Specification

Color:White,Blue,Pink etc Numbered Or w/o Numbered



Code:

TC1224

Product Name:

Test Cassette/Strip

Specification

HCG,LH HB,sAg,HCV,HIV Morphine, Methamphetamine Malaria, TB, H. Plori etc



Code:

TC1225

Product Name:

Latex Condom

Specification

Specification:Smooth Surface,Lubricated Dotted Surface, Lubricated Ribbed Surface, Lubricated

Size:49mm,52mm,55mm Normal Or Flavor



Code:

TC1226

Product Name:

Dressing Pack

Contents: 1pc Plastic Forceps

1pair Surgical Gloves 7.5#,5pcs cotton ball 0.5g

1pc nonwoven hand towel 30x30cm

1pc Waste bag 35x37cm

1pc sterile field

1pc dressing tray



Code:

TC1226-1

Product Name: Dressing Pack

Specification Contents:1pc sterile field 5pcs nonwoven swabs 7.5cmx7.5cm-4ply 8pcs cotton ball 0.5g 3pcs plastic forceps 1pc dressing towel 1pc dressing tray with gallipot.

DRESSING PACK



TC1226-3

Product Name:

Disposable Haemodialysis Set

Contents:2pcs kidney tray 500ml 2pcs gallipot 60ml 1pc korcher 6pcs cotton balls 0.5g/pc

4pcs gauze swabs 7.5x7.5cm,8ply 2pcs forceps 12.5cm length(1blue/1green) 2pcs waterproof drape 60x60cm 1pc waterproof wrapping drape60x60cm



TC1226-2

Product Name:

Dressing Pack

Specification
1pc dressing tray
1pc dressing forcep
1pc dressing korcher
5pcs gauze ball D.5cm
1pc waterproof wrapper 40x40cm
5pcs nonwoven compress 7.5x7.5cm 4ply



Code:

TC1226-4

Product Name:

Disposable Shaving Pack

CONTENTS:1pc Kidney Tray 500ml 1pc Sterile Field 42x45cm 1pc Shaving preparation comb razor 1bag powder 2pcs Gauze Swabs 7.5x7.5cm, 8ply

1pair EVA examination gloves, M 1pc Forceps 12.5cm Length, Green 1pc Soap Impregnated Sponge with Handle 1pc Waterproof Wrapping Drape 42x45cm



Code:

TC1227

Product Name:

Reusable Hot&Cold Pack

Material of Package: Fabric , Nylon, PVC Size: 5"x10"(321g),5"x7"(144g),7"x10"(395g)



Code:

TC1226-5

Product Name:

Delivery Bag/Obstetric Birth Kit

CONTENTS: 2pcs PP Cord Clamp 10pcs absorbent towels 1pcs CSR Wrap 35"x32" SMS 10pcs sterile gauze swab 4"x4"

2pcs ID Bracelent 1pair latex surgical gloves 7.5# 1pc spunlance nonwoven baby blanket.



Code:

TC1228

Product Name:

A:Instant Hot Compress **B:Instant Cold Compress**

Specification

Size:11*15cm(100g),12*25cm(240), 12*25cm(200g),15*23cm(280), 15*23cm(250g) etc

OTHERS PRODUCTS





TC1231

Specification Size:6",9",11"

Hot Water Bag Specification

With Or Without Cover Size:1000ml,2000ml,2500ml etc

Product Name: Air Cushion

 $\begin{array}{l} \textbf{Specification} \\ \textbf{Size:} \Phi 35 \text{cm,} \Phi 40 \text{cm,} \Phi 42.5 \text{cm,} \Phi 45 \text{cm} \end{array}$ Color:Red,Orange



Product Name: Ear Syringe Ball Specification

Size:30g,60g,90g Color:Red Material:PVC,Rubber



Product Name: Mouth Opener **Specification** Color:White,Orange etc



TC1233-1 **Product Name:** Eyes Field/Shield Specification Color: Transparent, White



TC1233-2 **Product Name: Eyes Test Chart**

Specification Type:Universal,Symbols,Snellen etc



Code: TC1233-3 **Product Name:** Safety Goggles



TC1234 **Product Name:** Umbilical Cord Clamp Specification Type:One Pin Or Two Pin

Material: PE,ABS,Nylon Color:White,Blue Pkg:Polybag Or Blister Packing

OTHERS PRODUCTS



Product Name:

Amniotic Membrane Perforator/Hook

Specification

Shape:Straight Or Curved Material: ABS Length:248mm Color: White, Blue etc



Product Name:

Medical Record Holder

Material: ABS Size:31*22.5cm



TC1237

Product Name:

Pear Type Vaginal Douche Spray

Size:120ml,180ml



TC1238

Product Name:

Pressure Infusor

Specification

Size: 500ml, 1000ml, 3000ml



Product Name:

Surgical Suture

Suture material:

Sulter Material:
polygly colic acid (PGA, 910PDS)
Chromic (Catgut); Plain (Catgut);
Silk (Braided); Nylon (Monofilament);
polypropylene (Monofilament);
Polyester (Beaided)

Needle type:1/2Cirle, 3/8Cirle, 1/4Cirle, 5/8Cirle, Straight



Taper Cutting Micro-Point Spatula Cutting



Product Name:

Manual Suction Kit

Specification

Size:300ml



TC6001
Product Name:

Dental Bib

Specification

2ply Paper+1ply PE film Size:33x45cm

Color: Blue, Green, Pink, White etc



Spring Eye

Spring Double Eyes

CE

Code: TC6002

Product Name: Saliva Ejector


Specification

Size: 150x6.6mm

Color: Transparent, White, Green etc

DENTAL ITEMS






















MULTI-PURPOSE BIOLOGICAL MICROSCOPE









TC/XSP-L101

TC/XSP-12

TC/XSP-101

3	Specification	Code				
Specification		TC/XSP-L101	TC/XSP-12	TC/XSP-13A	TC/XSP-101	
Nosepiece	Triple				•	
Eyepiece	WF10X	:				
Eyepiece	H5X,H10X,H12.5X(H16X For Choice)					
A - I	4X,10X,40X(S)				•	
Achromatic Objective	DIN 10X,40x(S),100x(S,Oil)	:				
Objective	100X(S,Oil),40X(S)					
	Plain Stage With Sude Clips			:		
Stage	Stage+slide Sups				•	
	Stage+Moving Scale			•		
Focusing	Separate Coarse		•	•		
rocusing	Soarse Adjustment Focusing				•	
Illumination	Abbe Condenser NA 1.25 With Iris Diaphragm			•		
Condenser	Disc Diaphragm,Plain-concave Mirror					









TC/XSP-102

TC/XSP-104

TC/XS-811

TC/XS-911

Specification		Code				
		TC/XSP-102	TC/XSP-104	TC/XS-811	TC/XS-911	
Nosepiece	Triple			•		
Nosepiece	Quadrupe		•		•	
Eyepiece	WF10X					
Lyepiece	H5X,H10X,H12.5X(H16X For Choice)	i				
Achromatic	4X,10X,40X(S)					
Objective	100X(S,Oil)		•			
Stage	Plain Stage With Sude Clips					
Stage	Double layer mechanical stage 125x115mm		•		130*125mm	
Focusing	Coaxial Coarse And Fine Adjustment			_		
rocusing	Focusing Range 20mm					
Illumination Condenser	6V 20W Lamp	•	•	•		



MONOCULAR MONCULAR BIOLOGICAL MICROSCOPES











TC/XSZ-N107

TC/XSZ-107BN

TC/XSZ-207

TC/XSP-106

	Specification	Code			
Specification		TC/XSZ-N107	TC/XSZ-107BN	TC/XSZ-207	TC/XSP-106
Viewing Head	Sliding Binocular(45°), Rrotalatable(360°)	•	•		
viewing nead	Compensation Free Binocular(30°), Rrotalatable(360°)				•
Nosepiece	Quadruple	•	•	•	•
Eyepiece	WF10X(WF16X For Choice)	•	•		•
Eyepiece	H5X,H10X,H12.5X(H16X For Cholce	•	•	•	•
Achromatic Objective	DIN 4X,10X,40x(S),100x(S,Oil)				
Stage	Double Layer Mechanocal Stage,Moving Range 75*45mm	140*140mm	140*140mm	140*140mm	130*125mm
Focusing	Coaxial Coarse Fine Adjustment, Focusing Rang 30mm Focusing Interval 0.002mm	•	•	•	•
Condenser	Abbe Condenser NA 1.25 With Iris Diaphragm &Filter		•	•	•
Illumination	Plain-concave Mirror	•	•		•
Condenser	Bult-in Alumination. Halogen Lamp220v/110v.6v.20w				









TC/XSP-107E

TC/XS-810

TC/XS-910

TC/XSZ-2108

1011	10/10	1 0//10	010	10170	
	Specification		С	ode	
		TC/XSP-107E	TC/XS-810	TC/XS-910	TC/XSZ-2108
Viewing Head	Monocular(45°),Rrotalatable(360°)				
viewing nead	Compensation Free Binocular Head(30°)	•	•	•	
Nosepiece	Quadruple		•	•	
Evepiece	WF10X(WF16X For Choice)	•	•	•	
Eyepiece	Filed Wide F.N=18(Anti-mould)				•
Achromatic Objective	DIN 4X,10X,40x(S),100x(S,Oil)	•	•	•	•
Stage	Stage+Moving Scale		•		
Stage	Double Layer Mechanocal Stage	130*125mm		130*125mm	140*135mm
	Coarse Adjustment Focusing 15mm			:	
Focusing	Fine Adjustment Focusing 1.6mm				
	Coaxial Coarse Fine Adjustment	Range 30mm		Range 20mm	Range 14mm
Illumination Condenser	Abbe NA 1.25 6v/20w Halogen Lamp, Adjustable Brightness				•
	Abbe NA 1.20 6v/20w Halogen Lamp, Adjustable Brightness		•	•	
Power	AC Input 220v/110v,DC Output 6v	•	•	•	•



MULTI-PURPOSE BIOLOGICAL MICROSCOPE







TC/SHD-32

TC/XSZ-2005

TC/XSZ-N207

Specification		Code			
		TC/SHD-32	TC/XSZ-2005	TC/XSZ-N207	
Viewing Head	Compensation Free Binocular(300),Rotalatable(3600)	•	•	•	
viewing nead	Compensation Free Binocular(30°), Rrotalatable(360°)				
Nosepiece	Quadruple	•	•	•	
Eyepiece	WF10X(WF16X For Choice)		•	•	
Achromatic Objective	DIN 4X,10X,40X(S),100X(S,Oil)	•	•	•	
Stage	Stage+Moving Scale	•			
Stage	Double Layer Mechanical Stage		130x125m	125x125mm	
Focusing	Coaxial Coarse And Fine Adjustment		Range:30mm	Range:14mm	
	15mm Coarse Adjustment And 1.6mm Fine Adjustment	•			
Illumination Condenser	Abbe Condenser NA1.25 Halogen Lamp, Adjustable Brigthness		•	•	
	Abbe Condenser NA1.20 Halogen Lamp, Adjustable Brigthness				









TC/XSZ-2101

TC/XSZ-N107E

TC/XSZ-N107CCD

TC/2005DN Digital Microscope

Specification		Code				
		TC/XSZ-2101	TC/XSZ-N107E	TC/XSZ-N107CCD	TC/2005DN	
	Sliding Binocular(450)	•				
Viewing Head	Trinocular Head For Photography	:	•			
	Trinocular Head For Video Camera(C mount)			•		
Eyepiece	Wide Filed Eyepiece WF10X		•	•	•	
Achromatic Objective	DIN 4X,10X,40X(S)<100X(S,Oil)	•	•	•	•	
Stage	Double Layer Mechanical Stage140X140mm Moving range:75x45mm	•	•	•		
	Double Layer Mechanical Stage125X125mm/60x40mr	m.				
Illumination	Abbe NA1.25 Halogen Lamp, Adjustable Brightness	:				
Condenser	Abbe NA1.25 With Iris Diaphragm, LED lamp				•	
SoftWare	Built-in Digital Camera System, With Micro-image					
	Process Software					



LAB EQUIPMENTS



Code: TC-MRII

Product Name: Blood Roller Mixer

Specification:

Speed:20-80 times/min



Code: TC-MRII-A

Product Name: Blood Roller Mixer With Digital Display

Specification: Speed:20-100 times/min Timesetting 0-99 min



Code: TC-MRIV

Product Name: Blood Mixer

Specification: Speed:6-32 r/min



Code: TC-MRIV-A

Product Name:

Blood Mixer With Digital Display

Specification:

Speed:5-35 r/min Timesetting 0-99 min



Code: TC-XH-B

Product Name:

Vortex

Specification:

Shaking Frequency > 2600 rpm



Code: TC-201A

Product Name: Oscillator



Code: TC-DSR10

Product Name: Digital Shaking Rotator



Code: TC-201BD

Product Name: Oscillator



Code: TC-MS79-1

Product Name: Magnetic Heating Stirrer

Specification: Speed Rang:start up 1600rpm Stepless Speed Adjustment Capacity:100-1000ml Heating Power:150w

CENTRIFUGE



Code: TC-HH-S1

Product Name: Water Bath Specification: Hole:1,2,4,6,8

Stainless Steel Interor Aluminum Ring Cover



Code: TC/800

Product Name:

Low Speed Centrifuge

Specification: Capacity:20ml x 6 Max.RCF:1790xg Max Speed:4000rpm



Code: TC800D

Product Name: Low Speed Centrifuge

Specification: Capacity:20ml x 6 Max.RCF:1790xg Max Speed:4000rpm Timer:0-60min



Code: TC80-1

Product Name Low Speed Centrifuge

Specification: Capacity:20ml x 6 Max.RCF:1790xg Max Speed:4000rpm Timer:0-30min With Safety Swith



Code: TC80-2

Product Name

Low Speed Centrifuge

Specification: Capacity:20ml x 12 Max.RCF:2325xg Max Speed:4000rpm Timer:0-30min Max Speed:4000rpm



Code: TC80-2C

Product Name Low Speed Centrifuge Specification: Capacity:20ml x 12 Max.RCF:2325xg Max Speed:4000rpm Timer:0-99min With Mechanical Lock



Code: TC90-1

Product Name Low Speed Centrifuge Specification: Capacity:20ml x 12 Max.RCF:2325xg Max Speed:4000rpm Timer:0-30min With Safety Swith



Code: TC90-3

Product Name Low Speed Centrifuge Specification: Capacity:10ml x 12 Max.RCF:2325xg Max Speed:4000rpm Timer:0-30min With Mechanical Lock



Code: TC90-4

Product Name Low Speed Centrifuge Specification: Capacity:15ml x 18 Max.RCF:2325xg Max Speed:4000rpm Timer:0-30min With Mechanical Lock

LAB PRODUCTS



Code: TC/HC-12C Product Name Hematocrit Centrifuge Specification:

Specification: Capacity:1.5 x 75mm x 24 Max.RCF:15300xg Max Speed:12000rpm Timer:0-99min



Code: TC/HC-16C Product Name High Speed Centrifuge Specification: Capacity: 1.5 x 2mm x 12

Capacity:1.5 x 2mm x 12 Max.RCF:17000xg Max Speed:16000rpm Lcd Display Timer:0-99min



TC-DHG-9030
Product Name
Dry Oven
Specification:
Working SiZe:350x350x350mm
power:500w
Temperature Range:50-300°C

Code:

Code:

TC7002



Code: TC7000 Product Name Cover Slip



TC7001

Product Name
Petri Dish

Specification SIZE: \$90*15mm, \$100*15mm, 100x100mm Type:1room,2room,3room,3vents,

Product Name: Centrifuge Tube With Screw Cap

Specification CircularSrelf-Standing:45ml,50ml Conical Bottom:10ml,15ml,45ml,50ml



Code: TC7003A Product Name: Micro Centrigue Tube

Specification Size:0.5ml,1.5ml,2ml Color: white,yellow,pink etc.



Code: Product Name
TC7101 Ground Edges, Plain
TC7102 Unground Edges , Plain
TC7105 Ground Edges Frested

TC7105 Ground Edges,Frosted One End One Side
TC7105-1 Unground Edges,Frosted One End One Side
TC7107 Ground Edges,Frosted One End Both Side
TC7107-1 Unground Edges,Frosted One End Both Side
TC7109 Ground Edges,Color Frosted One End One Side

TC7109-1 Ground Edges, Frosted One End Both Side Color Painted With Dots

LAB DISPOSABLE ITEMS



Code: TC7003C

Product Name:

Micro centrifuge tube with screw cap

Specification Size: 1.5ml

Cap Color: White, blue, pink etc



Code: TC7004

Product Name:

Cryotube

Specification Size:5ml,1.8ml,1ml



Code: TC7005

Product Name:

PCR Tube

Specification

With Domed Cap With Flat Cap 8strips, 12strips etc



Code: TC7006

Product Name: PCR Plate

Specification

Size:96well



Code:

TC7007

Product Name: Embedding Cassette

Specification Color: Yellow, Red, White, Blue etc




Code:

TC7008

Product Name: Bacterial Cell Spreader

Specification

Type: L shape, T shape



Code: TC7009

Product Name: Cell Scraper/Lifter

Specification

Length:25cm,39cm,18cm



Code:

TC7010

Product Name: Inoculating Loop

Specification

Type: Needle Tip;1ul,10ul



Code:

TC7011-1

Product Name:

Medical Swab With Applicator Specification

A:With Amies CIr

B:With Amies

Applicator: Stainless Steel Stick, Wooden Stick, Plastic Stick

LAB DISPOSABLE ITEMS



Code: TC7011-2

Product Name:

Medical Swab With Applicator

Specification

A:With Stuart B:With Stuart Clr Applicator: Stainless steel Stick, Wooden Stick, Plastic Stick



Code: TC7011-3

Product Name:

Medical Swab With Applicator

Specification

With Medium With Cary Blair Applicator: Stainless Steel Stick, Wooden Stick, Plastic Stick



Code:

TC7011-4

Product Name:
Medical Swab With Applicator
Specification
Without Medium
A:With Plastic Stick
B:With wooden Stick C:With Stainless Steel Stick D:With Bamboo Stick Applicator: Stainless steel Stick, Wooden Stick, Plastic Stick



TC7012

Product Name: Urine Test Tube

Specification

Material: PS

Size:Ø12X75mm,Ø13X75mm, Ø12X100mm,Ø15X100mm, Ø13X100mm,Ø16X100mm,



Code: TC7012-1

Product Name:

Micro ESR System

Specification

Material:PS

ESR Pipette With An Upper Sealing Cap And A Tube Sodium Citrate Prefilled 200ul 3.8%



Code: TC7012-2

Product Name: Urinary Sediment Tube



Code: TC7012C

Product Name: Urine Test Tube With Cap

Specification Material:PS

Type: Round Bottom

Size:10ml



Code:

TC7013

Product Name:

PopTop Vial

Specification Material: PP

Siz:13D,19D,30D,60D

Color:Red, Green, Black, White, Blue etc



Code: TC7014

Product Name:

Pasteur Transfer Pipette

Specification 1ML.3ML



LAB DISPOSABLE ITEMS



Code: TC7015

Product Name: Pipette Tip

Specification

For Eppendorf Or For Gilson, Qingyun, Finland

Size:1000ul blue,200ul yellow,

10ul white etc



Code: TC7015-1

Product Name:

Micropipette

Specification

Adjustable:2-20ul/5-25ul 10-100ul/100-500ul 200-1000ul



Code: TC7016

Product Name:

Urine Container

Specification 40ml,60ml,100ml,120ml



Product Name:

VTM Disposable Virus Sampling Tube

Specification

10ml PP tube with Medium 3ml VTM Flocking swab(Nose Swab)



Code: TC7018

Product Name:

Stool Container Specification

30ml,40ml,60ml etc



Code: TC7019

Product Name:

Tube Stopper

Specification

Φ12mm,Φ13mm,Φ15mm Flange Type, High Grip Type



Code: TC7020

Product Name: Simple Urine Cap

Specification 40ml



Code:

TC7021

Product Name: Sputum Container

Specification

20ml,40ml etc



Code:

TC7022A

Product Name: Swab Sampling Collector

Specification

one end with liquid

DISPOSABLE ITEMS



Code:

TC7030A Product Name: Vacuum Blood Tube Specification
Type:Plain(No-addtive),Pro-coagulation,
E.S.R(sodium citrate)
Heparin Lithium,Heparin Sodium,
EDTA K2,EDTA K3 Sodium Fluride/Potassium Oxalate, Gel and clot activator Tube: 13*75mm,13*100mm;Size:1ml, 2ml,3ml,4ml,5ml,6ml,7ml etc



Code:

TC7030B

Product Name:

Non-Vacuum Blood Collection Tube **Specification** Type:Plain(No-addtive),Pro-coagulation, E.S.R(sodium citrate) E.S.R(sodium citrate)
Heparin Lithium,Heparin Sodium,
EDTA K2,EDTA K3
Sodium Fluride/Potassium Oxalate
,Gel and clot activator
Tube: 13*75mm,13*100mm;
Size:1ml,2ml,3ml,4ml,5ml,6ml,7ml etc



Code: TC7031A

Product Name:

Blood Collection Needle

Specification

Soft Type; Size: 21G, 22G etc



Code: TC7031B

Product Name:

Blood Collection Needle

Specification

Hard Type; Size: 21G, 22G etc



Code:

TC7031C

Product Name: Needle Holder

Specification

Type:Universal



Code: TC7032A

Product Name:

Sharp Container

Specification

Capacity:0.7L Size(LXWXH):95x75x135mm Color:yellow,red



Code:

TC7032B

Product Name: Sharp Container

Specification

Capacity:0.8L

Size(LXWXH):120X90X116mm

Color:yellow,red



Code: TC7032C

Product Name: Sharp Container

Specification

Capacity:3L

Top Dia.14cm, Bottom Dia.:12cm, Height:24cm

Color: Yellow, Red



Code:

TC7032D

Product Name: Sharp Container

Specification

Capacity:2.7L,5L Size(LXWXH):200x160x140mm(2.7L),

250x200x165mm(5L)

Color:yellow,red

SHARP CONTAINERS



Code: TC7032E

Product Name: Sharp Container

Specification

Capacity:2.8L,3.6L Size(LXWXH):170x150x150mm(2.8L), 170X150X190MM(3.6L) Color:yellow,red



Code: TC7032F

Product Name: Sharp Container

Specification

Capacity:1L Size(LXWXH):95x95x155mm Color:yellow,red



Code: TC7032G

Product Name: Sharp Container

Specification

Capacity:1L Size(LXWXH):105X80X185mm

Color:yellow,red



Code: TC7032H

Product Name: Sharp Container

Specification

Capacity:7L Size(LXWXH):250x200x230mm Color:yellow,red

Code: TC7032I

Product Name: Sharp Container

Specification

Capacity:4.6L Size(LXWXH):270X115X270mm Color:yellow,red



Code:

TC7032J **Product Name:**

Sharp Container

Specification Size:8L



Code: TC7032K

Product Name: Sharp Container

Specification Size:5L



Code: TC7032L

Product Name:

Safety Box

Specification Size:5L,10L,15L,20L



Code: TC7032M

Product Name:

Sharp Contaires

Specification Capacity:10L

SHARP CONTAINER&BASSIN



Code: TC7032N Product Name: Sharp Contaires Specification Capacity:15L,23L



Code: TC7032O Product Name: Sharp Contaires Specification Capacity:0. 2L

Code:



Code:
TC7033
Product Name:
Plastic Emesis Basin
Specification
Type: Width,Narrow
Color:White,Transparent,Green etc



Code: TC7034 Product Name: Medicine Cup Specification A-Material:PP,Size:30ml,60ml B-Material:Paper,Size:30ml,60ml,90ml



TC7035

Product Name:
Biohazard Bag

Specification

Capacity:A:15x25cm,18.5x26cm etc
B:10-15L,20-30L,50L etc



Code: TC7036 Product Name: Vomitting Bag Specification Size:1000ML,1500ML



TC7037

Product Name:
Paper Pulp Kidney Disher Urine Bottole

Code:



Code: TC7038 Product Name: Foot Pedal Medical Waste Bin Specification Size:15L,18L,25L,30L etc



Code: TC7039 Product Name: Medicine Bag Specification Size:7X10m,8X10m etc



MEDICAL

WHEEL CHAIRS
COMMODE CHAIRS
WALKERS
STICKS
CANES
CRUTCHS
BATH BENCHS

NEW MODELS WHEEL CHAIR



TC205LHQ

Aluminum Chair Frame,Flip-Up
And Height-Adjustable Inclined Armrest.
Detachable Footrest,Solid Castor,Quick
Release,Pneumatic Rear Wheel,
Carrying Wheel And Anti-Tipppers,
Angle-Adjustable Footplate,LockingDrum Brake.



TC121LF1

Powered Pediatric Wheel Chair, Aluminum Chair Frame, Adjustable PU Armrest, Adjustable Seat Width, Reclining High Back, Lithium Battery, Rubber Foam Drive Wheel.



TC958LBPYF8

Aluminum Adapting Child Wheel Chair Adjustable Seat Size And Seat Height, Push Handle, Movable Armrest, Optional Accessories: Food Table, Height /Adjustable Footrest And Adjustable Headrest, Tiltable Seat, Reclining Back, PU Wheels.



TC250LCPQ

Aluminum Chair Frame, Flip-Up And Height-Adjustable Inclined Armrest. Dechable Elevating Footrest, PU Castors, Quick Release PU Rear Wheel, Anti-Tippers, Angle-Adjustable Footplate.



TC131GC

Steel Chair Frame, Adjustable And Detachable Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Adjustable Seat Angle.



TC980LQF8

Aluminum Adapting Child Wheel Chair, Adjustable Seat Size, Solid Castor, Flip-UP Armrest, Flxed Footrest, Height Adjustable Footplate, Quick Release Pneumatic Rear Wheel.

Specification (cm) Code			₫.				€KM	KM/H	+ -	W		(Kg)	(CM)	 n.w.	Q kg G.W.
TC121LF1	59	38(46)	32	20	52	96	20	1-7	23AH	200W*2	12°	75	86*58*75	40.9	48.9
TC131GC	59	46	32	20	55	120-127	25	1-7	40AH	200W*2	12°	100	86*65*75	91.7	98.5
TC958LBPYF8	52	25-32	30	15	38-66	98-120						35	86*53*45	24	27
TC980LQF8	50-60	25-35	52	10	50-55	87-92						75	76*39*90	14.4	17.4
TC205LHQ	68	46	62	15	49	90						100	77*33*91	18.6	20.9
TC250LCPQ	67	46	60	17.5	50	93						100	83*31*91	20.4	22.6

NEW MODELS WHEEL CHAIR



TC809 Chromed Steel Frame, Fixed Armrest, Fixed Footrest Solid Castor, Solid Rear Wheel



TC809B Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Mag Wheel



TC802-35 Children Type ,Chromed Steel Frame, Fixed Armrest,Fixed Footrest Solid Castor,Solid Rear Wheel



TC972
Chromed Steel Frame, Fixed Armrest,
Detachable Footrest
Solid Castor, Solid Rear Wheel



TC874 Chromed Steel Frame, Fixed Armrest, Fixed Footrest Solid Castor, Solid Rear Wheel, Double Cross Bars



TC874A
Chromed Steel Frame, Fixed Armrest,
Fixed Footrest, Drop Back Handle, Solid Castor,
Solid Rear Wheel, Double Cross Bars

Specification (cm) Code		#	l J								Ö Ğ (Kg)	(CM)	kg N.W.		CTNS 20'FCL	CTNS 40'FCL
TC809	60(65)	23	41(46)	59	20	51	87	106	40	40	100	93*21*87	18	21	144	300
TC809B	60(66)	24	41(46)	59	20	51	90	108	40	42	100	93*21*86	18	21	140	288
TC802-35	54	23	35	55	15	47	85	97	36	42	75	84*24*86	18	20	164	332
TC972	60(65)	23	41(46)	29	20	50	87	102	40	40	100	93*21*87	18	20	172	320
TC874	60(65)	27	41(46)	59	20	47	91	104	40	42	120	93*26*91	20	22	108	220
TC874A	62	28	39	61	20	45	84	106	40	42	100	97*31*85	16	18	88	192



TC876 Chromed Steel Frame, Fixed Armrest, Fixed Footrest Solid Rear Castor, Rear Wheel Pneumatic



TC901 Chromed Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Rear Wheel



TC983 Chromed Steel Frame, Detachable Armrest, Fixed Footrest Solid Castor, Solid Wheel



TC902C Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, PU Castor, Pneumatic Rear Wheel



TC810Y Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel, Hard Seat Cushion.



TC903GC Chromed Steel Frame, 8" PVC Castor, 24" Solid Wheel, Detachable Armrest, Elevating Footrest, Reclining High Back

Specification (cm) Code		#	H-H	D							(Kg)	(CM)	/kı N.W.		CTNS 20'FCL	CTNS 40'FCL
TC876	60(65)	28	41(46)	59	20	47	91	106	40	41	110	84*28*78	20	22	144	330
TC901	60(64)	28	41(46)	59	20	50	90	106	40	41	100	80*27*88	20	22	132	268
TC983	60(65)	28	41(46)	59	20	51	89	105	40	42	100	93*28*88	19	21	172	320
TC902C	60(66)	28	41(46)	61	20	50	90	105	40	42	100	80*30*88	20	22	126	260
TC810Y	66	46	58		20	50	89	100				94*31*95	19.7	22.2	108	220
TC903GC	63(65)	30	41(46)	59	20	51	96	118	42	82	100	97*30*87	26	28		



TC903
Powder Coating Frame,
Detachable Footrest&Armrest,
Solid Castor,Solid Rear Wheel



TC903B Powder Coated Steel Frame, Solid Castor, Solid Rear Wheel, Detachable Armrest And Footrest



TC904B
Powder Coating Steel Frame,
Detachable Desk Armrest,
Detachable Footrest, Solid Castor,
Pneumatic Mag Wheel.



TC909B Powder Coated Steel Frame, Flip Up Armrest, Detachable Footrest, Solid Castor , Solid Mag Wheel



TC972B
Powder Coating Steel Frame,
Fixed Armrest, Fixed Footrest
Solid Castor, Solid Mag Rear Wheel.



TC902GC
Chromed Steel Frame
Detachable Desk Armrest
Elevating Footrest
PU Castor,Pneumatic Rear Wheel

Specification (cm				λ	À	٦,	À	À		1	ج ان ے	7	Z/k	2	CTNS	CTNS
Code	' H H	μн	H		C.		4	<u>C</u>	<u> </u>		(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC903	60(65)	30	41(46)	59	20	51	90	106	42	82	100	80*28*91	20	22	130	260
TC903B	63(65)	30	41(46)	59	20	51	96	118	42	82	100	80*29*89	26	28		
TC904B	62		46	31	20	50	88				100	71*25*90	14.3	16.4	180	406
TC909B	57(68)	30	41(46)	60	20	50	93	106	40	45	100	83*29*95	20	22	130	260
TC972B	63		46	58	20	49	87				100	80*24*91	17.6	19.2	172	390
TC902GC	63(65)	30	41(46)	59	20	51	96	118	40	78	100	95*30*87	26	28	92	186



TC951B-56
Powder Coating Steel Frame, 22" Seat Width, Flip-UP Armrest, Detachable Footrest, Rubber Foam Castor, Pneumatic Mag Wheel.



TC209AE-61
Powder Coating Steel Frame, Detachable Desk Armrest,
Detachable Footrest, 24" Seat Width, Foldable Push Bar,
Solid Castor, Pneumatic Rear Wheel.



TC870ABJ
Chromed Steel Frame, Double Cross Bar,
Drop Back Handle With United Brake
Fixed Armrest, Fixed Footrest,
Solid Castor, Pneumatic Mag Rear Wheel.



TC204BJ
Powder Coating Steel Frame, Reclining High Back,
Adjustable And Detachable Headrest, Detachable Pillow,
Adjustable Seat Angle, Height Adjustable Armrest,
Elevating Footrest, TPR Castor, United Brake.



TC212BCEG-41
Chromed Steel Frame, Reclining High Back,
Flip-UP Desk Armrest, Elevating Footrest,
Solid Castor, Pneumatic Mag Wheel,
Foldable Push Bar.



TC976ABJ-43
Chromed Steel Frame, Fixed Armrest,
Detachable Footrest,
Drop Back Handle With United Brake, Solid Wheel.

Specification (cm)	\Box		À	À	7	À	Ą į .	77	Z k	g \	CTNS	CTNS
Code	н н	н н		<u>Сф</u>			(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC951B-56	73	56	62	20	54	93	125	83*33*93	21.5	24.1	112	245
TC204BJ	68	46	62	20	58	121-133	150	88*64*84	38	42.5	58	132
TC209AE-61	81	61	62	20	51	93	125	86*37*83	21.8	24.5	100	240
TC212BCEG	88	41	40	15	49	107	100	83*33*109	20.2	22.4	98	232
TC870ABJ	60	41	40	15	45	89	100	82*28*76	14.5	17.4	168	387
TC976ABJ-43	56	43	20	20	50	96	100	74*26*78	12.9	15.1	216	432



TC907BC Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Wheel.



TC869X
Powder Coating Steel Frame,
Double Cross Bar, Fixed Inclined Armrest,
Fixed footrest, Solid Castor solid Rear Wheel.



TC875
Powder Coating Steel Frame,
Fixed Armrest, Fixed Footrst,
Solid Castor, Solid Rear Wheel.



TC901B
Powder Coating Steel Frame,
Detachable Armrest, Detachable Footrest,
PU Castor, Pneumatic Mag Wheel.



TC908AQ Chromed Steel Frame, Flip-up Desk Armrest, Detachable Footrest, Solid Castor, Quick Release Pneumatic Rear Wheel, Drop Back Handle



TC975-51 Chromed Steel Frame,20" Seat Width Detachable Armrest And Footrest,Solid Castor Pneumatic Rear Wheel

Specification (cm) Code	\Box	₩		₫ħ.	Ö,	<u></u>	₫ħ.	À.		△ (Kg)	(CM)	N.W. G.W.	CTNS 20'FCL	CTNS 40'FCL
TC907BC	58		41	62	20	50	88			100	73*28*89	17.219.2		:
TC869X	62		46	59	20	49	87			100	103*25*89	16.2 19	144	372
TC875	65		46	58	20	50	86.5			100	94*28*89	15.918.6	132	326
TC901B	64		46	61	20	20	88.5			100	80*28*91	17.9 22	126	340
TC908AQ	64		46	62	20	49	91.5			100	82*31*93	19 21.3		
TC975-51	73		51	62	20	50	91			125	80*28*91	18.421.3	130	310





TC864LY
Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest,
Plastic Footlate Hard Cushion, Solid Castor,
Pneumatic Rear Wheel Plastic Hand Rim



TC865BLJ Aluminum Frame With United Brake, Solid Castor,PU Mag Wheel, Fixed Armrest,Fixed Footrest



TC872LJ Aluminum Frame With United Brake, Pneumatic Wheel, Fixed Armrest, And Fixed Footrest



TC908LAH Aluminum Chair Frame With Drum Solid Castor, PU Wheel, Flip Up Armrest Detachable Footrest



TC231LHPQ
Aluminum Chair Frame,
Flip-UP Height-Adjustable Inclined Armrest.
Detachable Footrest,PU Castor,
Quick Release PU Rear Wheel,
Locking Drum Brake,Anti-Tippers,
Angle-adjustable Footplate.



TC800LBJ
Transit Wheel Chair,
Aluminum Light Weight Chair Frame,
6" Rear Solid Castors,5" Front Castors,
Flip Armrest,Drop Back Handle,
Lockable Attendant Brake,With Seat Belt.

Specification (cm Code		#		₫.			d.			<u> </u>	OKg)	(CM)	kg N.W. G.W.	CTNS	CTNS
TC864LY	62(70)	28	41(46)	61	20	53	89	107	40	34	100	92*28*93			196
TC865BLJ	56(61)	26	40(46)	30	15	44	88	83	41	38	100	86*26*87	10 12	128	264
TC872LJ	55(61)	28	41(46)	51	15	49	88	92	30	40	100	80*28*88	12 14	140	280
TC908LAH	56(63)	28	41(46)	56	15	50	89	107	40	40	100	80*28*72	14 16	168	342
TC231LHPQ	68		46	60	15	49	91				100	78*31*94	17.620.1	108	272
TC800LBJ	51		38	15	12.5	45	88				100	48*34*66	6.9 9.1	270	670



TC803LB Transit Wheelchair, Aluminum Light Weight Chair Frame, 6" Rear Solid Castors,4" Front Castors, Flip-UP Armrest, With Seat Belt



TC868L Aluminum light Weight Frame, Solid Castor And Wheel,Fixed Armrest And Footrest



TC874LAJ-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest,
SolidCastor, Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC874LAJF1-30
Pediatric Wheel Chair Aluminum Chair Frame,
Fixed Armrest, Fixed Footrest, Solid Castor,
Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC874LF5 Aluminum Chair Frame, fixed armrest and footrest, solid castor, 24" PU wheel, with brake



TC878LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest,
Flip Up Footrest, Solid Castor,
Pneumatic Rear Mag Wheel, Drop Back Handle,
Locking United Brake.

Specification (cm) Code		#	H	₫.			₫.	Ò.			(Kg)	(CM)	O kg N.W.;0		CTNS 20'FCL	CTNS 40'FCL
TC803LB	38		32	15	10	45	84				100	39*29*70	6	7.5	357	864
TC868L	62(65)	24	43(46)	61	20	50	86	100	40	38	100	97*24*87	14	16		
TC874LAJ-30	53		30	53	15	44	85				75	78*28*68	12.31	4.4	186	444
TC874LAJF1-30	53		30	53	15	44	85				75	78*28*68	12.81	4.9	186	444
TC874LF5	58		46	30	15	48	94				100	74*28*95	10.61	3.3	192	440
TC878LAJ	70		46	58	15	49	88				100	82*28*76	12.71	4.2	168	401





TC903LQ Aluminum Frame, Flip-Up Desk Armrest, Detachable Footrest, Solid Castor, Quick Release Pneumatic Rear Wheel.



TC974LP Aluminum Frame, Fixedarmrest, Detachable footrest, Solidcastor, PU/Rear/Wheel.



TC976LA-12: Aluminum Frame Detachable Footrest Drop Back Handle,Aitk Brake. Solid Castor And Wheel



TC955L Aluminum Chair Frame, Flip-Up Inclined Armrest, Detachable Footrest, Solid Castor,Pneumatic Rear Wheel.



TC976LAB Aluminum Chair Frame, Fixed Armrest. Detachable Footrest, Solid Castor. Solid Rear Mag Wheel, Drop Back Handle



TC804LABJP
Transit Wheel Chair,
Aluminum Light Weight Chair Frame,
8" Rear Solid Castors,5" Front Castors,
Flip-Up Armrest,Drop Back Handle,
Lockable Attendant Brake,With Seat Belt.

Specification (cm)		-[[]-	,III,	A	ेन		À.		Д	Ţ	/\			7	CTNS	CTNS
Code	п л	ויין	п л		$\Box \varphi$						(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC903LQ	64		46	62	15	52	90				100	80*28*91	14.2	16.3	108	272
TC955L	63		46	62	15	50	89				100	83*28*90	15.7	17.9	126	282
TC974LP	63		41	61	20	49	88				100	80*28*91	14	16	108	272
TC976LAB	60		46	20	20	52	101			:	100	74*26*83	10.6	12	200	485
TC976LA-12"	56	24	41	30	20	49	97	100	43	45	90	70*26*79	14	16		:
TC804LABJP	45		37	20	12.5	45	89			:	100	75*25*66	6.7	9.4	228	560





TC805LABJ
Aluminum Light Weight Chair Frame,
FixedArmrest,Flip-Up Footplate,
Solid Castor,Pneumatic Rear Mag Wheel.
Drop Back Handle,United Brake.



TC870LAJ
Aluminum Light Weight Chair Frame,
FixedArmrest, Fixed Footrest,
Solid Castor, Pneumatic Rear Wheel,
Drop Back Handle, With United Brake.



TC985LBGY-38 Aluminum Chair Frame, AdjustableHeadrest,Detach Able Armrest, FixedFootrest,SolidCastor,Pneumatic Mag Wheel,Adjustable Seat Angle,Safety Belt.



TC807LABP
Transit Wheel Chair,
Aluminum Light Weight Chair Frame,
6"Rear Solid Castors,5" Front Castors,
Flip-Up Armrest, With Seat Belt



TC207LABP
Aluminum Chair Frame,
Flip-Up Inclinedarmrest,
Detachablefootrest,Solid Castor.
PU/Rear/Mag/Wheel,Drop back handle



TC871LBJ
Aluminum Light Weight Chair Frame,
Fixed Armrest&Footrest, Solid Castor,
Pneumatic Mag Wheel, With United Brake.

Specification (cm)	<u>,_,</u>		À	Z	À.	À	ج از -	77	2) (g	CTNS	CTNS
Code	н н	НЯ		<u>С</u>			(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC805LABJ	59	46	31	15	49	90	100	72*25*76	9.6	11.22	140	324
TC807LABP	37	32	15	12.5	45	87	100	56*23*60	7	8.1	472	864
TC870LAJ	69	46	40	15	48	89	100	80*28*76	12.5	14.5	176	410
TC207LABP	62	46	38	15	50	89	100	78*28*76	13.9	15.9	186	378
TC985LBGY-38	52	38-44	40	15	48	97-116	75	72*25*76	11	12	90	223
TC871LBJ	54	41	40	15	49	89	100	80*28*91	10.6	13.6	140	340





TC980LA-30
Pediatric Wheel Chair Aluminum Chair Frame,
Flip-Up Armrest, Fixed Footrest, Solid Castor,
Pneumatic Rear Wheel, Drop Back Handle.



TC863LABJ
Aluminum Light Weight Chair Frame,
Fixed Armrest, Flip UP Footrest, Solid Castor,
Pneumatic Rear Mag Wheel,
Drop Back Handle, Locking United Brake.



TC879LAJ
Aluminum Light Weight Chair Frame, Fixed Armrest, Flip UP Footrest, Solid Castor,
Pneumatic Rear Wheel Drop Back Handle,
Locking United Brake.



TC864L Aluminum Light Weight Frame, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel



TC950LBPQ-46
Aluminum Chair Frame,
Flip-UP And Height-Adjustable Inclined Armrest,
Detachable Footrest, Solid Castor,
Quick Release PU Mag Wheel,
Anti-Tippers, Angle-Adjustable Footplate.



TC958LBCGPY-38
Aluminum Chair Frame, Reclining High Back,
Adjustable Headrest,
Detachable Armrest, Elevating Footrest,
Solid Castor, PU Mag Wheel,
Adjustable Seat Angle, Safety Belt

Specification (cm)	Д.		तेत		271	À	ج ار	7\	Z k	3	CTNS	CTNS
Code	н н	НЯ		Ů,			(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC980LA-30	47	30	53	15	48	90	75	90*33*73	12.5	15	148	315
TC863LABJ	60	46	31	15	48	90	100	71*28*71.5	9.5	11	12	441
TC879LAJ	65	46	31	15	15	87	100	72*30*72	11.5	13	168	384
TC864L	67	46	62	20	48	89	100	94*28*92	12.8	15		
TC950LBPQ	67	46	61	15	51	91	100	83*33*93	16.7	19.1	92	224
TC958LBCGPY-38	52	38-44	40	15	48	97-116	75	84*40*97	18.3	21	90	223



TC980LA
Aluminum Chair Frame,
Flip-UP Armrest, Fixed Footrest,
Solid Castor, Pneumatic Rear Wheel,
Drop Back Handle.



TC983L Aluminum Frame, Flip-UP Desk Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.



TC873LABJP
Aluminum Light Weight Chair Frame,
Fixed Armrest, Fixed Footrest
Solid Castor,PU Rear Mag Wheel,
Drop Back Handle,Lockingunited Brake.



TC980LA-35
Pediairic Wheel Chair Aluminum Chair Frame,
Flip-UP Armrest, Fixed Footrest,
Solid Castor, Pneumatic Reat Wheel,
Drop Back Handle.



TC9003L Aluminum Frame,5" Castor, 8" PVC Rear Wheel, Foldable Back With Brake.



TC5777
Electric Patient Hoist
Maximum Loading Capacity:125kg
Maximum Height Of Lifting Stand:112cm
Width Between Legs:From 61cm TO 92cm

Specification (cm) Code		#	H	₫.	Ö.	Ò.	₫.	Ò.			Ċ (Kg)	(CM)	/ k N.W.		CTNS 20'FCL	CTNS 40'FCL
TC980LA	64		46	61	15	51	94				100	94*28*73	14.6	17.6	126	284
TC980LA-35	52		35	58	15	48	90				75	90*33*73	13	15.5	148	315
TC983L	58		41	55	15	49	85				100	94*28*89	13.1	15.7	108	272
TC9003L	45	21	36	20	12.5	45	86	101	36	43	75	82*22*65	10	12		
TC873LABJP	58		46	30	15	48	94				100	74*28*75	10.6	13.3	192	440
TC5777	55						121-207	7			100	125*57*38	43	47.8		

ELECTRIC WHEEL CHAIR



TC122L
Aluminum Frame, Vehicle Seat, With Reclining Back,
Detachable Arm And Footrest, Mobile Seat,
PU Castor, PU Drive Wheel



TC152
Powder Coated Steel Frame, Seat with Reclining ,Back
Adjustable Armrest,Detachable Footrest,PU Castor,
PU Drive Wheel,With Safefy Lamp



TC111A
Powder Coated Steel Frame, Foldable,
Flip Up Armrest, Detachable Footrest,
Drop Back Handle, PU Castor, PU Drive Wheel



TC110A
Powder Coating Steel Frame,
Foldable Flip up Armrest, Detachable, Footrest,
Drop Back Handle,PU Castor,PU Drive Wheel



TC112
Resin-Coating Steel Frame,
Fixed Armrest, Detachable,
Footrest, Mag Drive Wheel,
Rubber Foam Castor, Foldable Chair Frame.



TC121
Powder Coating Steel Frame,
Flip-UP Desk Armrest, Detachable Footrest,
Rubber Foam Castor And Drive Wheel,
Foldable Backrest

Specification (cm) Code		#-	H	₫.	Ö,		₫.	Ò.			(Kg)	(CM)	N.W. G.V	CTNS V. 20'FCL	CTNS 40'FCL
TC122L	64		43	32	20*5	50	127	120	40	53	120	83*64*65	72 7	7 66	150
TC152	58		46	32	20*5	53	100	104	44	36	110	94*31*95	60 7	54	120
TC111A	58(62)	35	41(46)	32	20*5	53	95	100	40	46	110	78*38*78	33 3	5 115	230
TC110A	58(62)	35	41(46)	32	20*5	52	93	100	40	43	110	78*38*78	33 3	115	230
TC121	63	46	46	30	20	51	94				125	83*67*73	56 65	.8 46	96
TC112	62		46	31	20	49	91				100	85*43*94	33.24	2 36	78

ELECTRIC STANDING WHEELCHAIR



TC124
Resin-Coating Steel Frame,
Adjustable And Detachable Armrest Pad,
Detachable Sideboard,
Rubber Foam Castor And Drive Rear Wheel.
Electrically Lifting Seat Plate.



TC139

Power Stand Up Wheel Chair, Powder Coating Frame, Flip-Up, Armrest With Single Controller, For Both Driving & Seat Lifting.

Strong Rubber Foam Drive Wheel, Special Design With Comfort, Safety Legrest Belt.



TC141
Comfortable SwivelSeat, Flip-Up Armrest,
Driving Lamp And Luggage Basket.
Rubber Foam Castor Rubber Foam Rear Wheel.



TC129
Power Stand Up Wheel Chair ,Powder Coating Frame,
Flip-Up, Armrest With Single Controller,
For Both Driving & Seat Lifting.
Strong Rubber Foam Drive Wheel,
Special Design With Comfortable, Safety Legrest Belt.



TC159L Standing Walking&nursing Intelligent Type Standing Power Wheel Chair,Aluminum Frame, 200*50 PU Front Castors,12"PU Drive Wheels, Adjustable Head&Neck Rest,Adjustable Leg Pad



TC140
Comfortable CehicleSeat,
Adjustable Backrestand Seat Height.
Flip-Up Armrest.
Rubber Foam Wheel, With Driving Lamp.

Specification (cm) Code		H	₫.		Ò.	₫.	ČKM.	KM/H	+ -	W motor		(Kg)	(CM)		G.W.	CTNS 20'FCL	
TC140	63	46	26	26	64-70	135			40AH		8°	110	140*71*79	105.	2120	22	44
TC139	59	46	32	30	52	96						100	103*69*68	67	85	54	144
TC124	62	43	32	20	52	92	20	1-6	38AH	200W*2	12°	110	80*66*64	75	85	63	168
TC129	65	46	32	20	58	107	25	1-6	38AH	200W*2	12°	100	103*69*68	80.4	98.2	54	144
TC141	58	48	26	22	58	129-139	30-40	1-10	33AH	400W	12°	100	124*59*80	78	90.5	24	48
TC159L	62	45	32	20.5	58	103	30-40	1-10			12°	110	83*62*110	78	81		

COMMODE WHEEL CHAIR



TC607-70
Chromed Steel Heavy Duty Frame
PU Castor Solid Wheel
Fixed Armrest And Footrest 70cm Seat Width



TC609LU
Foldable Aluminum Chair Frame,
U Shape Commode Seat,
Fixed Armrest And Footrest, Solid Castor,
Pneumatic Rear Wheel.



TC654LGCU
Stainless Steel Chair Frame,
Flip Down Armrest, Detachable
Elevating Footreest, U Shape Commode Seat.
Pneumatic Rear Wheel, Solid Castor.



TC609GCU
Foldable Chromed Steel Frame,
Plastic Commode Seat,
Reclining High Back,
Detachable Armrest And Elevating Footrest,
Solid Castor And Rear Wheel



TC609U Foldable Chromed Steel Frame, Plastic Commode Seat, Fixed Armrest And Footrest, Solid Castor And Rear Wheel.



TC681
Foldable Chromed Steel Frame,
Plastic Commode Seat,
Flip-Up Armrest And Detachable Footrest,
Solid Castor And Solid Rear Wheel.

Specification (cm) Code			H	₫.	Ŏţ.	Ò.	₫.	Ò.			(Kg)	(CM)	kg N.W. G.W.	CTNS 20'FCL	CTNS 40'FCL
TC607-70	89	32	70	59	20*5	70	105	120	50	40	150	104*34*106	33.5 38	100	200
TC609GCU	64		44	58	20	53	129				100	107*33*78	25.629.3	90	184
TC609LU	68.5		46	58	15	51	90				100	94*29*92	15.218.9	120	244
TC609U	64		44	58	20	50	87				100	92*29*89	19 21.3	120	244
TC654LGCU	67		46	61	20	50	128				100	97*41*86	21.523.5	90	184
TC681	60		45	58	15	53	90				100	75*28*91	19.621.4	126	272

COMMODE WHEEL CHAIR



TC691
Powder Coated Steel Frame,
Detachable Armrest And Footrest,
Solid Rear Castor With Lock,
Plastic Commode Seat.



TC693
Powder Coating Steel Frame,
Fixed Armrest,
Foldable Footrest Rear Castor
With Lock, Plastic Commode Seat.



TC694S
Stainless Steel Frame.Netted Back Rest
PU Armrest, Solid Castor,
Rear Wheel With Lock, Plastic
Commode Seat, Length Adjustable Footrest.



TC692
Powder Coating Steel Frame,
Flip Down Armrest,
Detachable Footrest,
Solid Rear CAstor With Lock Plastic Commode Seat.



TC695
Chromed Steel Frame Flip Up Armrest
5 Castor Detachable Footrest.



TC695S Stainless Steel Chair Frame, Flip Down Armrest, Detachable Footrest, Four Castors With Lock, PU Commode Seat With Cover

Specification (cm)			नेत	A	₹	À	À	Д	1	ج أ د	7	<u>ک</u>	cg\	CTNS	CTNS
Code	н н	НН		C.	(b)	UD		/ 1		(Kg)	(CM)	N.W.	G.W.	20'FCL	40'FCL
TC691	55	44	12.5	12.5	51	81	87	43	38	100	54*53*53	12	14	160	336
TC692	55	45	12.5	12.5	54	95				100	56*53*57	10.8	12.8	160	320
TC693	54	44	12.5	12.5	47	82	70	44	36	100	50*26*66	10.5	11.7	253	529
TC695	55	45	12.5	12.5	58	98	83	43	38	100	55*54*51	21.6	24.6	80	165
TC694S	54	44	12.5	12.5		51	84			100	54*53*56	9.4	11.6	160	320
TC695S	54	44	12.5	12.5		50	97			100	61*55*55	12.2	14.4	180	368

COMMODE WHEEL CHAIR



TC697S
Stainless Steel Chair Frame,
PU Commode Seat,
Flip Down Armrest,
Detachable Footrest,
Rear Castor With Lock



TC696 Chromed Steel Frame Adjustable Height



TC697 Chromed Steel Frame Adjustable Height



TC699L Aluminum Chair Frame, Fixed Armrest, Foldable Footrest, Solid Rear Castor With Lock, Plastic Commode Seat.



TC899



TC817



TC815



TC893



TC890



TC812L



TC8992



TC894

Specification (cm) Code	À	Ħ	`⊨ı	Î			(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC899	48	44	45	78	41	35	94*54*37		4	21
TC817	56	47	42	87	43	49	78*24*58		2	18
TC815	48	44	48.5	84.5	43	34	50*25*85		1	5
TC893	56	44	47	94	43	38	50*19*75		1	8.5
TC812L	43	44	38-48	68-75	44		60*38*52		2	6
TC890	45	43	42	77	40	28	63*32*44	8	2	8.9
TC8992	60	48	45	82	41	40	88*30*60	12.8	1	14.2
TC894	48	45	44-45	78-88	43	33	50*21*76	6	1	7
TC697S	54	44	12.5	12.5			55*54*57	10	1	13.8
TC696	55	44	7.5	7.5	45-55	78-88	51*21*76	8.2	2	10
TC697	55	45	7.5	7.5	55	43	52*25*81	90	2	9
TC699L	55	45	7.5	7.5			57*57*73	100	1	8.5

COMMODE CHAIR





TC818L



TC800



TC896



TC897



TC893L



TC895L



TC810



TC811



TC812



TC8101



TC814



TC8951L



TC9122L-A



TC912L(XS)



TC9126L





TC918L



TC9122L



TC794L



T	C	79	5	4

Specification (cm) Code	泪	F	` ⊟ ;	ſΉ		<u> </u>	(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC818L	51	48	35-45	72-82	38	38	51*55*37		2	3
TC800	48	49	45-60	67-76	44	35	52*42*42		1	9.6
TC896	53	45	49-59	78-88	43	29	52*25*83		2	8.5
TC897	41	38	40	45			62*30*42	9.2	4	10.3
TC893L	56	44	47	94	43	38	51*19*75	5.3	1	6.4
TC895L	51	46	42-52	70-81	43	29	60*34*52	9.2	2	10.6
TC810	56	46	41-51	74-84	40	33	61*33*49	12.1	2	13
TC811	50	49	50-60	80-90	40	33	71*53*56	10	2	11.8
TC812	51	50	51-61	67-77	40	33	71*55*56	10.4	2	12.4
TC8101	46	44	41-56	60-75	37	18	44*22*66	10.8	2	12
TC814	58	48	43	67-77	39	43	58*58*70	5.2	2	11.5
TC8951L	43	40	40-50	62-72	41	-	45*18*63	2.6	5	3.6
TC794L	23	41	:	18	23		83*25*40	8.1	2	9.3
TC7954	42	38	40-50	40-50	38		57.5*39*25	8.1	2	9
TC912L(XS)	42	55		48.5-58.5			53*18*52	3.6	2	4.6
TC9122L	52	59	:	45-55			66*18*65	6	2	6.9
TC9122L-A	52	50	:	60-70			61*25*80	8.6	2	9.7
TC9126L	51	44	:	80-90			59*18*70	5	10	6.1
TC918L	58	38		78-88			96*68*38	19	1	22.1
TC962	54	45	:	52-87			62*22*67	8	1	9.1



TC919L



TC913L



TC915L



TC914L



TC971



TC9610



TC961L



TC965L



TC965L-5"



TC963L



TC966L(S)-2.5"



TC966L(S)

Specification (cm) Code	Ħ	Ħ	ì⊨ı	Î	(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC919L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC913L	47	46	-	78-96	53*17*81	4.8	2	5.8
TC915L	47	47	-	78-96	53*17*81	5.1	2	6.2
TC914L	50	47	52-62	79-89	60*34*89.5	7	2	8.7
TC971L	71	44	52	109-135	77*27*97	9.4	1	11.8
TC9610	74	74	55	110-155	74*15*85	11.9	1	14.6
TC916L	49	44	43-61	74-92	57*19*79	6.7	2	7.7
TC965L	68	46	53	78-90	58*17*81	7.4	2	9
TC965L-5"	50	62	-	82-100	64*20*83	6	2	7
TC963L	74	46	-	77-95	58*18*81	5. 2	2	7
TC966L(S)-2.5"	35	51	52-62	-	55*25*62	2	2	3
TC966L(S)	35	51	52-62	-	55*25*62	2	2	3



TC964LR



TC912L-5"



TC917L(S/M/L)



TC9631L



TC9632L



TC960



TC9621



TC965LH



TC968L



TC914H



TC9622



TC969H

Specification (cm) Code	Ħ	Ħ	∄t	ΪĦ	(CM)	N.WT(kg)	PCS CTN	G.W. (kg)
TC964LR	42	58	-	64-82	54*20*81	-	2	6
TC912L-5"	52	57	-	78-96	65*20*83	-	2	8
TC917L(S/M/L)	43	38	-	65-75	76*68*35	14.9	10	16.9
TC9631L	52	64	-	73.5-92	58*18*77	9.2	2	10.7
TC9632L	48	44	-	82-100	57*19*86	5.1	2	6.4
TC960	58	45	-	31	54*41*34	5.4	2	6.52
TC9621	62	46	54	80-105	60*18*80	8.2	1	9.5
TC965LH	68	46	53	78-90	62*24*84	7.4	1	9
TC968L	59	46	53	78-90	61*19*81	7	1	8.4
TC914H	70	43	62	78-90	60*25*72	10	1	10.9
TC9622	60	47	47	76-86	70*20*75	10.3	1	12
TC969H	59	38	-	82-97	63*25*70	7.7	1	9.2







TC9251L TC9252L TC925L(S) TC925L(M) TC925L(L) TC935(S) TC935(M) TC935(L) TC9204L TC937L TC933L

Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC920L	71-94	0.36	65*15*28	20	7.7
TC9201L	71-94		65*15*28	20	8
TC928L	79.5-102.5		79*29*19	20	8
TC929L	71-94	0.3	65*15*28	20	8.3
TC930L	71-94	0.35	65*15*27	20	7.6
TC938L	80-103		79*34*19	20	8
TC9282L	74-97	0.35	68*36*18	20	8
TC927L	80-90(29.5)	0.37	62*16*26	20	8.3
TC936L	126(34)	0.3	53*12*36	20	8.2
TC9283L	74-97	0.5	74*36*18	20	8
TC923L	86-117	0.52	86*26*29	20	11

Specification Code	Height (cm)	N.W. (kg)	(CM)	PCS CTN	G.W. (kg)
TC9204L	105-128	1.12	79*41*56	20	23.7
TC937L	96-119	0.35	100*28*32	20	12
TC933L	86-117	0.6	95*29*31	20	12.1
TC9251L	115-135	0.81	120*36*30	20	17.5
TC9252L	100-130	0.95	83*33*29	20	20
TC925L(S)	95-115.5	0.8	101*33*29	20	15.5
TC925L(M)	114-134.5	0.85	119*33*29	20	16.5
TC925L(L)	135-155.5	0.9	140*33*29	20	17.5
TC935(S)	98-118		101*33*29	20	15.5
TC935(M)	113-133		119*33*29	20	16.5
TC935(L)	128-148	: : :	140*33*29	20	17.5



Specificatio Code	n Height (cm)	N.W. (kg)	: / / /	PCS CTN	G.W. (kg)	Specification Code	Height (cm)	N.W. (kg)			G.W. (kg)	Specification Code	Height (cm)	N.W. (kg)	: / / /	PCS CTN	G.W. (kg)
TC911L	86	0.8	85*30*40	10	10	TC924	65-88	0.8	72*30*34	: 10	9.2	TC9301L-2	71-94	0.35	65*15*27	20	7.6
TC940L	105-118	 !	91*30*25	ļ	10	TC932	74-97	0.88	78*29*43	10		TC9301L-3		· · · · · · · ·	65*15*27	į	
TC942L	78-98	 !	92*49*41	10	10	TC9411L	75-95	3.4	61*34*34	4	······	TC9301L-4	71-94	0.35	65*15*27	20	7.6
TC9321S	84-107		78*29*43	10	12	TC9412L	70-90	3.2	64*27*27	4	4.2	TC9274L	71-94	0.35	65*15*27	20	7.6
TC9322S	76-99		78*29*43	10	12	TC9413L	72-92	3.2	64*27*25	4	4.1	TC9208L	71-94	0.35	65*15*27	20	7.6
TC9323S	76-99		78*29*43	10	12	TC9414L	70-93	5	76*39*23	8	6.2	TC9207LW-1	71-94	0.36	65*15*26	20	7.7
TC9424S	72-98	:	78*29*43	10	12	TC9243	66-89	7.3	70*21*44	8	8.5	TC9207LW-2	71-94	0.36	65*15*26	20	7.7
TC921	64.5-87.5	0.9	79*34*44	10	12	TC9221	73.5-96	0.79	78*29*43	10	9.1	TC9207LW-3	71-94	0.36	65*15*26	20	7.7
TC931	72-95	······································	79*36*44	10	12	TC9242L	85-100	0.52	72*30*34	10	6.4	TC9304L	94-117	7.2	27*18*102	6	8.5
TC922	74-97	0.83	78*29*43	10	11	TC9415L	75-95	3.4	61*34*34	4	4.3	TC9381L	77-100	0.32	79*29*18	20	7.5
TC926	74-97	0.76	78*29*36	10	8.7	TC9391L	67-90	0.34	63*15*28	20	7.3	TC9382L	77-100	0.32	79*29*18	20	7.5
TC934	65-88	0.78	79*30*34	10	9	TC9301L-1	71-94	0.35	65*15*27	20	7.6	***************************************					5



ELECTRIC HOSPITAL BED ICU BEDS



Code:

TC-HB01K

Product Name:

Five Functions Electric Hospital Bed(ICU BED)

Specification Size: L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS guardrails, Control button for outside of side rails, Integrated stamping frame and mattress base are made of steel epoxy with ABS soft joint, I.V.Rod & Drainage hook, Center control lock











Code:

TC-HB02K

Product Name:

Five Functions Electric Hospital Bed(ICU BED)

Specification Size:L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS guardrails, Control button for outside of side rails and foot board, Control button for inside of side rail, Integrated stamping frame and mattress base are made of steel epoxy ,I.V.Rod & Drainage hook











Code:

TC-HB001

Product Name:

Five Functions Electric Hospital Bed(ICU BED)

Specification

Size: L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS guardrails, Integrated stamping frame and mattress base are made of steel epoxy,

I.V.Rod & Drainage hook









Code: TC-HB002

Product Name:

Five Functions Electric Hospital Bed(ICU BED)

Specification

Size: L2150*W950*H430-720mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Mattress base made of ABS Plastic, I.V.Rod & Drainage hook









HOSPITAL BEDS



TC-HB003

Product Name:

Three Functions Electric Hospital Bed(ICU BED)

Specification Size: L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS guardrails, Integrated stamping frame made of steel epoxy,
Mattress base made of ABS Plastic with soft joint, I.V.Rod & Drainage hook, Center control lock









Code:

TC-HB004

Product Name:

Three Functions Electric Hospital Bed(ICU BED)

Specification Size:L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS guardrails, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, Center control lock.









Code: TC-HB005

Product Name:

Three Functions Electric Hospital Bed

Specification Size: L2150*W950*H350-690mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes









Code: TC-HB006

Product Name:

Three Functions Electric Hospital Bed

Specification
Size: L2150*W950*H350-690mm
Detachable ABS head/foot board,
Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes







ELECTRIC HOSPITAL BEDS



Code:

TC-HB007

Product Name:


Three Functions Electric Hospital Bed

Specification Size: L2150*W1050*H460-720mm Detachable ABS head/foot board, collapsible ABS guardrails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes











Code:

TC-HB010

Product Name:

Three Functions Electric Hospital Bed

Specification Size: L2150*W950*H350-690mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes











Code:

TC-HB013

Product Name:

Three Functions Electric Hospital Bed

Specification

Size: L2150*W950*H380-650mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook, 5"Castor with brakes







Product Name:

Two Funcions Electric Hospital Bed

Specification

Size: L2150*W950*H500mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook, 5"Castor with brakes





ELECTRIC HOSPITAL BED MANUAL BED



TC-HB015

Product Name:

Two Functions Electric Hospital Bed

Specification Size: L2150*W950*H500mm Detachable ABS head/foot board, Collapsible ABS guardrails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes







Code:

TC-HB016

Product Name:

Single Function Electric Hospital Bed

Specification Size: L2150*W950*H500mm Detachable ABS head/foot board, Collapsible aluminium guardrails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes





Code:

TC-HB017

Product Name:

Two Functions Electric Hospital Bed

Specification

Size:L2030*W1050*H400mm

Material: Powder Coaing Foldable Steel Frame Electrc two functions metal net panel

Fixed Guardrail











Code: TC-HB101

Product Name:

Three Functions Manual Hospital Bed

Specification Size: L2150*W950*H350-690mm Detachable ABS head/foot board, Collapsible side rails by aluminium, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with brakes







MANUAL HOSPITAL BEDS



Code:

TC-HB102

Product Name:

Three Functions Manual Hospital Bed

Specification Size: L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS side rails, Integrated stamping frame and mattress base are made of steel epoxy with ABS soft joint, I.V.Rod & Drainage hook, Center control lock









Code:

TC-HB104

Product Name:

Three Functions Manual Hospital Bed

Specification L2150*W1050*H460-750mm Specification: Detachable ABS head/foot board, Collapsible ABS guardrails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes









Code:

TC-HB105

Product Name:

Three Functions Manual Hospital Bed

Specification

Size: L2150*W1050*H460-750mm Detachable ABS head/foot board, Collapsible ABS side rails, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook, Center control lock









Code:

TC-HB106

Product Name:

Three Functions Manual Hospital Bed

Specification

Size: L2150*W1050*H400-720mm Detachable ABS head/foot board, Collapsible side rails by aluminium, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook, Center control lock







MANUAL HOSPITAL BEDS



Code:

TC-HB111

Product Name:

Two Functions Manual Hospital Bed

Specification Size: L2150*W950*H500mm Detachable ABS head/foot board, Collapsible ABS side rails, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, Center control lock







Code:

TC-HB112

Product Name:

Two Functions Manual Hospital Bed

Specification Size:L2050*W930*H530mm

Material: Stainless Steel Frame, Stainless Steel Head

And End Bed-board

Detachable Guardrails'Double Handle Knobs







Code:

TC-HB114

Product Name:

Two Functions Manual Hospital Bed

Specification

Size: L2150*W950*H500mm Detachable ABS head/foot board, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with two brakes







Code:

TC-HB115

Product Name:

Two Functions Manual Hospital Bed

Specification

Size: L2150*W950*H550mm Detachable ABS head/foot board, Collapsible aluminium side rails with diner table, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook





MANUAL HOSPITAL BEDS



Product Name:

Two Functions Manual Hospital Bed

Specification Size: L2150*W1050*H500mm Detachable ABS head/foot board, Collapsible side rails by ABS Plastic, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook, 5"Castor with brakes







Code:

TC-HB117

Product Name: Two Functions Manual Hospital Bed

Specification Size: L2150*W950*H550mm Detachable ABS head/foot board, Collapsible side rails by aluminium, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook







Code: TC-HB118

Product Name:

Single Functions Manual Hospital Bed

Specification

Size: L2150*W950*H500mm Detachable ABS head/foot board, Collapsible side rails by aluminium, Integrated stamping frame and mattress base are made of steel epoxy, I.V.Rod & Drainage hook, 5"Castor with two brakes





Code: TC-HB119

Product Name:

Single Functions Manual Hospital Bed

Specification
Size: L2150*W950*H550mm
Detachable ABS head/foot board,
Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook



MANUAL ORDINARY FLAT BEDS



Code:

TC-HB121

Product Name:

Single Functions Manual Hospital Bed

Specification Size: L2150*W950*H550mm Detachable ABS head/foot board, Collapsible side rails by aluminium, Integrated stamping frame and mattress base are made of steel epoxy,I.V.Rod & Drainage hook





Code:

TC-HB122

Product Name:

Ordinary flat bed

Specification Size: L2150*W950*H550mm Detachable ABS head/foot board, Integrated stamping frame and mattress base are made of steel epoxy, I.V. Rod & Drainage hook



Code:

TC-HB123

Product Name:

Ordinary flat bed

Specification

Size: L2150*W900*H550mm
Detachable head/foot board by steel
frame,Integrated stamping frame and mattress base
are made of steel epoxy,I.V.Rod & Drainage hook



Code:

TC-HB124

Product Name:

Shower Bed

Specification

Size(LxWxH):950*900*460-750mm 1)Electric Motor with back-up battery 2)Material: Stainless Steel

3)Integrated Stamping Frame

4)3" Castor with brakes

ORTHOPAEDIC BED&BASSINET







Product Name:

Portal Style Orthopaedic Traction Bed With Quadruple Crank

Specification Size: L2150*W950*H500mm

Aluminum alloy head/foot board, portal frame, traction shelf, powder coated steel bed frame, punching bed surface, aluminum alloy 4 guardrail,

5inch wheels.











Code: TC-HB128

Product Name:

Powder Coated Children Single Crank Bed

Specification

Size: L1850*W750*H550mm



BABY BASSINET&EXAM BEDS



Code:

TC-HB130

Product Name:

Plastic Bassinet

Specification

Size: L1080*W420*H780/980mm



Code:

TC-HB131

Product Name:

Stainless Steel baby bed

Specification

Size: L730*W410*H610mm



Code:

TC-HB132

Product Name:

Stainless Steel Bassinet

Specification

Size: L820*W460*H750/1000mm



Code:

TC-HB133

Product Name:

Powder Coated Steel Bassinet

Specification

Size: L1080*W420*H950mm



Code:

TC-EC01

Product Name:

Examination Couch

Specification

Size: L1900*W650*H710mm



Code:

TC-EC02

Product Name:

Examination Couch

Specification

Size: L1900*W600*H500mm



Code:

TC-EC03

Product Name:

Examination Couch

Specification

Size: L1900*W650*H710mm The Back-rest lifting angle is 0-75 $^{\circ}$.



Code:

TC-EC04

Product Name:

Examination Couch

Specification

Size:L1900*W600*H680mm The back-rest lifting angle is 0-750



Code:

TC-EC05

Product Name:

Electric Examination Table

Specification

Size: L1900*W550*H400-800mm The height adjustable from 400 to 800mm by electric motor

EXAM BEDS



Code: TC-OT001

Product Name:

Head Control Multi-Functional Operating Table

Specification:

Size(LxWxH):2040*480*800~1040mm



Code: TC-OT002

Product Name:

Ordinary Operation Table

Specification:

- 1) Length and width for tabletop: 2000*480 mm
- 2) Height adjustment range: 250-800 mm
- 3)Leg section lowered from the horizonta≥90°
- 4)Backrest: Up≥90° Down≥20°
- 5)Kidneybridgeelevation≥120mm
- 6) Heard section raised from the horizonta ≥ 45°
- 7) Heard section lowered from the horizonta ≥90°



Code:

TC-OT003

Product Name:

Electric Operation Table For Obstetrics

Specification:

- 1)Length and width for tabletop: 1850*600mm
- 2) Height adjustment range: 650-895mm
- 3) width of back rest: 600*800 mm
- 4) width of seat place: 600*400 mm
- 5)width of leg:540*500mm
- 6)Back rest: Up≥75° Down≥6°
- 7)Forward >10°& Backward >25°



Code:

TC-OT004

Product Name: Electric Multi-Function Operation Table

Specification:

- 1)Length and width for tabletop: 1960*480mm
- 2)Height adjustment range: 690-930mm
- 3)Forward ≥25° backward ≥20°
- 4)Left ≥18° Right ≥18°
- 5)Backrest: Up≥75° Down≥10°
- 6)Kidney bridge elevation≥80mm
- 7) Heard section raised from the horizontal≥45° (detachable)
- 8) Heard section lowered from the horizontal≥50
- °(detachable)

EXAMINATION COUCH DENTAL CHAIR



Code: TC-OT005

Product Name:

Electric Operation Table

Specification:

- 1)Adjustable height:700~950mm
- 2)Size of top:L2050mm*W480mm
- 3)Forward ≥25° backward ≥25°
- 4)Left ≥20° Right ≥20°
- 5)Kidney bridge elevation≥120mm
- 6)Back section raised from the horizontal≥80°
- 7)Back section lowered from the horizontal≥15°
- 8) Heard section raised from the horizontal≥80° (detachable)
- 9)Heard section lowered from the horizontal≥80° (detachable)



Code: TC-OT006

Product Name:

Universal Obstetric Table

Specification:

Length and width of table top:190/500mm Lowest height of table top:750mm Back rest adjustment: up≥45° down≥7° Seat rest adjustment: up≥25°down≥8° Leg rest adjustment: up≥25°down≥25°



Code:

TC-OT007

Product Name:

Universal Operation Table For Gynaecology And Obstetrics

- 1) Length of bed: 1950mm (including auxiliary platformlength 600mm);
- 2)Width of bed:950mm(including the arm width 300m);
- 3) Minimum height of bed: 700 mm;
- 4) The maximum height of bed: 950 mm;
- 5) The angle of front and back: forward 25°, backward 10°;
- 6)Back to the point:70°



Code:

TC-DT330

Product Name:

Dental Therapy

Standard configuration:

Rotating Glass Spittoon 1set Auto Spittoon Flush And Cup Filler Control System 1set Asisstant Control System 1set 24V DC Motor Chair 1set 3 Ways Syringe 1set **Operation Light** 1set X-ray Viewer 1set Saliva Ejector With High And Low Suction 1set Water Tank 1set Operation Stool (I) 1set

Specification: Voltage/Power:220V/50Hz Motor Voltage: 24V

Air Pressure: 0.5Mpa-0.8Mpa

Color For Choice: Blue, Orange, Green etc Optional: Water Cleaner, Light Curing Machine, Dental Air Compressor

DENTAL CHAIRS



Code:

TC-DT208B

Product Name: Dental Therapy Chair

Standard configuration:

Rotating Ceramic Spittoon 1set Auto Spittoon Flush And Cup Filler Control System 1set Asisstant Control System 1set 24V DC Motor Chair 1set 3 Ways Syringe 1set Operation Light 1set X-ray Viewer 1set Saliva Ejector With High And Low Suction 1set Glass Plate 1set Water Tank 1set Operation Stool (I) With High /Low Speed Hand Piece 1set

Specification: Voltage/Power:220V/50Hz Motor Voltage: 24V Air Pressure: 0.5Mpa-0.8Mpa Air Pressure: 0.5Mpa-0.8Mpa

Optional: Water Cleaner, Light Curing Machine, Dental Air Compressor

1set



Code:

TC-DT326

Product Name:

Dental Therapy Chair

Standard configuration:

Ceramic Spittoon 1set Hot water System 1set Outlay Net Bottle 1set 3 Ways Syringe 1set **Operation Light** 1set X-ray Viewer 1set Saliva Ejector With High And Low Suction 1set Operation Stool (I) 1set High Speed Hand Piece 1set Low Speed Hand Piece 2set Asisstant Control System 1set

Specification:

Voltage/Power:220V/50Hz

Motor Voltage: 24V

Air Pressure: 0.5Mpa-0.8Mpa

Color For Choice: Blue, Orange, Green Etc



Code:

TC-DT2305

Product Name:

Dental Therapy Chair

Standard configuration:

Rotating Ceramic Spittoon 1set Hot water System 1set Purified Water&Running Water System 1set Cup & Spittoon Water System 1set 3 Ways Syringe 1set **Operation Light** 1set X-ray Viewer 1set Saliva Ejector With High And Low Suction 1set Operation Stool (I) 1set High Speed Hand Piece 2set Low Speed Hand Piece 1set

Specification:

Voltage/Power:220V/50Hz

Motor Voltage: 24V

Air Pressure: 0.5Mpa-0.8Mpa

Color For Choice: Blue, Orange, Green Etc

STRETCHERS



CODE:

TC9001

Product Name:

Two Folding Aluminum Alloy Stretcher

Specification:

Product size(LxWxH):1850x500x30mm Folded size(LxWxH):925x500x70mm Packing size(1pc):96x54x16cm G.W.:5.1KGS

Load bearing :≤159kgs



CODE:

TC9002

Product Name:

Two Folding Aluminum Alloy Stretcher

Specification:

Product size(LxWxH):1850x500x20mm Folded size(LxWxH):920x500x90mm Packing size(1pc):96x54x16cm G.W.:7KGS

Load bearing :≤159kgs



CODE:

TC9003

Product Name:

Two Folding Aluminum Alloy Stretcher

Specification:

Product size(LxWxH):1850x500x24mm Folded size(LxWxH):920x500x110mm Packing size(1pc):96x54x12cm G.W.:7KGS

Load bearing :≤159kgs



CODE:

TC9004

Product Name:

Telescopic Folding Stretcher(two parts)

Specification:

Product size(LxWxH):2080x545x130mm Folded size(LxWxH):1040x90x170mm Packing size(2pc):108x18x18.5cm G.W:4.7KGS

Load bearing :≤159kgs



CODE:

TC9005

Product Name:

Telescopic Folding Stretcher(four parts)

Specification:

Product size(LxWxH):2140x545x120mm Folded size(LxWxH):210x140x580mm Packing size(1pc):30x17x67cm G.W:6.6KGS

Load bearing :≤159kgs



CODE:

TC9006

Product Name:

Aluminum Folding Stretcher(four parts)

Specification:

Product size(LxWxH):1850x510x210mm Folded size(LxWxH):500x510x160mm Packing size(1pc):56x54x20cm G.W:7KGS

Load bearing :≤159kgs



TC9007 Product Name:

Telescopic Folding Stretcher(Four parts)

Specification:

Product size(LxWxH):2140x545x120mm Folded size(LxWxH):260x170x550mm Packing size(1pc):30x17x67cm G.W:6.6KGS

Load bearing:≤159kgs



CODE: TC9008

Product Name:

Aluminum Alloy Stair Stretcher

Specification:

Product size(LxWxH):900x510x910mm Folded size(LxWxH):900x170x590mm Packing size(1pc):96x17x64cm G.W:11.7KGS

Load bearing:≤159kgs



CODE: TC9009

Product Name:

Aluminum Alloy Stair Stretcher

Specification:

Product size(LxWxH):900x510x910mm Folded size(LxWxH):900x170x590mm Packing size(1pc):96x17x70cm G.W:9.5KGS

Load bearing:≤159kgs



STRETCHERS



CODE: TC9010

Product Name:

Aluminum Alloy Stretcher For Ambulance

Specification:

Product size(LxWxH):1900x550x500mm Packing size(1pc):195x64x34cm Max Angle of the back:60°

Distance between front and rear wheel:132mm G.W:31.5KGS

Load bearing:≤159kgs



CODE:

TC9011

Product Name:

Aluminum Alloy Stretcher For Ambulance

Specification:

Product size(LxWxH):1900x550x500mm Packing size(1pc):195x64x34cm Max Angle of the back:60°

Distance between front and rear wheel:132mm G.W:35KGS

Load bearing:≤159kgs



CODE:

TC9012

Product Name:

Aluminum Alloy Stretcher For Ambulance

Specification:

Maximum bit size (L×W×H):190×55×88cm *Minimum bit size (L×W×H):190×55×72cm *Packing Size(1pc/carton):195×62×42cm G.W.:40.5kg

Load bearing:≤159kgs



CODE: TC9013

Description

Product Name:

Aluminum Alloy Stretcher For Ambulance

Specification:

Product Size:(L*W*H):

High position:1900*550*920 mm Low position:1900*550*260 mm Maximum Angle of the Back:60° Packing Size:1950*620*280mm

G.W.:43kg,Load Bearing:≤159kg



CODE:

TC9014

Product Name:

Aluminum Alloy Stretcher For Ambulance

Specification:

Product Size: (L*W*H):

High position:1900*550*920 mm Low position:1900*550*260 mm Maximum Angle of the Back:60° Packing Size:1950*620*280mm G.W.:43kg,Load Bearing:≤159kg



CODE: TC9015

Product Name:

Automatic Loading Ambulance Stretcher

Specification:

Product Size (L x W x H):

High Position: 196 x 55 x 86cm

,Low Position:196x 55 x 25cm Carton Size(1pc/carton):198 x 64 x 26cm Load bearing: 159kg,N.W.:34kg G.W.:40kg

Maximum Angle of the Bach:f85°

Load Bearing:≤159kg



CODE: TC9016

Product Name:

Aluminum Alloy Emergency Stretcher Trolley

Specification:

Product size(LxWxH):High position:190x55x88c

Low position:190x55x54cm Packing size:195x62x34cm Maximum back angle: 60° N.W.:35KGS,G.W.41KGS Load Bearing:≤159kg



CODE: TC9017

Product Name:

Stainless Steel Emergency Transfer

Stretcher Trolley **Specification**:

Product Size(L*W*H):L1900*W630*

H800mm

Size of the castors : ф125cm Packing Size:195*65*35cm N.W.:35kg,G.W.:36kg Load Bearing:≤120kg



CODE:

TC-HC01

Product Name:

Luxury Operation Transfer Stretcher Cart

Specification:

Size: L3650*W640*640-970mm







STRETCHERS



Product Name:

Manual Patient Transfer Stretcher

Specification:

Size:L1950*W640*H570/860mm









TC-HC03

Product Name: Hydraulic Patient Transfer Stretcher

Specification:

Size:L1950*W640*H550/870mm









CODE:

TC9018

Product Name:

Extendible Scoop Stretcher

Specification:

Max Size(LxWxH):224x44x8cm Min Size(LxWxH):124x44x8cm folded N.W.9KGS,G.W.11KGS

Load Bearing:≤159kg

Dimension of packing:127x45x10cm



CODE:

Product Name: Traction Splint For Leg

Specification:

For Adult size: 136x22x18cm For Child size:118x18x17cm Packing:4pcs/ctn(Adult/child) N.W.:2KGS(Adult) 1.8kgs(Child) G.W.:10KGS(Adult) 9kgs(child) Dimesion of packing:98X23X20cm(Adult), 91x23x20cm(Child)

TC9019

TC9020 **Product Name:**

CODE:

Spine Board

Specification:

Product size (L x W x H): A:183 x 45 x 5cm, B:185x 46x6.5cm, C:184x45x5.5cm Packing size (1pc/carton):
A:185 x 47 x 7cm,B:187x48x8cm,
C:186x47x8cm—C
Load bearing: less than 159kgS

C



CODE:

TC9021

Product Name:

Patient Transfer

Specification:

Size(L×W×H)173.5×49×14cm Folding Size(L×W×H) 87×49×28cm Load bearing≤159kg Net weight 6.1kg

Gross weight 7.1kg



CODE: TC9022

Product Name:

Extrication Device

Specification:

Color: Green, Black, Green, etc. Adult:82x71cm,Child:59x64cm, N.W.:3kgs(Adult),2kgs(Child) Pacing Size(2pcs):86x26x19cm Cervical Collar



CODE: TC9023

Product Name: Cervical Collar

Specification:

A:Simple

B: 4 position adjustable C:soft foam



CODE: TC9024

Product Name:

Head Immobilizer

Specification:

Product Sizes: Padding: 40 cm x 25 cm x16cm Two head blocks: on the side: 13.8cm, On the bottom: 9cm, on the top: 5.2 cm, External diameter of the hole: 6 cm. Packing size (L x W x H): 41x 27x 20cm N.W.: 1kg G.W.: 1.5kg



OTHERS



CODE:

TC9024-1

Product Name:

Vacuum Mattress

Specification:

Type:Adult,Child Use Shape:With Or Without Head Immobilizer



CODE:

TC9025

Product Name:

CPR Board

Specification:

Product Size(LxWxH):64x43x8cm N.W.:1.5kgs Packing Size(L x W x H):66x44x9cm



CODE:

TC9026

Product Name: Body Bag For Cadaver

Specification: Material: PVC ,PP+PE etc Color: White, Black etc Size:50x110cm,90x220cm etc Thickness:0.1cm,0.17cm etc With Or Without Handle



Fifteen Channels Digital Electrocardiograph



TC-IE101

Single Channel Digital Electrocardiograph



TC-IE300

Three Channels Digital Electrocardiograph



TC-IE6

Six Channels Digital Electrocardiograph



TC-IE12A Twelve Channels Digital Electrocardiograph



TC-1210

Twelve Channels Digital Electrocardiograph

HOSPITAL FURNITURE



TC9027B

Multi-Functional Accompany Chair Size: L620*W610*H420-950mm N.W.:22.5KGS



TC9027C

Multi-Functional Accompany Chair Size: L620*W610*H420mm N.W.:22 KGS



TC9028

Lunxury Transfusion Chair Size:L700-1600*W750*H450-1080mm N.W.:21.5KGS



TC9029

Blood Collection Chair Size(LxWxH):1650x950x1700mm



TC9030

Treat-Waiting Chair Size(LxWxH):186X70X78cm—3seats



TC9031

One Layer Footstool A:Stainless steel Size(LxHxW):40x30x20cm B:Powder Coated steel Size(LxHxW): 45x30x20cm C:Stainless steel Size(LxHxW):40x10x25cm



TC9032

Two layers Footstool A:Stainless Stee Size(LxHxW):40x30x36cm B:Stainless Steel Size(LxHxW):46x41x43cm C:Stainless Steel

Size(LxHxW): 55x30x40cm



TC9033

Nurse Chair

A:size Ø550xH480-650mm B:size Ø500xH450-700mm C:size Ø380xH450-600mm D:size Ø360xH450-600mm



TC9034

Folding Hospital Screen S:Two Folding M:Three folding L: Four Folding



TC9035

Stainless Steel Hickey Cabinet Size:900x400x1750mm



TC9036

Stainless Stee3Medicine Cabinet Size:900x500/400x1750mm



TC9037

Stainless Steel Anesthesia Trolley Size(LxWxH):600x400x850mm



TC9038

Stainless Steel Emergency Trolley Size(LxWxH):700x400x850mm



TC9039

Stainless Steel Emergency Trolley Size(LxWxH):700x400x850mm



TC9040

Stainless Steel Treatment Trolley With Two Layers Size(LxWxH):850x500x900m



TC9041

Stainless Steel Treatment Trolley With Two Layers Size(LxWxH):850x500x900mm



TC9042

Stainless Steel Treatment Trolley With Three Layers Size(LxWxH):850x500x900mm



TC9043

Stainless Steel Treatment Trolley With One Drawer Size(LxWxH):600x360x850mm



TC9044

Stainless Steel Treatment Trolley With Two Drawers Size(LxWxH):650x450x900mm



TC9045

Stainless Steel Treatment Trolley With One Drawers Size(LxWxH):700x450x900mm



TC9046

Stainless Steel Fan Shap Instrument Trolley With Two Layers Size(LxWxH):1500x640x880mm



TC9047

Stainless Steel Thermos Trolley Size: (LxWxH):650x500x1000mm For 24bottles



TC9048

Stainless Steel Laundry Trolley Size:450xH750mm



TC9049

Stainless Steel Laundry Trolley Size(LxWxH):700x500x900mm



TC9050 Laundry Trolley Size(LxWxH):988x541x936mm



TC9051 Laundry Trolley Size(LxWxH):1180x570x936mm



TC9052 Waste Collecting Trolley Size(LxWxH):588X420X890mm



TC9053 Waste Collecting Trolley Size(LxWxH):800x590x890mm



TC9054 Stainless Steel Treatment Trolley Size(LxWxH):380x450x920mm



TC9055 Stainles Steel Double Arm Lifter Tray Stand Size(LxWxH):740x500x990mm



TC9056 Utility Trolley Size(LxWxH):540x366x830mm



TC9057 Utility Trolley Size(LxWxH):640x460x900mm



TC9058 Utility Trolley Size(LxWxH):540x366x880mm



TC9059 Utility Trolley With Two Drawers Size(LxWxH):640x460x900mm



TC9060 Utility Trolley With One Drawers Size(LxWxH):540x366x900mm



TC9061 Clinical Trolley Size(LxWxH):850x520x950mm



TC9062 Clinical Trolley Size(LxWxH):720x470x920mm



TC9063 Clinical Trolley Size(LxWxH):625x475x920mm



TC9064 Clinical Trolley Size(LxWxH):930x450x920mm



TC9065 Nursing Trolley Size(LxWxH):720x470x920mm



TC9066 Nursing Trolley Size(LxWxH):850x520x950mm



TC9067 Anesthesia Trolley Size(LxWxH):560x495x980mm



TC9068 Anersthesia Trolley Size(LxWxH):720x470x920mm



TC9069 Anersthesia Trolley Size(LxWxH):850x520x950mm



TC9070 Anersthesia Trolley Size(LxWxH):720x470x920mm



TC9071 Medicine Trolley Size(LxWxH):720x470x920mm




TC9072 Medicine Trolley Size(LxWxH):625x475x920mm



TC9073

Double Sides Medicine Trolley
Size(LxWxH):850x520x950mm

TROLLEYS&BEDSIDE CABINET



TC9074

IV-Treatment Trolley Size(LxWxH):930x450x920mm



Emergency Trolley Size(LxWxH):620x355x880mm



TC9076

Emergency Trolley Size(LxWxH):560x495x1500mm



TC9077 Emergency Trolley Size(LxWxH):850x520x950mm



TC9078 Emergency Trolley Size(LxWxH):850x520x950mm



TC-B001 Bedside Cabinet Size:450x470x780mm Material: ABS



TC-B002

Bedside Cabinet Size:450x470x780mm Material: Frame-Plastic Steel, Other-ABS



TC-B003

Bedside Cabinet Size:475x470x750mm Materila:ABS



TC-B004

Bedside Cabinet Size:475x470x760mm Materila: ABS



TC-B005

Bedside Cabinet Size:475x470x750mm Materila: ABS



TC-B006

Bedside Cabinet Size:475x470x880mm Materila: ABS



TC-B007
Bedside Cabinet Size:500x510X710mm Materila: Frame-Plastic Steel, Others-ABS



TC-B008 Bedside Cabinet Size:475x470X750mm Materila:surface board-ABS, Others-Plastic Steel



TC-B009
Bedside Cabinet
Size:520x480x740mm
Material:Aluminum+density board



TC-B010 Bedside Cabinet Size:495x423x800mm Material:Steel+ density board



Medical Seat Cushion



TC-KA01 Medical Air Cushion With Air Pump



TC-KA02 Medical Air Cushion With Air Pump



TC-KA03 Medical Mattress Single Crank Use Double Crank Use etc



TC560 Overbed Table L:88cm W:40cm H:73-125cm



TC562 Overbed Table L:77cm W:40cm H:72-113cm



TC5621 Overbed Table L:78cm W:40cm H:79-105cm




TC5622 Overbed Table L:92cm W:54cm H:94-106cm



TC5624 Overbed Table Packing:840*520*140(mm)

OTHERS



TC9080

ECG Chest Electrode Material: Nonwoven Or Foam Use: Infant, Adult



TC9081

Disposble Elestrsurgical Pad Type:Monopolar Size:150mm*90mm,210mm*100mm 180mm*135mm



TC9082

Ultrasound Gel Capacity:100ml,250ml,5L etc Color: Transparet/White, Blue Color



TC9083

A:concentrated Developer Liquid B:concentrated Fixer Liquid High tempertre;capacity:20L,2x20L etc



TC9084

A:X-ray Developer powder B:X-ray Fixer Powder Capacity: 20L, 2x20L etc



TC-FA01

X-ray Observation Lamp Single:(428x348)mm2 Double(428x698)mm2 Triple(428x1048)mm2



TC-FC01 Intensifying Screen Size:5"x7",8"x10",12"x10",14"x14" etc Color:Blue, Green Sensitive Speed: Medium, High



TC-XF01

X-ray Film Sensitive:Blue,Green Size:35x35cm,35x43cm,30x40cm, 15x40cm,24x30cm,18x24cm etc



TC-FE01

X-ray Film Developing Hanger Size:5"x7".8"x10",10"x12",11"x14" etc



TC-FG01

General Type Eyesight Lamp Box

Luxury Aluminum Eyesight Lamp Box Both Size:1000x160x37mm



TC-FF01

X-Ray Fil Cassette with or without window size:5"x7".8"x10",10"x12",14"x14" etc



TC-FA05

Standing X-Ray Film Cassette Shelf

TROLLEYS&BEDSIDE CABINET







TC662B Urine Bottle, Male Use



TC663B Urine Bottle, Male/Female Use



TC8141 Raised Toliet Seat



TC664B Urine Bottle, Male/Female Use



TC665B Urine Bottle, Male Use



TC669B Raised Toliet Seat



TC8142 Raised Toliet Seat









Code: TC-KD004 Product Name: Ultraviolet Lamp Trolley



Code: TC9079 Product Name: ECG Paper Roll/Book

EXAM LAMPS





Specification/Code	TC-L751	TC-L751II	TC-01L-1	TC-01L-II-1		
Illumination(Lx) at distance of 1m	≥12,000	≥20,000	≥12,000	≥25,000		
Color temperature(K)	3000±500	3500±500	3000±500	3000±500		
Main Voltage(AC)	220V±22V,50Hz±1Hz					
Rated voltage of bulb(AC)	24V	24V	24V	24V		
Rated Power Of Bulb(W)	25	50	25	50		
Input Power	30	60	30	60		
Light	Halogen Bulb	Halogen Bulb	Cold light Source	Tungsten Halogen bulb		



Specification/Code	TC2000-3II	TC-05L.III	TC-500II	TC-ZC0803
Illumination(Lx) at distance of 1m	≥40000	≥60000	≥95000	≥10000
Color temperature(K)	4300±200	4000±500	4200±500	3000-6000
Main Voltage(AC)	220V±22V,50Hz±1Hz			
Rated voltage of bulb(AC)	24V	24V	24V	
Rated Power Of Bulb(W)	25	25	100	
Input Power	30		150	3VA



Specification/Code	TC-04L-I	TC-500II-1	TC-LED-MDT61I	
Illumination(Lx) at distance of 1m	≥60,000	≥95000	≥160,000	
Color temperature(K)	4000±500	4200±500	6000	
Main Voltage(AC)	220V±22V,50Hz±1Hz			
Rated voltage of bulb(AC)	24V	24V	100-240V	
Rated Power Of Bulb(W)	25	100	200	
Input Power	30	150		
Light	Halogen Bulb			



OTHER CARE PRODCUCTS SUCTION DEVICE



TC-05L-1 T	C-09L-1	09L-1 TC-12L-1		TC-600III TC-		
Specification/Code	TC-05L-1	TC-09L-1	TC-12L-1	TC-600III	TC-600-600II	
Illumination(Lx) at distance of 1	m ≥60,000	≥100,000	≥100,000	≥105,000	≥105,000	
Color temperature(K)	4000±500	4000±500	4000±500	4300±500	4300±500	
Main Voltage(AC)		220V±22V,50Hz±1Hz				
Rated voltage of bulb(AC)	24V	24V	24V	24V	24V	
Rated Power Of Bulb(W)	25	25	25	120	120	
Input Power	30	30	30			
Light	Halogen Bulb	Halogen Bulb	Cold light Source	Tungsten Halogen bulb	Tungsten Halogen bulb	



IC-LED0001	I C-LEDOUUII	TC-LED7000	
MODEL	TC-LED600I	TC-LED600II	TC-LED7060
POWER SUPPLY	A.C.220 V 50 Hz		
INPUT POWER	55VA	110VA	60VA
Color temperature (K)	3000k~6000k		
Illumination Of Main Light (lx)	80000-160000	80000-160000	100000-160000
Illumination Of Side Lamp(lx)		80000-160000	80000-160000
Spot Diameter of Main Light d10(mm)	130mm	130mm	150mm
Spot Diameter of Side Lamp d10(mm)			130mm
Spot Diameter of Main Light d50(mm)	75mm	75mm	85mm
Spot Diameter of Side Lamp d50(mm)	——		75mm
SHADOWLESS EFFECT THE SINGLE COVER RATE (Ix)	> 35%(28000-56000)	> 35%(28000-56000)	> 35%(35000-56000)
DOUBLE RATE COVER PLATE (Ix)			> 35%(28000-56000)
*BULB POWER(LED)	3V-3.4V/3W		
BEAM DEPTH	≥600mm		
COLOR RENDERING INDEX(Ra)	85~100		
MAXIMUM LASER OUTPUT	5.3mW		

Code:

TC-H003-C **Product Name:** Portable Electrical Suction Device

SpecificationMain Voltage:AC200V/50Hz;
Pump Structure: Oil-free pump; Air Pumping efficency:≥18L/min

Negative Pressure:≥0.075MPa Reservoir Capacity: 1000ml

Noise Level:≤55dB Input Power:90VA



Code: TC-DFX-23A **Product Name:** Portable Electrical Suction Device

Specification Main Voltage:AC200V/50Hz; Pump Structure: Oil-free pump; Air Pumping efficency:≥10L/min

Negative Pressure:≥0.07MPa Reservoir Capacity: 1000ml Adjustment range of negative preesure:0.01-0.07Mpa

Noise Level:≤45dB Input Power:150VA



SUCTION DEVICE



Code:

TC-DFX-23AII

Product Name:
Portable Electrical Suction Device

Specification:

Main voltage: AC220V/50Hz; Pump Structure: Oil-fiee pump Air Pumping efficiency: ≥18L/min Negative Pressure: ≥0. 075MPa Reservoir Capacity: 1000ml Adjustment range of negative pressure: 0. 01-0. 17MPa Noise Level:≤45dB Input Power: 90VA



Code:

TC-DFX-23BI

Product Name:
Portable Electrical Suction Device

Specification:

Main Voltage: AC220V/50Hz; Pump Structure: Oil-fiee pump Air Pumping efficiency: ≥25L/min Negative Pressure: ≥0.09MPa Reservoir Capacity: 1000mlx2 Adjustment range of negative pressure: 0. 013-0. 09MPa Noise Level: ≤55dB Input Power: 150VA



Code:

TC-DFX-23II

Product Name:
Portable Electrical Suction Device

Specification:

Main Voltage: AC220V/50Hz; Pump Structure: Oil-fiee pump Air Pumping efficiency: ≥20L/min Negative Pressure: ≥0. 09MPa Reservoir Capacity: 1000ml1 Adjustment range of negative pressure: 0. 013-0. 09MPa

Noise Level: ≤55dB Input Power: 150VA



Code:

TC-DFX-23CI

Product Name: Electrical Suction Device

Specification:

Main Voltage: AC220V/50Hz; Pump Structure: film type pump; Air Pumping efficiency: ≥25L/min Negative Pressure: ≥0.09MPa Reservoir Capacity: 2500mlx2 Adjustment range of negative pressure: 0. 013-0. 09MPa Noise Level: ≤55dB Input Power: 450VA



Code:

TC-DFX-23CIV

Product Name: Electrical Gynaecological Suction Device

Specification:

Main Voltage: AC220V/50Hz; Pump Structure: Oil-film type pump; Air Pumping efficiency: ≥25L/min Negative Pressure: ≥0. 09MPa Reservoir Capacity: 1000mlx2 Adjustment range of negative pressure: 0. 013-0. 09MPa Noise Level: ≤55dB Input Power: 150VA



Code:

TC-DFX-23DI

Product Name: Electrical Suction Device

Specification:

Main Voltage: AC220V/50Hz; Pump Structure: film type pump; Air Pumping efficiency: ≥25L/min Negative Pressure: ≥0.09MPa Reservoir Capacity: 2500mlx2 Adjustment range of negative pressure: 0. 013-0. 09MPa

Noise Level: ≤55dB Input Power: 450VA

OXYGEN CONCENTRATOR BABY INCUBATOR



Code:

TC-DFX-JA/B

Product Name:Foot Pedal Suction Device

Specification:

Negative Pressure: ≥0.08MPa Closed:≤0.005MPa/10min Reservoir Capacity: 1000ml



Code:

TC-DFX-XWA

Product Name: Stomach Cleaning Machine

Specification:

Main Voltage: AC220V/50Hz; Structure of Pump: Impulse Pump Flow rate: ≥2L/min for rushing ≥2L/min for rushing Sputum vessel:5000mlx2 Mode ofstomach cleaning : Manual&Auto

(Auto-suction time adjustable) Noise Level:≤55dB Input Power:150VA±25%



Code:

TC-DFX-III

Product Name: Low Negative Pressure Suction Apparatus

Specification:

Main Voltage: AC220V/50Hz;

Pump Structure: Electromagnetic pump

Flow rate: ≥800ml/min Negative Pressure: ≥16KPa Reservoir Capacity: 1000ml Noise Level: ≤30dB Input Power: 18VA



Code:

TC-Y007

Product Name: Oxygen Concentrator

Specification:

Main Voltage: AC220V/50Hz; Oxygen Flux:1-5L/min Oxygen Density:≥90%

Output pressure: 0.02-0.07MPa Automization efficiency: ≥0. 2ml/min

Input Power: 450VA Noise Level:≤60dB With or Without Spray



Code:

TC-GLQ-2

Product Name: Blue-ray therapy Machine For Newborn

Specification:

≥500UM /M°

The light box consists of four blue -ray lamp tubes The light box can be adjusted in horizontal angulation0,30,60° The support arm can be regualated The wavelength of the blue-ray:400-500NM The irradiation power of the blue-ray:



Code:

TC-5GB

Product Name: Infant Incubator

Specification:

Box& skin temperature contolled by computer

Seperately diaplay set:box &skin

temperature

Hight Temperature stetting:>370;Noise inside: < 60dB

Temperature fluctuation in the rangr: < 0.5 DEGC:

Bed suface temperature diviation < 1.5C Heating time(increased by11°C)≤45min RS-232 Connector: Self-test alarm and acousto-optic prompt of over-heating Deviature, circultion sensor power outage, Protection railing

Optional blue-ray therapeutic apparatus

INFANT WARMER PATIENT MONITOR



Code:

TC-6GB

Product Name: Infant Incubator

Specification:

Seperately diaplay set:box &skin temperature

Hight Temperature stetting:>370;

Noise inside: < 60dB

Temperature fluctuation in the rangr: <0.5DEGC:

Bed suface temperature diviation < 1.5C Heating time(increased by11°C)≤45min RS-232 Connector:Self-test alarm and

acousto-optic prompt of over-heating Deviature, circultion sensor power outage,

Protection railing

Optional blue-ray therapeutic apparatus



Code:

TC-FXQ-4

Product Name: Infant Radiant Warmer

Specification:

Preheating, manual control and Skin-tempt mode

Computer temperature control servo, far-infrared radiation heater

Radiation head that can be adjusted in horizontal angulation from 0°C-90°C

Tempt setting and skin tempt display separately

RS-232 joint

Display timer of APGAR score with Acousto-optic prompt and continuous timekeeping Infintely adjustable baby bed tilt, Lucite baffle thickened for satey, which can be turned downwaed

Organic daffle turn down and thicken for safety increasing. Bady beb may be placed under X-ray film box

Over temperture, sensor fail alarm, deviation power off, self checking function.

Optional new temperature control instrument

The exclusive detection through the national three levels of sound and light alarm safety system.

Import LED blue-ray light equipment is optional.



Code:

TC-2000G

Product Name: Infant Incubator

Specification:

Box& skin temperature contolled by computer, panel with backlight display Seperately diaplay set:box &skin temperature

Hight Temperature stetting:>370;

Noise inside: < 60dB

Temperature fluctuation in the rangr: < 0.5DEGC, Bed suface temperature

diviation < 1.5C

Heating time(increased by11°C)≤45min Self-test alarm and acousto-optic prompt of over-heating, deviature, circultion sensor power outage RS-232 Connector:Double thermostatic cover infinitely adjusable baby bed title,

Protection railing

Optional blue-ray therapeutic apparatus



Code:

TC-FXQ-4A

Product Name: Infant Radiant Warmer

Preheating, manual control and Skin-tempt mode

Computer temperature control and skin-tempt mode
Computer temperature control servo, far-infrared radiation heater
Radiation head that can be adjusted in horizontal angulation from0°C-90°C
Tempt setting and skin tempt display separately
RS-232 joint

RS-232 joint
Display timer of APGAR score with Acousto-optic prompt and continuous timekeeping
Infinitely adjustable baby bed tilt, Lucite baffle thickened for satey, which can be turned downwaed
Organic daffle turn down and thicken for safety increasing.
Bady beb may be placed under X-ray film box
Over temperture, sensor fail alarm, deviation power off, self checking function.
Optional new temperature control instrument

The exclusive detection through the national three levels of sound and light alarm safety system. Import LED blue-ray light equipment is optional. with warning prompt for overheating and sensor fault Big bed convenient for operation

Increase two tray,on which other equipment Cylindrical trilby

Elevating chassis

Optional new temperature control instrument
The exclusive detection through the national three levels of sound and light alarm safety system.
Import LED blue-ray light equipment is optional.

Optional oxygen device, low pressure suction device, AMBU the fixed shelf for infant head mask



PATIENT MONITOR





























MEDICAL ELECTRIC SAW &DRILL SYSTEM



Code: TC-BP12

Product Name:

Handheld Pulse Oximeter Specification:

Ihigh resolution LCD diaplay of SpO2, PR, Pulse Bar, PI& Plethysmogram; (B type:M/O PI&Plethysmogram) Real-time store and recall SpO2 and PR value;

Up to 70 hours of oximetery data storage(Record data once every 1/2/4/8 seconds);

Data racord can be uploaded to PC; Oximeter data manager 3 oftware is available;

Audible & visible alarm function; AC/DC adapter options;



Code: TC-FPX-35

Product Name:

Finger Pulse Oximeter

Specification:

Reliable accuracy and durability Two Color OLED Display, four display modes.

4-Direction Display adjustable. Low voltage indicator, Real-time spot-checks.-

Low power consumption, 50 hours continuous to work.

Low Perfusion≤0.4%

Automatic power off when no signal Small and light weight, convenient to

Widely used in hospital, home healthcare, oxygen bar, community medical centre, alpine area, sports healthcare etc.



Code:

TC-BF600+

Product Name:

Doppler Fetal Heart Rate Detector Specification:

Input Power: ≤ 20VA

Power:14.4V rechargeable batteries

Operating temperature:10°C-40°C Ultrasonic frequency:2.0MHz/5.0MHz, ±10%

Ultrasonic intensity: ≤10mW/cm2 Dimensions:34cm(L)x25cm(W)x17cm(H) Net weight:1kg Gross weight: 2.6kg



Code:

TC-FM200

Product Name: Fetak Doppler

Specification: High resolution LCD diaplay of SpO2, PR, Pulse Bar, PI& Plethysmogram;

(B type:M/O PI&Plethysmogram) Real-time store and recall SpO2 and PR value;

Up to 70 hours of oximetery data storage(Record data once every 1/2/4/8 seconds);

Data racord can be uploaded to PC; Oximeter data manager 3 oftware is available;

Audible & visible alarm function; AC/DC adapter options;



Code:

TC-FM801

Product Name:

Fetal Monitor Specification:

Foldable5.7"LCD screen, digital and diagram display of FHR and TOCO; TOCO antomatic and manual zero, auto fetal movement detection:

Auto thermal print head over-heating protection;

13-wafer pulse ultrasonis probe, with unique heart rate algorithm, provide accurate FHR;

Rechargeable li-ion battery ensure continuous monitoring even while p ower failure;

Internal memory storage patient information;

Database analysis central monitoring system by TCP/IP network connection; Optional for twins usr.



Code:

TC-AED7000

Product Name:

Difibrillator Specification:

Output: Biphasic Truncated exponential Energy Sequence: 150,150,200J

Charge Time: 8 sec. To 150J 10 sec. To 200J (New battery)

Analysis Time: 9 sec.

The maximum time from the initiation of rhythm analy-sis to readiness for discharge with a new battery. Less than 30 seconds The maximum time from the initiation of rhythm analy-sis to readiness for discharge after 6 shocks. Less than 35 seconds The maximum time from initially switching power on to readiness for discharge. Less than 25 seconds

Audible Prompts: 20 audible prompts Visual Prompts: LED Prompts Controls: Two buttons-On/Off, Shock Output Energy Accuracy: $\pm 15\%$ into any impedance from 25 to 175Ω

Output disabled when the patient impedance is outside limits: 20Ω to 200Ω -condensing)



CPM MACHINE



Code: TC-BD-310

Product Name: Syringe Destroyer



Code: TC-BFW-1000+

Product Name:

Fluid/Blood Infusion Warmer



Code: TC-CPM1C

Product Name:

Mechanical Type Lower Limb CPM

Specification:

Work on knee joints



Code: TC-CPM2E

Product Name:

Child Use Lower Limb CPM

Specification:

Work on knee joints



Code:

ТС-СРМЗЕ

Product Name:

Shoulder Joint CPM

Specification:

Work on shoulder joint



Code: TC-CPM4E

Product Name:

Shoulder and Elbow Joints CPM

Specification:

Work on shoulder and Elbow joints



Code: TC-CPM5E

Product Name: Finger Joint CPM

Specification:

Work on finger joint



Code: TC-CPM6E

Product Name: Wrist Joint CPM

Specification:

Work on wrist joint, Adult use



Code: TC-CPM1F

Product Name: Lower Limb CPM

Specification:

Work on knee joints



Our Corporation consists of E-Link™ International Supply Chain Ltd., SM Consulting Ltd. & E-Link™ Supply UK Ltd.

Alti Mariani and Yulin Zhou are responsible for overall corporate performance and business success.

Our Physical Offices

CHINA/HONG KONG.

*All **postal correspondence** and contracts for Asia will be handled from our Head Office in Shenzhen, please use the address below. All **Bank transactions for Asia** will be handled by one of our Banks in Hong Kong: Standard Chartered HK, Bank of China HK or HSBC HK

Forms of Payment SBLC or L/C

Headquarters

Shenzhen, Guangdong.

10th 1006-1008, Ruisi A Building

NO.1002 North River Road,

LuoHu District

Shenzhen, China

深圳市罗湖区沿河北路1002号瑞 思国际A座1501

Guangzhou Branch

3403-Huancheng Hna Centre, Tianhebei Road 365

Tianhe District,

Guangzhou City

510630

China

广州市天河区天河北 路365号寰城海航广场 3403 www.elinksupply.eu

EUROPE

*All **postal correspondence and contracts** for Europe will be handled from our Head office in the City of London, please use the address below. All **Bank Transactions** for Europe and USA will be handled from one of our Banks in London: Lloyd's Bank UK, HSBC UK or The Royal Bank of Scotland.

Forms of Payment SBLC or L/C

Head Office

United Kingdom

128 City Road,

EC1V 2NX

London

+44 203 962 5755

SPAIN-TENERIFE

Office & Warehouse

Calle Puerto Rico, 1, 38680 Guia de Isora,

Santa Cruz de Tenerife

CANARY ISLANDS

+34 672 843 913

We will only send to you official documents duly signed and accepted from our company through our **corporate email**. If you receive a document from our company by any other means, it will not have commercial validity and the document will not be honored.

E-Link Supply does not use private messaging tools such as Gmail, Facebook, WhatsApp or any other website to conduct business.

Therefore, we are not responsible for offers received in an inappropriate way or means.